

# 令和2年度 事業年報

## ①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	1	1.02%	7	7.14%	47	47.96%	3	3.06%	34	34.69%	6	6.12%
	女	89	0		3	3.37%	43	48.31%	3	3.37%	32	35.96%	8	8.99%
	計	187	1	0.53%	10	5.35%	90	48.13%	6	3.21%	66	35.29%	14	7.49%
40 ～ 74	男	737	0		285	38.67%	230	31.21%	28	3.80%	192	26.05%	285	38.67%
	女	616	2	0.32%	199	32.31%	206	33.44%	38	6.17%	169	27.44%	199	32.31%
	計	1353	2	0.15%	484	35.77%	436	32.22%	66	4.88%	361	26.68%	484	35.77%
75 ～	男	44	0		27	61.36%	9	20.45%	1	2.27%	7	15.91%	27	61.36%
	女	30	0		22	73.33%	4	13.33%	0		4	13.33%	22	73.33%
	計	74	0		49	66.22%	13	17.57%	1	1.35%	11	14.86%	49	66.22%
合計		1614	3	0.19%	543	33.64%	539	33.40%	73	4.52%	438	27.14%	547	33.89%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	98	6	6.12%	59	60.20%	33	33.67%
	女	89	9	10.11%	59	66.29%	21	23.60%
	計	187	15	8.02%	118	63.10%	54	28.88%
40 ～ 74	男	737	14	1.90%	460	62.42%	263	35.69%
	女	616	76	12.34%	427	69.32%	113	18.34%
	計	1353	90	6.65%	887	65.56%	376	27.79%
75 ～	男	44	2	4.55%	34	77.27%	8	18.18%
	女	30	5	16.67%	19	63.33%	6	20.00%
	計	74	7	9.46%	53	71.62%	14	18.92%
合計		1614	112	6.94%	1058	65.55%	444	27.51%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	80	81.63%	7	7.14%	7	7.14%	0		3	3.06%	1	1.02%
	女	89	80	89.89%	3	3.37%	2	2.25%	0		2	2.25%	2	2.25%
	計	187	160	85.56%	10	5.35%	9	4.81%	0		5	2.67%	3	1.60%
40 ～ 74	男	737	356	48.30%	104	14.11%	96	13.03%	0		22	2.99%	159	21.57%
	女	616	382	62.01%	65	10.55%	71	11.53%	0		12	1.95%	86	13.96%
	計	1353	738	54.55%	169	12.49%	167	12.34%	0		34	2.51%	245	18.11%
75 ～	男	44	13	29.55%	5	11.36%	4	9.09%	0		1	2.27%	21	47.73%
	女	30	13	43.33%	2	6.67%	4	13.33%	0		0		11	36.67%
	計	74	26	35.14%	7	9.46%	8	10.81%	0		1	1.35%	32	43.24%
合計		1614	924	57.25%	186	11.52%	184	11.40%	0		40	2.48%	280	17.35%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	97	98.98%	0	0	1	1.02%	0	0	0	0	0	0
	女	89	88	98.88%	0	0	1	1.12%	0	0	0	0	0	0
	計	187	185	98.93%	0	0	2	1.07%	0	0	0	0	0	0
40 ～ 74	男	736	667	90.63%	0	0	69	9.38%	0	0	0	0	0	0
	女	611	586	95.91%	0	0	25	4.09%	0	0	0	0	0	0
	計	1347	1253	93.02%	0	0	94	6.98%	0	0	0	0	0	0
75 ～	男	43	27	62.79%	0	0	16	37.21%	0	0	0	0	0	0
	女	29	15	51.72%	0	0	14	48.28%	0	0	0	0	0	0
	計	72	42	58.33%	0	0	30	41.67%	0	0	0	0	0	0
合計		1606	1480	92.15%	0	0	126	7.85%	0	0	0	0	0	0

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	48	48.98%	11	11.22%	18	18.37%	0	0	21	21.43%	0	0
	女	89	69	77.53%	4	4.49%	9	10.11%	0	0	7	7.87%	0	0
	計	187	117	62.57%	15	8.02%	27	14.44%	0	0	28	14.97%	0	0
40 ～ 74	男	737	321	43.55%	132	17.91%	136	18.45%	0	0	147	19.95%	1	0.14%
	女	616	484	78.57%	51	8.28%	49	7.95%	0	0	31	5.03%	1	0.16%
	計	1353	805	59.50%	183	13.53%	185	13.67%	0	0	178	13.16%	2	0.15%
75 ～	男	44	21	47.73%	9	20.45%	11	25.00%	0	0	3	6.82%	0	0
	女	30	20	66.67%	3	10.00%	5	16.67%	0	0	2	6.67%	0	0
	計	74	41	55.41%	12	16.22%	16	21.62%	0	0	5	6.76%	0	0
合計		1614	963	59.67%	210	13.01%	228	14.13%	0	0	211	13.07%	2	0.12%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	34	34.69%	20	20.41%	30	30.61%	8	8.16%	3	3.06%	3	3.06%
	女	89	42	47.19%	21	23.60%	21	23.60%	4	4.49%	1	1.12%	0	0
	計	187	76	40.64%	41	21.93%	51	27.27%	12	6.42%	4	2.14%	3	1.60%
40 ～ 74	男	737	147	19.95%	158	21.44%	275	37.31%	40	5.43%	18	2.44%	99	13.43%
	女	616	135	21.92%	98	15.91%	228	37.01%	50	8.12%	20	3.25%	85	13.80%
	計	1353	282	20.84%	256	18.92%	503	37.18%	90	6.65%	38	2.81%	184	13.60%
75 ～	男	44	9	20.45%	10	22.73%	11	25.00%	2	4.55%	1	2.27%	11	25.00%
	女	30	3	10.00%	7	23.33%	10	33.33%	1	3.33%	0	0	9	30.00%
	計	74	12	16.22%	17	22.97%	21	28.38%	3	4.05%	1	1.35%	20	27.03%
合計		1614	370	22.92%	314	19.45%	575	35.63%	105	6.51%	43	2.66%	207	12.83%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	53	54.08%	36	36.73%	7	7.14%	0		0		2	2.04%
	女	89	47	52.81%	33	37.08%	8	8.99%	0		1	1.12%	0	
	計	187	100	53.48%	69	36.90%	15	8.02%	0		1	0.53%	2	1.07%
40 ～ 74	男	737	147	19.95%	283	38.40%	219	29.72%	0		23	3.12%	65	8.82%
	女	616	206	33.44%	220	35.71%	167	27.11%	0		5	0.81%	18	2.92%
	計	1353	353	26.09%	503	37.18%	386	28.53%	0		28	2.07%	83	6.13%
75 ～	男	44	2	4.55%	14	31.82%	21	47.73%	0		1	2.27%	6	13.64%
	女	30	3	10.00%	7	23.33%	12	40.00%	0		1	3.33%	7	23.33%
	計	74	5	6.76%	21	28.38%	33	44.59%	0		2	2.70%	13	17.57%
合計		1614	458	28.38%	593	36.74%	434	26.89%	0		31	1.92%	98	6.07%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	58	59.18%	34	34.69%	6	6.12%	0		0		0	
	女	89	64	71.91%	21	23.60%	4	4.49%	0		0		0	
	計	187	122	65.24%	55	29.41%	10	5.35%	0		0		0	
40 ～ 74	男	737	496	67.30%	167	22.66%	60	8.14%	0		14	1.90%	0	
	女	616	401	65.10%	139	22.56%	69	11.20%	0		7	1.14%	0	
	計	1353	897	66.30%	306	22.62%	129	9.53%	0		21	1.55%	0	
75 ～	男	44	30	68.18%	5	11.36%	7	15.91%	0		2	4.55%	0	
	女	30	25	83.33%	2	6.67%	3	10.00%	0		0		0	
	計	74	55	74.32%	7	9.46%	10	13.51%	0		2	2.70%	0	
合計		1614	1074	66.54%	368	22.80%	149	9.23%	0		23	1.43%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	77	78.57%	12	12.24%	6	6.12%	2	2.04%	0		1	1.02%
	女	89	89	100.00%	0		0		0		0		0	
	計	187	166	88.77%	12	6.42%	6	3.21%	2	1.07%	0		1	0.53%
40 ～ 74	男	737	549	74.49%	98	13.30%	22	2.99%	17	2.31%	0		51	6.92%
	女	616	598	97.08%	11	1.79%	5	0.81%	2	0.32%	0		0	
	計	1353	1147	84.77%	109	8.06%	27	2.00%	19	1.40%	0		51	3.77%
75 ～	男	44	37	84.09%	2	4.55%	1	2.27%	3	6.82%	0		1	2.27%
	女	30	27	90.00%	1	3.33%	2	6.67%	0		0		0	
	計	74	64	86.49%	3	4.05%	3	4.05%	3	4.05%	0		1	1.35%
合計		1614	1377	85.32%	124	7.68%	36	2.23%	24	1.49%	0		53	3.28%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	66	67.35%	29	29.59%	0		0		3	3.06%	0	
	女	89	63	70.79%	12	13.48%	7	7.87%	4	4.49%	2	2.25%	1	1.12%
	計	187	129	68.98%	41	21.93%	7	3.74%	4	2.14%	5	2.67%	1	0.53%
40 ～ 74	男	737	530	71.91%	158	21.44%	12	1.63%	5	0.68%	31	4.21%	1	0.14%
	女	616	423	68.67%	116	18.83%	31	5.03%	26	4.22%	7	1.14%	13	2.11%
	計	1353	953	70.44%	274	20.25%	43	3.18%	31	2.29%	38	2.81%	14	1.03%
75 ～	男	44	34	77.27%	4	9.09%	3	6.82%	1	2.27%	1	2.27%	1	2.27%
	女	30	24	80.00%	4	13.33%	1	3.33%	0		0		1	3.33%
	計	74	58	78.38%	8	10.81%	4	5.41%	1	1.35%	1	1.35%	2	2.70%
合計		1614	1140	70.63%	323	20.01%	54	3.35%	36	2.23%	44	2.73%	17	1.05%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	82	83.67%	12	12.24%	1	1.02%	0		3	3.06%	0	
	女	89	71	79.78%	13	14.61%	1	1.12%	0		4	4.49%	0	
	計	187	153	81.82%	25	13.37%	2	1.07%	0		7	3.74%	0	
40 ～ 74	男	737	659	89.42%	56	7.60%	8	1.09%	0		14	1.90%	0	
	女	616	529	85.88%	50	8.12%	5	0.81%	0		31	5.03%	1	0.16%
	計	1353	1188	87.80%	106	7.83%	13	0.96%	0		45	3.33%	1	0.07%
75 ～	男	44	34	77.27%	6	13.64%	3	6.82%	0		1	2.27%	0	
	女	30	25	83.33%	1	3.33%	0		0		4	13.33%	0	
	計	74	59	79.73%	7	9.46%	3	4.05%	0		5	6.76%	0	
合計		1614	1400	86.74%	138	8.55%	18	1.12%	0		57	3.53%	1	0.06%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	7	7	100.00%	0		0		0		0		0	
	女	7	7	100.00%	0		0		0		0		0	
	計	14	14	100.00%	0		0		0		0		0	
40 ～ 74	男	27	25	92.59%	0		0		0		2	7.41%	0	
	女	11	11	100.00%	0		0		0		0		0	
	計	38	36	94.74%	0		0		0		2	5.26%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		52	50	96.15%	0		0		0		2	3.85%	0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	15	15	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	15	15	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	187	183	97.86%	0	0	0	0	0	0	4	2.14%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	187	183	97.86%	0	0	0	0	0	0	4	2.14%	0	0
75 ～	男	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
合計		204	200	98.04%	0	0	0	0	0	0	4	1.96%	0	0

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	91	89	97.80%	0	0	0	0	0	0	2	2.20%	0	0
	女	89	85	95.51%	0	0	0	0	0	0	4	4.49%	0	0
	計	180	174	96.67%	0	0	0	0	0	0	6	3.33%	0	0
40 ～ 74	男	727	674	92.71%	0	0	0	0	0	0	48	6.60%	5	0.69%
	女	599	568	94.82%	0	0	0	0	0	0	29	4.84%	2	0.33%
	計	1326	1242	93.67%	0	0	0	0	0	0	77	5.81%	7	0.53%
75 ～	男	43	42	97.67%	0	0	0	0	0	0	1	2.33%	0	0
	女	30	29	96.67%	0	0	0	0	0	0	1	3.33%	0	0
	計	73	71	97.26%	0	0	0	0	0	0	2	2.74%	0	0
合計		1579	1487	94.17%	0	0	0	0	0	0	85	5.38%	7	0.44%

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	82	83.67%	10	10.20%	6	6.12%	0	0	0	0	0	0
	女	89	81	91.01%	3	3.37%	5	5.62%	0	0	0	0	0	0
	計	187	163	87.17%	13	6.95%	11	5.88%	0	0	0	0	0	0
40 ～ 74	男	737	557	75.58%	78	10.58%	64	8.68%	2	0.27%	21	2.85%	15	2.04%
	女	616	505	81.98%	33	5.36%	59	9.58%	0	0	11	1.79%	8	1.30%
	計	1353	1062	78.49%	111	8.20%	123	9.09%	2	0.15%	32	2.37%	23	1.70%
75 ～	男	44	24	54.55%	7	15.91%	7	15.91%	0	0	3	6.82%	3	6.82%
	女	30	19	63.33%	1	3.33%	6	20.00%	0	0	2	6.67%	2	6.67%
	計	74	43	58.11%	8	10.81%	13	17.57%	0	0	5	6.76%	5	6.76%
合計		1614	1268	78.56%	132	8.18%	147	9.11%	2	0.12%	37	2.29%	28	1.73%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	90	91.84%	0		0		0		6	6.12%	2	2.04%
	女	89	82	92.13%	0		1	1.12%	0		3	3.37%	3	3.37%
	計	187	172	91.98%	0		1	0.53%	0		9	4.81%	5	2.67%
40 ～ 74	男	735	512	69.66%	14	1.90%	63	8.57%	0		91	12.38%	55	7.48%
	女	615	459	74.63%	18	2.93%	38	6.18%	0		57	9.27%	43	6.99%
	計	1350	971	71.93%	32	2.37%	101	7.48%	0		148	10.96%	98	7.26%
75 ～	男	44	17	38.64%	1	2.27%	7	15.91%	0		12	27.27%	7	15.91%
	女	30	4	13.33%	2	6.67%	7	23.33%	0		8	26.67%	9	30.00%
	計	74	21	28.38%	3	4.05%	14	18.92%	0		20	27.03%	16	21.62%
合計		1611	1164	72.25%	35	2.17%	116	7.20%	0		177	10.99%	119	7.39%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	94	83	88.30%	0		6	6.38%	0		3	3.19%	2	2.13%
	女	85	75	88.24%	0		4	4.71%	0		3	3.53%	3	3.53%
	計	179	158	88.27%	0		10	5.59%	0		6	3.35%	5	2.79%
40 ～ 74	男	727	608	83.63%	0		37	5.09%	0		27	3.71%	55	7.57%
	女	603	523	86.73%	0		19	3.15%	0		19	3.15%	42	6.97%
	計	1330	1131	85.04%	0		56	4.21%	0		46	3.46%	97	7.29%
75 ～	男	44	36	81.82%	0		0		0		1	2.27%	7	15.91%
	女	30	21	70.00%	0		0		0		0		9	30.00%
	計	74	57	77.03%	0		0		0		1	1.35%	16	21.62%
合計		1583	1346	85.03%	0		66	4.17%	0		53	3.35%	118	7.45%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	5	5	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
40 ～ 74	男	15	12	80.00%	0		2	13.33%	0		1	6.67%	0	
	女	7	6	85.71%	0		0		0		0		1	14.29%
	計	22	18	81.82%	0		2	9.09%	0		1	4.55%	1	4.55%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		27	23	85.19%	0		2	7.41%	0		1	3.70%	1	3.70%

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	92	93.88%	0		6	6.12%	0		0		0	
	女	86	80	93.02%	0		6	6.98%	0		0		0	
	計	184	172	93.48%	0		12	6.52%	0		0		0	
40 ～ 74	男	737	593	80.46%	0		130	17.64%	0		5	0.68%	9	1.22%
	女	615	505	82.11%	0		101	16.42%	0		6	0.98%	3	0.49%
	計	1352	1098	81.21%	0		231	17.09%	0		11	0.81%	12	0.89%
75 ～	男	44	22	50.00%	0		20	45.45%	0		0		2	4.55%
	女	30	13	43.33%	0		17	56.67%	0		0		0	
	計	74	35	47.30%	0		37	50.00%	0		0		2	2.70%
合計		1610	1305	81.06%	0		280	17.39%	0		11	0.68%	14	0.87%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	49	43	87.76%	0		5	10.20%	0		1	2.04%	0	
	女	34	28	82.35%	0		6	17.65%	0		0		0	
	計	83	71	85.54%	0		11	13.25%	0		1	1.20%	0	
40 ～ 74	男	312	261	83.65%	0		40	12.82%	0		11	3.53%	0	
	女	259	188	72.59%	0		66	25.48%	0		5	1.93%	0	
	計	571	449	78.63%	0		106	18.56%	0		16	2.80%	0	
75 ～	男	12	9	75.00%	0		1	8.33%	0		2	16.67%	0	
	女	6	5	83.33%	0		1	16.67%	0		0		0	
	計	18	14	77.78%	0		2	11.11%	0		2	11.11%	0	
合計		672	534	79.46%	0		119	17.71%	0		19	2.83%	0	

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	48	25	52.08%	0		22	45.83%	0		1	2.08%	0	
	女	51	24	47.06%	0		25	49.02%	0		1	1.96%	1	1.96%
	計	99	49	49.49%	0		47	47.47%	0		2	2.02%	1	1.01%
40 ～ 74	男	406	90	22.17%	0		288	70.94%	5	1.23%	18	4.43%	5	1.23%
	女	299	61	20.40%	1	0.33%	224	74.92%	0		7	2.34%	6	2.01%
	計	705	151	21.42%	1	0.14%	512	72.62%	5	0.71%	25	3.55%	11	1.56%
75 ～	男	29	2	6.90%	0		25	86.21%	0		2	6.90%	0	
	女	21	0		0		21	100.00%	0		0		0	
	計	50	2	4.00%	0		46	92.00%	0		2	4.00%	0	
合計		854	202	23.65%	1	0.12%	605	70.84%	5	0.59%	29	3.40%	12	1.41%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	98	29	29.59%	3	3.06%	66	67.35%	0	0	0	0	
	女	88	29	32.95%	3	3.41%	54	61.36%	0	2	2.27%	0	
	計	186	58	31.18%	6	3.23%	120	64.52%	0	2	1.08%	0	
40 ～ 74	男	737	64	8.68%	4	0.54%	644	87.38%	0	23	3.12%	2	0.27%
	女	615	119	19.35%	8	1.30%	460	74.80%	0	27	4.39%	1	0.16%
	計	1352	183	13.54%	12	0.89%	1104	81.66%	0	50	3.70%	3	0.22%
75 ～	男	44	3	6.82%	0		37	84.09%	0	4	9.09%	0	
	女	30	1	3.33%	0		27	90.00%	0	2	6.67%	0	
	計	74	4	5.41%	0		64	86.49%	0	6	8.11%	0	
合計		1612	245	15.20%	18	1.12%	1288	79.90%	0	58	3.60%	3	0.19%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0	0		
	女	36	35	97.22%	0		0		0	1	2.78%	0	
	計	36	35	97.22%	0		0		0	1	2.78%	0	
40 ～ 74	男	0	0		0		0		0	0	0		
	女	201	185	92.04%	0		0		0	16	7.96%	0	
	計	201	185	92.04%	0		0		0	16	7.96%	0	
75 ～	男	0	0		0		0		0	0	0		
	女	1	1	100.00%	0		0		0	0	0		
	計	1	1	100.00%	0		0		0	0	0		
合計		238	221	92.86%	0		0		0	17	7.14%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0	0		
	女	45	21	46.67%	3	6.67%	14	31.11%	0	7	15.56%	0	
	計	45	21	46.67%	3	6.67%	14	31.11%	0	7	15.56%	0	
40 ～ 74	男	0	0		0		0		0	0	0		
	女	196	96	48.98%	16	8.16%	66	33.67%	0	18	9.18%	0	
	計	196	96	48.98%	16	8.16%	66	33.67%	0	18	9.18%	0	
75 ～	男	0	0		0		0		0	0	0		
	女	1	0		0		1	100.00%	0	0	0		
	計	1	0		0		1	100.00%	0	0	0		
合計		242	117	48.35%	19	7.85%	81	33.47%	0	25	10.33%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査		治療中	
			数	割合	数	割合			数	割合	数	割合
～ 39	男	0	0		0		0		0		0	
	女	46	46	100.00%	0		0		0		0	
	計	46	46	100.00%	0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0	
	女	249	228	91.57%	3	1.20%	0		7	2.81%	11	4.42%
	計	249	228	91.57%	3	1.20%	0		7	2.81%	11	4.42%
75 ～	男	0	0		0		0		0		0	
	女	0	0		0		0		0		0	
	計	0	0		0		0		0		0	
合計		295	274	92.88%	3	1.02%	0		7	2.37%	11	3.73%

## ②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	654	27	4.13%	44	6.73%	260	39.76%	30	4.59%	262	40.06%	31	4.74%
	女	614	33	5.37%	53	8.63%	287	46.74%	48	7.82%	158	25.73%	35	5.70%
	計	1268	60	4.73%	97	7.65%	547	43.14%	78	6.15%	420	33.12%	66	5.21%
40 ～ 74	男	2896	16	0.55%	741	25.59%	919	31.73%	187	6.46%	923	31.87%	741	25.59%
	女	2754	51	1.85%	569	20.66%	1099	39.91%	258	9.37%	636	23.09%	569	20.66%
	計	5650	67	1.19%	1310	23.19%	2018	35.72%	445	7.88%	1559	27.59%	1310	23.19%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6918	127	1.84%	1407	20.34%	2565	37.08%	523	7.56%	1979	28.61%	1376	19.89%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	654	39	5.96%	385	58.87%	230	35.17%
	女	614	101	16.45%	383	62.38%	130	21.17%
	計	1268	140	11.04%	768	60.57%	360	28.39%
40 ～ 74	男	2896	108	3.73%	1659	57.29%	1129	38.98%
	女	2754	335	12.16%	1825	66.27%	594	21.57%
	計	5650	443	7.84%	3484	61.66%	1723	30.50%
75 ～	男	0	0		0		0	
	女	0	0		0		0	
	計	0	0		0		0	
合計		6918	583	8.43%	4252	61.46%	2083	30.11%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	654	481	73.55%	80	12.23%	65	9.94%	0		13	1.99%	15	2.29%
	女	614	549	89.41%	21	3.42%	37	6.03%	0		2	0.33%	5	0.81%
	計	1268	1030	81.23%	101	7.97%	102	8.04%	0		15	1.18%	20	1.58%
40 ～ 74	男	2896	1315	45.41%	416	14.36%	407	14.05%	0		126	4.35%	632	21.82%
	女	2754	1762	63.98%	344	12.49%	266	9.66%	0		66	2.40%	316	11.47%
	計	5650	3077	54.46%	760	13.45%	673	11.91%	0		192	3.40%	948	16.78%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6918	4107	59.37%	861	12.45%	775	11.20%	0		207	2.99%	968	13.99%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	653	649	99.39%	0		3	0.46%	1	0.15%	0		0	
	女	600	595	99.17%	0		5	0.83%	0		0		0	
	計	1253	1244	99.28%	0		8	0.64%	1	0.08%	0		0	
40 ～ 74	男	2883	2582	89.56%	0		263	9.12%	36	1.25%	0		2	0.07%
	女	2714	2635	97.09%	0		62	2.28%	15	0.55%	0		2	0.07%
	計	5597	5217	93.21%	0		325	5.81%	51	0.91%	0		4	0.07%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6850	6461	94.32%	0		333	4.86%	52	0.76%	0		4	0.06%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	636	349	54.87%	87	13.68%	65	10.22%	0		135	21.23%	0	
	女	605	532	87.93%	46	7.60%	13	2.15%	0		14	2.31%	0	
	計	1241	881	70.99%	133	10.72%	78	6.29%	0		149	12.01%	0	
40 ～ 74	男	2895	1510	52.16%	489	16.89%	315	10.88%	1	0.03%	574	19.83%	6	0.21%
	女	2754	2198	79.81%	295	10.71%	120	4.36%	3	0.11%	135	4.90%	3	0.11%
	計	5649	3708	65.64%	784	13.88%	435	7.70%	4	0.07%	709	12.55%	9	0.16%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6890	4589	66.60%	917	13.31%	513	7.45%	4	0.06%	858	12.45%	9	0.13%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	634	212	33.44%	152	23.97%	200	31.55%	33	5.21%	29	4.57%	8	1.26%
	女	605	329	54.38%	132	21.82%	96	15.87%	10	1.65%	35	5.79%	3	0.50%
	計	1239	541	43.66%	284	22.92%	296	23.89%	43	3.47%	64	5.17%	11	0.89%
40 ～ 74	男	2895	672	23.21%	695	24.01%	952	32.88%	152	5.25%	107	3.70%	317	10.95%
	女	2754	826	29.99%	624	22.66%	858	31.15%	120	4.36%	63	2.29%	263	9.55%
	計	5649	1498	26.52%	1319	23.35%	1810	32.04%	272	4.82%	170	3.01%	580	10.27%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6888	2039	29.60%	1603	23.27%	2106	30.57%	315	4.57%	234	3.40%	591	8.58%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	654	452	69.11%	143	21.87%	29	4.43%	0		11	1.68%	19	2.91%
	女	614	495	80.62%	103	16.78%	13	2.12%	0		0		3	0.49%
	計	1268	947	74.68%	246	19.40%	42	3.31%	0		11	0.87%	22	1.74%
40 ～ 74	男	2896	1414	48.83%	771	26.62%	361	12.47%	0		124	4.28%	226	7.80%
	女	2754	1751	63.58%	643	23.35%	248	9.01%	0		34	1.23%	78	2.83%
	計	5650	3165	56.02%	1414	25.03%	609	10.78%	0		158	2.80%	304	5.38%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6918	4112	59.44%	1660	24.00%	651	9.41%	0		169	2.44%	326	4.71%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	654	538	82.26%	86	13.15%	27	4.13%	0		3	0.46%	0	
	女	614	457	74.43%	108	17.59%	42	6.84%	0		7	1.14%	0	
	計	1268	995	78.47%	194	15.30%	69	5.44%	0		10	0.79%	0	
40 ～ 74	男	2896	2172	75.00%	439	15.16%	231	7.98%	0		54	1.86%	0	
	女	2754	1894	68.77%	541	19.64%	296	10.75%	0		23	0.84%	0	
	計	5650	4066	71.96%	980	17.35%	527	9.33%	0		77	1.36%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6918	5061	73.16%	1174	16.97%	596	8.62%	0		87	1.26%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	590	449	76.10%	94	15.93%	30	5.08%	12	2.03%	3	0.51%	2	0.34%
	女	569	562	98.77%	4	0.70%	2	0.35%	1	0.18%	0		0	
	計	1159	1011	87.23%	98	8.46%	32	2.76%	13	1.12%	3	0.26%	2	0.17%
40 ～ 74	男	2886	2252	78.03%	395	13.69%	125	4.33%	62	2.15%	6	0.21%	46	1.59%
	女	2732	2664	97.51%	40	1.46%	21	0.77%	4	0.15%	1	0.04%	2	0.07%
	計	5618	4916	87.50%	435	7.74%	146	2.60%	66	1.17%	7	0.12%	48	0.85%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6777	5927	87.46%	533	7.86%	178	2.63%	79	1.17%	10	0.15%	50	0.74%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	630	425	67.46%	167	26.51%	6	0.95%	1	0.16%	31	4.92%	0	
	女	609	402	66.01%	79	12.97%	71	11.66%	38	6.24%	5	0.82%	14	2.30%
	計	1239	827	66.75%	246	19.85%	77	6.21%	39	3.15%	36	2.91%	14	1.13%
40 ～ 74	男	2895	2088	72.12%	519	17.93%	83	2.87%	32	1.11%	156	5.39%	17	0.59%
	女	2754	1792	65.07%	448	16.27%	239	8.68%	158	5.74%	44	1.60%	73	2.65%
	計	5649	3880	68.68%	967	17.12%	322	5.70%	190	3.36%	200	3.54%	90	1.59%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6888	4707	68.34%	1213	17.61%	399	5.79%	229	3.32%	236	3.43%	104	1.51%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	417	381	91.37%	15	3.60%	6	1.44%	0		15	3.60%	0	
	女	405	357	88.15%	24	5.93%	8	1.98%	0		16	3.95%	0	
	計	822	738	89.78%	39	4.74%	14	1.70%	0		31	3.77%	0	
40 ～ 74	男	2379	2130	89.53%	107	4.50%	73	3.07%	0		67	2.82%	2	0.08%
	女	2221	2012	90.59%	97	4.37%	24	1.08%	0		88	3.96%	0	
	計	4600	4142	90.04%	204	4.43%	97	2.11%	0		155	3.37%	2	0.04%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5422	4880	90.00%	243	4.48%	111	2.05%	0		186	3.43%	2	0.04%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	43	43	100.00%	0		0		0		0		0	
	女	33	33	100.00%	0		0		0		0		0	
	計	76	76	100.00%	0		0		0		0		0	
40 ～ 74	男	434	434	100.00%	0		0		0		0		0	
	女	272	270	99.26%	0		0		0		2	0.74%	0	
	計	706	704	99.72%	0		0		0		2	0.28%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		782	780	99.74%	0		0		0		2	0.26%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	17	17	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	17	17	100.00%	0		0		0		0		0	
40 ～ 74	男	375	369	98.40%	0		0		0		6	1.60%	0	
	女	0	0		0		0		0		0		0	
	計	375	369	98.40%	0		0		0		6	1.60%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		392	386	98.47%	0		0		0		6	1.53%	0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	511	484	94.72%	0		0		0		27	5.28%	0	
	女	415	398	95.90%	0		0		0		15	3.61%	2	0.48%
	計	926	882	95.25%	0		0		0		42	4.54%	2	0.22%
40 ～ 74	男	2730	2569	94.10%	0		0		0		157	5.75%	4	0.15%
	女	2530	2426	95.89%	0		0		0		102	4.03%	2	0.08%
	計	5260	4995	94.96%	0		0		0		259	4.92%	6	0.11%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6186	5877	95.00%	0		0		0		301	4.87%	8	0.13%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	614	512	83.39%	61	9.93%	33	5.37%	1	0.16%	5	0.81%	2	0.33%
	女	585	506	86.50%	46	7.86%	29	4.96%	0		1	0.17%	3	0.51%
	計	1199	1018	84.90%	107	8.92%	62	5.17%	1	0.08%	6	0.50%	5	0.42%
40 ～ 74	男	2892	2199	76.04%	272	9.41%	258	8.92%	8	0.28%	66	2.28%	89	3.08%
	女	2752	2252	81.83%	190	6.90%	233	8.47%	4	0.15%	39	1.42%	34	1.24%
	計	5644	4451	78.86%	462	8.19%	491	8.70%	12	0.21%	105	1.86%	123	2.18%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6843	5469	79.92%	569	8.32%	553	8.08%	13	0.19%	111	1.62%	128	1.87%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	113	106	93.81%	0		0		0		7	6.19%	0	
	女	89	86	96.63%	0		1	1.12%	0		1	1.12%	1	1.12%
	計	202	192	95.05%	0		1	0.50%	0		8	3.96%	1	0.50%
40 ～ 74	男	691	515	74.53%	16	2.32%	46	6.66%	31	4.49%	54	7.81%	29	4.20%
	女	452	370	81.86%	9	1.99%	19	4.20%	11	2.43%	16	3.54%	27	5.97%
	計	1143	885	77.43%	25	2.19%	65	5.69%	42	3.67%	70	6.12%	56	4.90%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1345	1077	80.07%	25	1.86%	66	4.91%	42	3.12%	78	5.80%	57	4.24%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	71	70	98.59%	0		0		0		1	1.41%	0	
	女	45	41	91.11%	0		2	4.44%	0		1	2.22%	1	2.22%
	計	116	111	95.69%	0		2	1.72%	0		2	1.72%	1	0.86%
40 ～ 74	男	351	305	86.89%	0		21	5.98%	11	3.13%	3	0.85%	11	3.13%
	女	213	196	92.02%	0		3	1.41%	4	1.88%	0		10	4.69%
	計	564	501	88.83%	0		24	4.26%	15	2.66%	3	0.53%	21	3.72%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		680	612	90.00%	0		26	3.82%	15	2.21%	5	0.74%	22	3.24%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	3	3	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4	4	100.00%	0		0		0		0		0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	653	608	93.11%	0		44	6.74%	0		1	0.15%	0	
	女	594	567	95.45%	0		27	4.55%	0		0		0	
	計	1247	1175	94.23%	0		71	5.69%	0		1	0.08%	0	
40 ～ 74	男	2891	2304	79.70%	1	0.03%	540	18.68%	0		34	1.18%	12	0.42%
	女	2738	2343	85.57%	0		369	13.48%	0		18	0.66%	8	0.29%
	計	5629	4647	82.55%	1	0.02%	909	16.15%	0		52	0.92%	20	0.36%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6876	5822	84.67%	1	0.01%	980	14.25%	0		53	0.77%	20	0.29%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	383	354	92.43%	0		26	6.79%	0		3	0.78%	0	
	女	279	221	79.21%	0		58	20.79%	0		0		0	
	計	662	575	86.86%	0		84	12.69%	0		3	0.45%	0	
40 ～ 74	男	1904	1568	82.35%	0		267	14.02%	0		65	3.41%	4	0.21%
	女	1526	1153	75.56%	0		335	21.95%	0		29	1.90%	9	0.59%
	計	3430	2721	79.33%	0		602	17.55%	0		94	2.74%	13	0.38%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4092	3296	80.55%	0		686	16.76%	0		97	2.37%	13	0.32%

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	97	37	38.14%	0		58	59.79%	2	2.06%	0		0	
	女	63	26	41.27%	1	1.59%	34	53.97%	0		2	3.17%	0	
	計	160	63	39.38%	1	0.63%	92	57.50%	2	1.25%	2	1.25%	0	
40 ～ 74	男	618	146	23.62%	1	0.16%	420	67.96%	17	2.75%	30	4.85%	4	0.65%
	女	543	134	24.68%	1	0.18%	383	70.53%	3	0.55%	16	2.95%	6	1.10%
	計	1161	280	24.12%	2	0.17%	803	69.16%	20	1.72%	46	3.96%	10	0.86%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1321	343	25.97%	3	0.23%	895	67.75%	22	1.67%	48	3.63%	10	0.76%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	100	21	21.00%	4	4.00%	73	73.00%	0		2	2.00%	0	
	女	71	31	43.66%	4	5.63%	35	49.30%	0		1	1.41%	0	
	計	171	52	30.41%	8	4.68%	108	63.16%	0		3	1.75%	0	
40 ～ 74	男	620	61	9.84%	11	1.77%	522	84.19%	1	0.16%	24	3.87%	1	0.16%
	女	456	80	17.54%	15	3.29%	349	76.54%	0		11	2.41%	1	0.22%
	計	1076	141	13.10%	26	2.42%	871	80.95%	1	0.09%	35	3.25%	2	0.19%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1247	193	15.48%	34	2.73%	979	78.51%	1	0.08%	38	3.05%	2	0.16%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	79	74	93.67%	0		0		0		5	6.33%	0	
	計	79	74	93.67%	0		0		0		5	6.33%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	785	740	94.27%	0		4	0.51%	0		41	5.22%	0	
	計	785	740	94.27%	0		4	0.51%	0		41	5.22%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		864	814	94.21%	0		4	0.46%	0		46	5.32%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	111	50	45.05%	15	13.51%	33	29.73%	0		13	11.71%	0	
	計	111	50	45.05%	15	13.51%	33	29.73%	0		13	11.71%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	469	252	53.73%	43	9.17%	138	29.42%	0		36	7.68%	0	
	計	469	252	53.73%	43	9.17%	138	29.42%	0		36	7.68%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		580	302	52.07%	58	10.00%	171	29.48%	0		49	8.45%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	272	251	92.28%	1	0.37%	4	1.47%	3	1.10%	4	1.47%	9	3.31%
	計	272	251	92.28%	1	0.37%	4	1.47%	3	1.10%	4	1.47%	9	3.31%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1245	1178	94.62%	5	0.40%	1	0.08%	5	0.40%	11	0.88%	45	3.61%
	計	1245	1178	94.62%	5	0.40%	1	0.08%	5	0.40%	11	0.88%	45	3.61%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1517	1429	94.20%	6	0.40%	5	0.33%	8	0.53%	15	0.99%	54	3.56%

### ③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	12	3	25.00%	2	16.67%	6	50.00%	1	8.33%	0		0	
	計	12	3	25.00%	2	16.67%	6	50.00%	1	8.33%	0		0	
40 ～ 74	男	581	8	1.38%	273	46.99%	167	28.74%	20	3.44%	89	15.32%	273	46.99%
	女	1629	99	6.08%	507	31.12%	606	37.20%	85	5.22%	134	8.23%	507	31.12%
	計	2210	107	4.84%	780	35.29%	773	34.98%	105	4.75%	223	10.09%	780	35.29%
75 ～	男	218	0		156	71.56%	31	14.22%	4	1.83%	27	12.39%	156	71.56%
	女	241	0		171	70.95%	41	17.01%	5	2.07%	20	8.30%	171	70.95%
	計	459	0		327	71.24%	72	15.69%	9	1.96%	47	10.24%	327	71.24%
合計		2681	110	4.10%	1109	41.37%	851	31.74%	115	4.29%	270	10.07%	1107	41.29%

#### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0	
	女	12	1	8.33%	9	75.00%	2	16.67%
	計	12	1	8.33%	9	75.00%	2	16.67%
40 ～ 74	男	581	11	1.89%	396	68.16%	174	29.95%
	女	1629	154	9.45%	1148	70.47%	327	20.07%
	計	2210	165	7.47%	1544	69.86%	501	22.67%
75 ～	男	218	8	3.67%	169	77.52%	41	18.81%
	女	241	27	11.20%	153	63.49%	61	25.31%
	計	459	35	7.63%	322	70.15%	102	22.22%
合計		2681	201	7.50%	1875	69.94%	605	22.57%

#### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	12	11	91.67%	0		1	8.33%	0		0		0	
	計	12	11	91.67%	0		1	8.33%	0		0		0	
40 ～ 74	男	581	213	36.66%	80	13.77%	60	10.33%	0		36	6.20%	192	33.05%
	女	1629	871	53.47%	216	13.26%	164	10.07%	0		53	3.25%	325	19.95%
	計	2210	1084	49.05%	296	13.39%	224	10.14%	0		89	4.03%	517	23.39%
75 ～	男	218	38	17.43%	23	10.55%	27	12.39%	0		9	4.13%	121	55.50%
	女	241	48	19.92%	32	13.28%	22	9.13%	0		12	4.98%	127	52.70%
	計	459	86	18.74%	55	11.98%	49	10.68%	0		21	4.58%	248	54.03%
合計		2681	1181	44.05%	351	13.09%	274	10.22%	0		110	4.10%	765	28.53%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	12	10	83.33%	1	8.33%	1	8.33%	0		0		0	
	計	12	10	83.33%	1	8.33%	1	8.33%	0		0		0	
40 ～ 74	男	581	394	67.81%	88	15.15%	39	6.71%	0		58	9.98%	2	0.34%
	女	1629	1395	85.64%	122	7.49%	46	2.82%	0		63	3.87%	3	0.18%
	計	2210	1789	80.95%	210	9.50%	85	3.85%	0		121	5.48%	5	0.23%
75 ～	男	218	166	76.15%	32	14.68%	11	5.05%	0		9	4.13%	0	
	女	241	205	85.06%	19	7.88%	10	4.15%	0		6	2.49%	1	0.41%
	計	459	371	80.83%	51	11.11%	21	4.58%	0		15	3.27%	1	0.22%
合計		2681	2170	80.94%	262	9.77%	107	3.99%	0		136	5.07%	6	0.22%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	12	6	50.00%	2	16.67%	4	33.33%	0		0		0	
	計	12	6	50.00%	2	16.67%	4	33.33%	0		0		0	
40 ～ 74	男	581	144	24.78%	136	23.41%	160	27.54%	25	4.30%	12	2.07%	104	17.90%
	女	1629	485	29.77%	355	21.79%	448	27.50%	58	3.56%	18	1.10%	265	16.27%
	計	2210	629	28.46%	491	22.22%	608	27.51%	83	3.76%	30	1.36%	369	16.70%
75 ～	男	218	73	33.49%	46	21.10%	36	16.51%	2	0.92%	8	3.67%	53	24.31%
	女	241	56	23.24%	54	22.41%	39	16.18%	9	3.73%	3	1.24%	80	33.20%
	計	459	129	28.10%	100	21.79%	75	16.34%	11	2.40%	11	2.40%	133	28.98%
合計		2681	764	28.50%	593	22.12%	687	25.62%	94	3.51%	41	1.53%	502	18.72%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	12	8	66.67%	4	33.33%	0		0		0		0	
	計	12	8	66.67%	4	33.33%	0		0		0		0	
40 ～ 74	男	581	123	21.17%	180	30.98%	177	30.46%	0		34	5.85%	67	11.53%
	女	1629	523	32.11%	550	33.76%	445	27.32%	0		44	2.70%	67	4.11%
	計	2210	646	29.23%	730	33.03%	622	28.14%	0		78	3.53%	134	6.06%
75 ～	男	218	37	16.97%	62	28.44%	66	30.28%	0		12	5.50%	41	18.81%
	女	241	36	14.94%	81	33.61%	91	37.76%	0		12	4.98%	21	8.71%
	計	459	73	15.90%	143	31.15%	157	34.20%	0		24	5.23%	62	13.51%
合計		2681	727	27.12%	877	32.71%	779	29.06%	0		102	3.80%	196	7.31%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	12	11	91.67%	1	8.33%	0		0		0		0	
	計	12	11	91.67%	1	8.33%	0		0		0		0	
40 ～ 74	男	581	445	76.59%	77	13.25%	45	7.75%	0		14	2.41%	0	
	女	1628	1244	76.41%	268	16.46%	106	6.51%	0		10	0.61%	0	
	計	2209	1689	76.46%	345	15.62%	151	6.84%	0		24	1.09%	0	
75 ～	男	218	135	61.93%	36	16.51%	32	14.68%	0		15	6.88%	0	
	女	241	128	53.11%	53	21.99%	45	18.67%	0		15	6.22%	0	
	計	459	263	57.30%	89	19.39%	77	16.78%	0		30	6.54%	0	
合計		2680	1963	73.25%	435	16.23%	228	8.51%	0		54	2.01%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
40 ～ 74	男	555	452	81.44%	53	9.55%	14	2.52%	10	1.80%	0		26	4.68%
	女	998	979	98.10%	13	1.30%	3	0.30%	1	0.10%	0		2	0.20%
	計	1553	1431	92.14%	66	4.25%	17	1.09%	11	0.71%	0		28	1.80%
75 ～	男	218	194	88.99%	10	4.59%	4	1.83%	0		0		10	4.59%
	女	241	229	95.02%	8	3.32%	0		2	0.83%	0		2	0.83%
	計	459	423	92.16%	18	3.92%	4	0.87%	2	0.44%	0		12	2.61%
合計		2015	1857	92.16%	84	4.17%	21	1.04%	13	0.65%	0		40	1.99%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	6	4	66.67%	0		1	16.67%	1	16.67%	0		0	
	計	6	4	66.67%	0		1	16.67%	1	16.67%	0		0	
40 ～ 74	男	556	432	77.70%	65	11.69%	31	5.58%	9	1.62%	14	2.52%	5	0.90%
	女	1189	860	72.33%	177	14.89%	72	6.06%	46	3.87%	16	1.35%	18	1.51%
	計	1745	1292	74.04%	242	13.87%	103	5.90%	55	3.15%	30	1.72%	23	1.32%
75 ～	男	218	148	67.89%	10	4.59%	36	16.51%	16	7.34%	3	1.38%	5	2.29%
	女	241	156	64.73%	34	14.11%	37	15.35%	5	2.07%	4	1.66%	5	2.07%
	計	459	304	66.23%	44	9.59%	73	15.90%	21	4.58%	7	1.53%	10	2.18%
合計		2210	1600	72.40%	286	12.94%	177	8.01%	77	3.48%	37	1.67%	33	1.49%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	4	3	75.00%	0		1	25.00%	0		0		0	
	計	4	3	75.00%	0		1	25.00%	0		0		0	
40 ～ 74	男	561	378	67.38%	56	9.98%	72	12.83%	3	0.53%	21	3.74%	31	5.53%
	女	1105	842	76.20%	93	8.42%	124	11.22%	0		25	2.26%	21	1.90%
	計	1666	1220	73.23%	149	8.94%	196	11.76%	3	0.18%	46	2.76%	52	3.12%
75 ～	男	218	114	52.29%	25	11.47%	43	19.72%	3	1.38%	6	2.75%	27	12.39%
	女	241	158	65.56%	24	9.96%	32	13.28%	2	0.83%	6	2.49%	19	7.88%
	計	459	272	59.26%	49	10.68%	75	16.34%	5	1.09%	12	2.61%	46	10.02%
合計		2129	1495	70.22%	198	9.30%	272	12.78%	8	0.38%	58	2.72%	98	4.60%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	1	1	100.00%	0		0		0	0		0	
	計	1	1	100.00%	0		0		0	0		0	
40 ～ 74	男	143	76	53.15%	5	3.50%	20	13.99%	0	28	19.58%	14	9.79%
	女	281	145	51.60%	11	3.91%	36	12.81%	0	53	18.86%	36	12.81%
	計	424	221	52.12%	16	3.77%	56	13.21%	0	81	19.10%	50	11.79%
75 ～	男	73	21	28.77%	3	4.11%	13	17.81%	0	25	34.25%	11	15.07%
	女	73	22	30.14%	4	5.48%	14	19.18%	0	15	20.55%	18	24.66%
	計	146	43	29.45%	7	4.79%	27	18.49%	0	40	27.40%	29	19.86%
合計		571	265	46.41%	23	4.03%	83	14.54%	0	121	21.19%	79	13.84%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
40 ～ 74	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		0	0		0		0		0	0		0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
40 ～ 74	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		0	0		0		0		0	0		0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5	5	100.00%	0		0		0		0		0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	6	3	50.00%	0		3	50.00%	0		0		0	
	計	6	3	50.00%	0		3	50.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7	4	57.14%	0		3	42.86%	0		0		0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	7	6	85.71%	0		0		0		0		1	14.29%
	計	7	6	85.71%	0		0		0		0		1	14.29%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8	7	87.50%	0		0		0		0		1	12.50%

#### ④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	866	157	18.13%	156	18.01%	361	41.69%	14	1.62%	167	19.28%	11	1.27%
	女	754	197	26.13%	90	11.94%	342	45.36%	20	2.65%	88	11.67%	17	2.25%
	計	1620	354	21.85%	246	15.19%	703	43.40%	34	2.10%	255	15.74%	28	1.73%
40 ～ 74	男	603	17	2.82%	225	37.31%	193	32.01%	8	1.33%	120	19.90%	225	37.31%
	女	589	44	7.47%	138	23.43%	226	38.37%	41	6.96%	86	14.60%	138	23.43%
	計	1192	61	5.12%	363	30.45%	419	35.15%	49	4.11%	206	17.28%	363	30.45%
75 ～	男	19	0		8	42.11%	7	36.84%	1	5.26%	3	15.79%	8	42.11%
	女	9	0		8	88.89%	1	11.11%	0		0		8	88.89%
	計	28	0		16	57.14%	8	28.57%	1	3.57%	3	10.71%	16	57.14%
合計		2840	415	14.61%	625	22.01%	1130	39.79%	84	2.96%	464	16.34%	407	14.33%

##### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	866	65	7.51%	532	61.43%	269	31.06%
	女	754	141	18.70%	487	64.59%	126	16.71%
	計	1620	206	12.72%	1019	62.90%	395	24.38%
40 ～ 74	男	603	19	3.15%	330	54.73%	254	42.12%
	女	589	51	8.66%	391	66.38%	147	24.96%
	計	1192	70	5.87%	721	60.49%	401	33.64%
75 ～	男	19	1	5.26%	14	73.68%	4	21.05%
	女	9	0		8	88.89%	1	11.11%
	計	28	1	3.57%	22	78.57%	5	17.86%
合計		2840	277	9.75%	1762	62.04%	801	28.20%

##### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	866	699	80.72%	98	11.32%	57	6.58%	0		8	0.92%	4	0.46%
	女	754	677	89.79%	24	3.18%	41	5.44%	0		10	1.33%	2	0.27%
	計	1620	1376	84.94%	122	7.53%	98	6.05%	0		18	1.11%	6	0.37%
40 ～ 74	男	603	220	36.48%	81	13.43%	99	16.42%	0		38	6.30%	165	27.36%
	女	589	366	62.14%	57	9.68%	68	11.54%	0		19	3.23%	79	13.41%
	計	1192	586	49.16%	138	11.58%	167	14.01%	0		57	4.78%	244	20.47%
75 ～	男	19	6	31.58%	2	10.53%	0		0		3	15.79%	8	42.11%
	女	9	2	22.22%	1	11.11%	0		0		0		6	66.67%
	計	28	8	28.57%	3	10.71%	0		0		3	10.71%	14	50.00%
合計		2840	1970	69.37%	263	9.26%	265	9.33%	0		78	2.75%	264	9.30%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	753	746	99.07%	0		7	0.93%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	753	746	99.07%	0		7	0.93%	0		0		0	
40 ～ 74	男	585	558	95.38%	0		26	4.44%	0		0		1	0.17%
	女	0	0		0		0		0		0		0	
	計	585	558	95.38%	0		26	4.44%	0		0		1	0.17%
75 ～	男	9	7	77.78%	0		2	22.22%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	9	7	77.78%	0		2	22.22%	0		0		0	
合計		1347	1311	97.33%	0		35	2.60%	0		0		1	0.07%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	546	502	91.94%	18	3.30%	7	1.28%	0		19	3.48%	0	
	女	0	0		0		0		0		0		0	
	計	546	502	91.94%	18	3.30%	7	1.28%	0		19	3.48%	0	
40 ～ 74	男	569	464	81.55%	56	9.84%	25	4.39%	0		22	3.87%	2	0.35%
	女	0	0		0		0		0		0		0	
	計	569	464	81.55%	56	9.84%	25	4.39%	0		22	3.87%	2	0.35%
75 ～	男	9	7	77.78%	0		0		0		2	22.22%	0	
	女	0	0		0		0		0		0		0	
	計	9	7	77.78%	0		0		0		2	22.22%	0	
合計		1124	973	86.57%	74	6.58%	32	2.85%	0		43	3.83%	2	0.18%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	546	358	65.57%	85	15.57%	51	9.34%	5	0.92%	45	8.24%	2	0.37%
	女	0	0		0		0		0		0		0	
	計	546	358	65.57%	85	15.57%	51	9.34%	5	0.92%	45	8.24%	2	0.37%
40 ～ 74	男	569	218	38.31%	128	22.50%	132	23.20%	22	3.87%	12	2.11%	57	10.02%
	女	0	0		0		0		0		0		0	
	計	569	218	38.31%	128	22.50%	132	23.20%	22	3.87%	12	2.11%	57	10.02%
75 ～	男	9	2	22.22%	1	11.11%	2	22.22%	0		0		4	44.44%
	女	0	0		0		0		0		0		0	
	計	9	2	22.22%	1	11.11%	2	22.22%	0		0		4	44.44%
合計		1124	578	51.42%	214	19.04%	185	16.46%	27	2.40%	57	5.07%	63	5.60%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	745	701	94.09%	35	4.70%	3	0.40%	0		4	0.54%	2	0.27%
	女	0	0		0		0		0		0		0	
	計	745	701	94.09%	35	4.70%	3	0.40%	0		4	0.54%	2	0.27%
40 ～ 74	男	588	425	72.28%	95	16.16%	44	7.48%	0		10	1.70%	14	2.38%
	女	0	0		0		0		0		0		0	
	計	588	425	72.28%	95	16.16%	44	7.48%	0		10	1.70%	14	2.38%
75 ～	男	9	6	66.67%	0		1	11.11%	0		0		2	22.22%
	女	0	0		0		0		0		0		0	
	計	9	6	66.67%	0		1	11.11%	0		0		2	22.22%
合計		1342	1132	84.35%	130	9.69%	48	3.58%	0		14	1.04%	18	1.34%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	733	672	91.68%	52	7.09%	8	1.09%	0		1	0.14%	0	
	女	0	0		0		0		0		0		0	
	計	733	672	91.68%	52	7.09%	8	1.09%	0		1	0.14%	0	
40 ～ 74	男	583	513	87.99%	49	8.40%	17	2.92%	0		4	0.69%	0	
	女	0	0		0		0		0		0		0	
	計	583	513	87.99%	49	8.40%	17	2.92%	0		4	0.69%	0	
75 ～	男	9	9	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	9	9	100.00%	0		0		0		0		0	
合計		1325	1194	90.11%	101	7.62%	25	1.89%	0		5	0.38%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	49	49	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	49	49	100.00%	0		0		0		0		0	
40 ～ 74	男	110	108	98.18%	2	1.82%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	110	108	98.18%	2	1.82%	0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		159	157	98.74%	2	1.26%	0		0		0		0	

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	552	383	69.38%	70	12.68%	67	12.14%	23	4.17%	2	0.36%	7	1.27%
	女	0	0		0		0		0		0		0	
	計	552	383	69.38%	70	12.68%	67	12.14%	23	4.17%	2	0.36%	7	1.27%
40 ～ 74	男	569	379	66.61%	87	15.29%	45	7.91%	36	6.33%	8	1.41%	14	2.46%
	女	0	0		0		0		0		0		0	
	計	569	379	66.61%	87	15.29%	45	7.91%	36	6.33%	8	1.41%	14	2.46%
75 ～	男	9	7	77.78%	0		1	11.11%	1	11.11%	0		0	
	女	0	0		0		0		0		0		0	
	計	9	7	77.78%	0		1	11.11%	1	11.11%	0		0	
合計		1130	769	68.05%	157	13.89%	113	10.00%	60	5.31%	10	0.88%	21	1.86%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	54	40	74.07%	8	14.81%	2	3.70%	0		4	7.41%	0	
	女	0	0		0		0		0		0		0	
	計	54	40	74.07%	8	14.81%	2	3.70%	0		4	7.41%	0	
40 ～ 74	男	107	83	77.57%	14	13.08%	0		0		10	9.35%	0	
	女	0	0		0		0		0		0		0	
	計	107	83	77.57%	14	13.08%	0		0		10	9.35%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		161	123	76.40%	22	13.66%	2	1.24%	0		14	8.70%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	19	19	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	19	19	100.00%	0		0		0		0		0	
40 ～ 74	男	15	15	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	15	15	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		34	34	100.00%	0		0		0		0		0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	20	20	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	20	20	100.00%	0		0		0		0		0	
40 ～ 74	男	90	83	92.22%	0		0		0		7	7.78%	0	
	女	0	0		0		0		0		0		0	
	計	90	83	92.22%	0		0		0		7	7.78%	0	
75 ～	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		112	105	93.75%	0		0		0		7	6.25%	0	

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	521	463	88.87%	32	6.14%	23	4.41%	0		3	0.58%	0	
	女	0	0		0		0		0		0		0	
	計	521	463	88.87%	32	6.14%	23	4.41%	0		3	0.58%	0	
40 ～ 74	男	561	451	80.39%	53	9.45%	45	8.02%	0		5	0.89%	7	1.25%
	女	0	0		0		0		0		0		0	
	計	561	451	80.39%	53	9.45%	45	8.02%	0		5	0.89%	7	1.25%
75 ～	男	8	4	50.00%	1	12.50%	2	25.00%	0		0		1	12.50%
	女	0	0		0		0		0		0		0	
	計	8	4	50.00%	1	12.50%	2	25.00%	0		0		1	12.50%
合計		1090	918	84.22%	86	7.89%	70	6.42%	0		8	0.73%	8	0.73%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	1	1	100.00%	0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	1	1	100.00%	0	0	0	0	0	0	0	0	0	
40 ～ 74	男	10	9	90.00%	0	0	0	0	0	1	10.00%	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	10	9	90.00%	0	0	0	0	0	1	10.00%	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		11	10	90.91%	0	0	0	0	0	1	9.09%	0	0	

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
40 ～ 74	男	1	1	100.00%	0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	1	1	100.00%	0	0	0	0	0	0	0	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		1	1	100.00%	0	0	0	0	0	0	0	0	0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
40 ～ 74	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		0	0		0	0	0	0	0	0	0	0	0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	709	633	89.28%	0		71	10.01%	0		5	0.71%	0	
	女	0	0		0		0		0		0		0	
	計	709	633	89.28%	0		71	10.01%	0		5	0.71%	0	
40 ～ 74	男	526	437	83.08%	0		80	15.21%	0		7	1.33%	2	0.38%
	女	0	0		0		0		0		0		0	
	計	526	437	83.08%	0		80	15.21%	0		7	1.33%	2	0.38%
75 ～	男	9	3	33.33%	0		6	66.67%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	9	3	33.33%	0		6	66.67%	0		0		0	
合計		1244	1073	86.25%	0		157	12.62%	0		12	0.96%	2	0.16%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	13	11	84.62%	0		2	15.38%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	13	11	84.62%	0		2	15.38%	0		0		0	
40 ～ 74	男	50	38	76.00%	0		9	18.00%	0		3	6.00%	0	
	女	0	0		0		0		0		0		0	
	計	50	38	76.00%	0		9	18.00%	0		3	6.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		63	49	77.78%	0		11	17.46%	0		3	4.76%	0	

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	0		0		2	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	0		0		2	100.00%	0		0		0	
40 ～ 74	男	23	3	13.04%	0		18	78.26%	0		1	4.35%	1	4.35%
	女	0	0		0		0		0		0		0	
	計	23	3	13.04%	0		18	78.26%	0		1	4.35%	1	4.35%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		25	3	12.00%	0		20	80.00%	0		1	4.00%	1	4.00%

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	1	25.00%	0		3	75.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	4	1	25.00%	0		3	75.00%	0		0		0	
40 ～ 74	男	29	5	17.24%	1	3.45%	22	75.86%	0		1	3.45%	0	
	女	0	0		0		0		0		0		0	
	計	29	5	17.24%	1	3.45%	22	75.86%	0		1	3.45%	0	
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
合計		34	6	17.65%	1	2.94%	26	76.47%	0		1	2.94%	0	

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	20	19	95.00%	0		0		0		1	5.00%	0	
	女	0	0		0		0		0		0		0	
	計	20	19	95.00%	0		0		0		1	5.00%	0	
40 ～ 74	男	47	42	89.36%	0		0		0		5	10.64%	0	
	女	0	0		0		0		0		0		0	
	計	47	42	89.36%	0		0		0		5	10.64%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		68	62	91.18%	0		0		0		6	8.82%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	49	25	51.02%	9	18.37%	12	24.49%	0		3	6.12%	0	
	女	0	0		0		0		0		0		0	
	計	49	25	51.02%	9	18.37%	12	24.49%	0		3	6.12%	0	
40 ～ 74	男	61	25	40.98%	8	13.11%	21	34.43%	0		7	11.48%	0	
	女	0	0		0		0		0		0		0	
	計	61	25	40.98%	8	13.11%	21	34.43%	0		7	11.48%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		111	51	45.95%	17	15.32%	33	29.73%	0		10	9.01%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	36	35	97.22%	0		0		0		1	2.78%	0	
	女	0	0		0		0		0		0		0	
	計	36	35	97.22%	0		0		0		1	2.78%	0	
40 ～ 74	男	76	73	96.05%	0		0		0		0		3	3.95%
	女	0	0		0		0		0		0		0	
	計	76	73	96.05%	0		0		0		0		3	3.95%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		112	108	96.43%	0		0		0		1	0.89%	3	2.68%

## ⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	151	62	41.06%	20	13.25%	39	25.83%	13	8.61%	16	10.60%	1	0.66%
	女	418	238	56.94%	22	5.26%	93	22.25%	7	1.67%	47	11.24%	11	2.63%
	計	569	300	52.72%	42	7.38%	132	23.20%	20	3.51%	63	11.07%	12	2.11%
40 ～ 74	男	370	148	40.00%	12	3.24%	116	31.35%	46	12.43%	37	10.00%	12	3.24%
	女	1273	759	59.62%	45	3.53%	295	23.17%	27	2.12%	111	8.72%	45	3.53%
	計	1643	907	55.20%	57	3.47%	411	25.02%	73	4.44%	148	9.01%	57	3.47%
75 ～	男	13	3	23.08%	4	30.77%	4	30.77%	0		2	15.38%	4	30.77%
	女	36	24	66.67%	0		10	27.78%	0		1	2.78%	0	
	計	49	27	55.10%	4	8.16%	14	28.57%	0		3	6.12%	4	8.16%
合計		2261	1234	54.58%	103	4.56%	557	24.64%	93	4.11%	214	9.46%	73	3.23%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	47	4	8.51%	34	72.34%	9	19.15%
	女	116	18	15.52%	77	66.38%	21	18.10%
	計	163	22	13.50%	111	68.10%	30	18.40%
40 ～ 74	男	34	0		17	50.00%	17	50.00%
	女	79	11	13.92%	53	67.09%	15	18.99%
	計	113	11	9.73%	70	61.95%	32	28.32%
75 ～	男	4	1	25.00%	2	50.00%	1	25.00%
	女	0	0		0		0	
	計	4	1	25.00%	2	50.00%	1	25.00%
合計		280	34	12.14%	183	65.36%	63	22.50%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	55	47	85.45%	6	10.91%	1	1.82%	1	1.82%	0		0	
	女	119	103	86.55%	5	4.20%	11	9.24%	0		0		0	
	計	174	150	86.21%	11	6.32%	12	6.90%	1	0.57%	0		0	
40 ～ 74	男	74	26	35.14%	4	5.41%	23	31.08%	5	6.76%	5	6.76%	11	14.86%
	女	91	49	53.85%	12	13.19%	18	19.78%	4	4.40%	1	1.10%	7	7.69%
	計	165	75	45.45%	16	9.70%	41	24.85%	9	5.45%	6	3.64%	18	10.91%
75 ～	男	4	0		0		1	25.00%	0		0		3	75.00%
	女	0	0		0		0		0		0		0	
	計	4	0		0		1	25.00%	0		0		3	75.00%
合計		343	225	65.60%	27	7.87%	54	15.74%	10	2.92%	6	1.75%	21	6.12%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	46	46	100.00%	0	0	0	0	0	0	0	0	0	0
	女	116	116	100.00%	0	0	0	0	0	0	0	0	0	0
	計	162	162	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	22	20	90.91%	0	2	9.09%	0	0	0	0	0	0	0
	女	80	78	97.50%	0	2	2.50%	0	0	0	0	0	0	0
	計	102	98	96.08%	0	4	3.92%	0	0	0	0	0	0	0
75 ～	男	6	4	66.67%	0	2	33.33%	0	0	0	0	0	0	0
	女	2	1	50.00%	0	1	50.00%	0	0	0	0	0	0	0
	計	8	5	62.50%	0	3	37.50%	0	0	0	0	0	0	0
合計		272	265	97.43%	0	7	2.57%	0	0	0	0	0	0	0

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	67	41	61.19%	6	8.96%	7	10.45%	5	7.46%	8	11.94%	0	0
	女	116	106	91.38%	4	3.45%	3	2.59%	0	0	3	2.59%	0	0
	計	183	147	80.33%	10	5.46%	10	5.46%	5	2.73%	11	6.01%	0	0
40 ～ 74	男	60	22	36.67%	8	13.33%	5	8.33%	22	36.67%	3	5.00%	0	0
	女	85	70	82.35%	8	9.41%	5	5.88%	2	2.35%	0	0	0	0
	計	145	92	63.45%	16	11.03%	10	6.90%	24	16.55%	3	2.07%	0	0
75 ～	男	4	3	75.00%	1	25.00%	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	3	75.00%	1	25.00%	0	0	0	0	0	0	0	0
合計		332	242	72.89%	27	8.13%	20	6.02%	29	8.73%	14	4.22%	0	0

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	63	27	42.86%	16	25.40%	13	20.63%	5	7.94%	2	3.17%	0	0
	女	123	77	62.60%	21	17.07%	16	13.01%	0	0	9	7.32%	0	0
	計	186	104	55.91%	37	19.89%	29	15.59%	5	2.69%	11	5.91%	0	0
40 ～ 74	男	53	12	22.64%	9	16.98%	20	37.74%	8	15.09%	0	0	4	7.55%
	女	104	26	25.00%	20	19.23%	39	37.50%	10	9.62%	0	0	9	8.65%
	計	157	38	24.20%	29	18.47%	59	37.58%	18	11.46%	0	0	13	8.28%
75 ～	男	4	1	25.00%	0	0	2	50.00%	0	0	0	0	1	25.00%
	女	0	0	0	0	0	0	0	0	0	0	0	0	
	計	4	1	25.00%	0	0	2	50.00%	0	0	0	0	1	25.00%
合計		347	143	41.21%	66	19.02%	90	25.94%	23	6.63%	11	3.17%	14	4.03%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	61	54	88.52%	5	8.20%	2	3.28%	0		0		0	
	女	128	116	90.63%	7	5.47%	3	2.34%	0		1	0.78%	1	0.78%
	計	189	170	89.95%	12	6.35%	5	2.65%	0		1	0.53%	1	0.53%
40 ～ 74	男	71	27	38.03%	14	19.72%	20	28.17%	4	5.63%	1	1.41%	5	7.04%
	女	93	47	50.54%	28	30.11%	14	15.05%	1	1.08%	1	1.08%	2	2.15%
	計	164	74	45.12%	42	25.61%	34	20.73%	5	3.05%	2	1.22%	7	4.27%
75 ～	男	4	2	50.00%	1	25.00%	0		0		0		1	25.00%
	女	1	1	100.00%	0		0		0		0		0	
	計	5	3	60.00%	1	20.00%	0		0		0		1	20.00%
合計		358	247	68.99%	55	15.36%	39	10.89%	5	1.40%	3	0.84%	9	2.51%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	64	56	87.50%	4	6.25%	3	4.69%	0		1	1.56%	0	
	女	124	109	87.90%	11	8.87%	4	3.23%	0		0		0	
	計	188	165	87.77%	15	7.98%	7	3.72%	0		1	0.53%	0	
40 ～ 74	男	91	76	83.52%	6	6.59%	7	7.69%	2	2.20%	0		0	
	女	120	91	75.83%	18	15.00%	9	7.50%	2	1.67%	0		0	
	計	211	167	79.15%	24	11.37%	16	7.58%	4	1.90%	0		0	
75 ～	男	4	4	100.00%	0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
合計		404	337	83.42%	39	9.65%	23	5.69%	4	0.99%	1	0.25%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	44	33	75.00%	4	9.09%	2	4.55%	3	6.82%	1	2.27%	1	2.27%
	女	35	35	100.00%	0		0		0		0		0	
	計	79	68	86.08%	4	5.06%	2	2.53%	3	3.80%	1	1.27%	1	1.27%
40 ～ 74	男	18	14	77.78%	3	16.67%	0		0		0		1	5.56%
	女	66	66	100.00%	0		0		0		0		0	
	計	84	80	95.24%	3	3.57%	0		0		0		1	1.19%
75 ～	男	4	3	75.00%	1	25.00%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	4	3	75.00%	1	25.00%	0		0		0		0	
合計		167	151	90.42%	8	4.79%	2	1.20%	3	1.80%	1	0.60%	2	1.20%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	62	44	70.97%	15	24.19%	0		0		3	4.84%	0	
	女	123	88	71.54%	21	17.07%	7	5.69%	5	4.07%	0		2	1.63%
	計	185	132	71.35%	36	19.46%	7	3.78%	5	2.70%	3	1.62%	2	1.08%
40 ～ 74	男	42	26	61.90%	10	23.81%	2	4.76%	4	9.52%	0		0	
	女	90	63	70.00%	15	16.67%	5	5.56%	6	6.67%	1	1.11%	0	
	計	132	89	67.42%	25	18.94%	7	5.30%	10	7.58%	1	0.76%	0	
75 ～	男	4	4	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		321	225	70.09%	61	19.00%	14	4.36%	15	4.67%	4	1.25%	2	0.62%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	41	35	85.37%	2	4.88%	0		2	4.88%	2	4.88%	0	
	女	24	20	83.33%	1	4.17%	0		3	12.50%	0		0	
	計	65	55	84.62%	3	4.62%	0		5	7.69%	2	3.08%	0	
40 ～ 74	男	35	18	51.43%	2	5.71%	4	11.43%	10	28.57%	1	2.86%	0	
	女	52	39	75.00%	5	9.62%	0		6	11.54%	2	3.85%	0	
	計	87	57	65.52%	7	8.05%	4	4.60%	16	18.39%	3	3.45%	0	
75 ～	男	4	4	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		156	116	74.36%	10	6.41%	4	2.56%	21	13.46%	5	3.21%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	14	14	100.00%	0		0		0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	19	19	100.00%	0		0		0		0		0	
40 ～ 74	男	36	36	100.00%	0		0		0		0		0	
	女	12	12	100.00%	0		0		0		0		0	
	計	48	48	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		67	67	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	59	56	94.92%	0	0	0	0	0	0	3	5.08%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	59	56	94.92%	0	0	0	0	0	0	3	5.08%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		63	60	95.24%	0	0	0	0	0	0	3	4.76%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	31	31	100.00%	0	0	0	0	0	0	0	0	0	0
	女	25	24	96.00%	0	0	0	0	0	0	1	4.00%	0	0
	計	56	55	98.21%	0	0	0	0	0	0	1	1.79%	0	0
40 ～ 74	男	35	33	94.29%	0	0	0	0	0	0	2	5.71%	0	0
	女	82	79	96.34%	0	0	0	0	0	0	3	3.66%	0	0
	計	117	112	95.73%	0	0	0	0	0	0	5	4.27%	0	0
75 ～	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
合計		177	171	96.61%	0	0	0	0	0	0	6	3.39%	0	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	46	36	78.26%	7	15.22%	2	4.35%	0	0	1	2.17%	0	0
	女	104	96	92.31%	5	4.81%	2	1.92%	0	0	1	0.96%	0	0
	計	150	132	88.00%	12	8.00%	4	2.67%	0	0	2	1.33%	0	0
40 ～ 74	男	20	15	75.00%	3	15.00%	0	0	0	0	2	10.00%	0	0
	女	72	56	77.78%	5	6.94%	9	12.50%	0	0	1	1.39%	1	1.39%
	計	92	71	77.17%	8	8.70%	9	9.78%	0	0	3	3.26%	1	1.09%
75 ～	男	4	2	50.00%	1	25.00%	0	0	0	0	1	25.00%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	4	2	50.00%	1	25.00%	0	0	0	0	1	25.00%	0	0
合計		246	205	83.33%	21	8.54%	13	5.28%	0	0	6	2.44%	1	0.41%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査	治療中	
			人数	割合	人数	割合	人数	割合			人数	割合
～ 39	男	4	4	100.00%	0		0		0	0	0	
	女	4	3	75.00%	0		0		0	0	1	25.00%
	計	8	7	87.50%	0		0		0	0	1	12.50%
40 ～ 74	男	2	2	100.00%	0		0		0	0	0	
	女	14	11	78.57%	1	7.14%	1	7.14%	0	0	1	7.14%
	計	16	13	81.25%	1	6.25%	1	6.25%	0	0	1	6.25%
75 ～	男	0	0		0		0		0	0	0	
	女	0	0		0		0		0	0	0	
	計	0	0		0		0		0	0	0	
合計		24	20	83.33%	1	4.17%	1	4.17%	0	0	2	8.33%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査	治療中	
			人数	割合	人数	割合	人数	割合			人数	割合
～ 39	男	0	0		0		0		0	0	0	
	女	0	0		0		0		0	0	0	
	計	0	0		0		0		0	0	0	
40 ～ 74	男	2	2	100.00%	0		0		0	0	0	
	女	4	4	100.00%	0		0		0	0	0	
	計	6	6	100.00%	0		0		0	0	0	
75 ～	男	0	0		0		0		0	0	0	
	女	0	0		0		0		0	0	0	
	計	0	0		0		0		0	0	0	
合計		6	6	100.00%	0		0		0	0	0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査	治療中	
			人数	割合	人数	割合	人数	割合			人数	割合
～ 39	男	0	0		0		0		0	0	0	
	女	0	0		0		0		0	0	0	
	計	0	0		0		0		0	0	0	
40 ～ 74	男	0	0		0		0		0	0	0	
	女	0	0		0		0		0	0	0	
	計	0	0		0		0		0	0	0	
75 ～	男	0	0		0		0		0	0	0	
	女	0	0		0		0		0	0	0	
	計	0	0		0		0		0	0	0	
合計		0	0		0		0		0	0	0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	40	39	97.50%	0		1	2.50%	0		0		0	
	女	109	100	91.74%	0		9	8.26%	0		0		0	
	計	149	139	93.29%	0		10	6.71%	0		0		0	
40 ～ 74	男	20	16	80.00%	0		3	15.00%	0		1	5.00%	0	
	女	101	83	82.18%	0		18	17.82%	0		0		0	
	計	121	99	81.82%	0		21	17.36%	0		1	0.83%	0	
75 ～	男	5	1	20.00%	0		3	60.00%	0		1	20.00%	0	
	女	0	0		0		0		0		0		0	
	計	5	1	20.00%	0		3	60.00%	0		1	20.00%	0	
合計		275	239	86.91%	0		34	12.36%	0		2	0.73%	0	

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	27	26	96.30%	0		1	3.70%	0		0		0	
	女	11	8	72.73%	0		2	18.18%	0		1	9.09%	0	
	計	38	34	89.47%	0		3	7.89%	0		1	2.63%	0	
40 ～ 74	男	24	22	91.67%	0		2	8.33%	0		0		0	
	女	54	35	64.81%	0		19	35.19%	0		0		0	
	計	78	57	73.08%	0		21	26.92%	0		0		0	
75 ～	男	3	1	33.33%	0		2	66.67%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	3	1	33.33%	0		2	66.67%	0		0		0	
合計		119	92	77.31%	0		26	21.85%	0		1	0.84%	0	

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	18	5	27.78%	0		12	66.67%	1	5.56%	0		0	
	女	5	2	40.00%	0		3	60.00%	0		0		0	
	計	23	7	30.43%	0		15	65.22%	1	4.35%	0		0	
40 ～ 74	男	51	11	21.57%	0		37	72.55%	1	1.96%	2	3.92%	0	
	女	60	13	21.67%	1	1.67%	45	75.00%	0		1	1.67%	0	
	計	111	24	21.62%	1	0.90%	82	73.87%	1	0.90%	3	2.70%	0	
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	2	0		0		2	100.00%	0		0		0	
合計		136	31	22.79%	1	0.74%	99	72.79%	2	1.47%	3	2.21%	0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	7	4	57.14%	0		3	42.86%	0		0		0	
	女	7	2	28.57%	0		5	71.43%	0		0		0	
	計	14	6	42.86%	0		8	57.14%	0		0		0	
40 ～ 74	男	42	1	2.38%	0		36	85.71%	0		5	11.90%	0	
	女	90	17	18.89%	3	3.33%	68	75.56%	0		2	2.22%	0	
	計	132	18	13.64%	3	2.27%	104	78.79%	0		7	5.30%	0	
75 ～	男	4	0		0		4	100.00%	0		0		0	
	女	2	0		0		2	100.00%	0		0		0	
	計	6	0		0		6	100.00%	0		0		0	
合計		152	24	15.79%	3	1.97%	118	77.63%	0		7	4.61%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	61	58	95.08%	0		1	1.64%	0		2	3.28%	0	
	計	61	58	95.08%	0		1	1.64%	0		2	3.28%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	229	220	96.07%	0		0		0		9	3.93%	0	
	計	229	220	96.07%	0		0		0		9	3.93%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
合計		293	281	95.90%	0		1	0.34%	0		11	3.75%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	106	59	55.66%	6	5.66%	26	24.53%	0		15	14.15%	0	
	計	106	59	55.66%	6	5.66%	26	24.53%	0		15	14.15%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	266	137	51.50%	20	7.52%	84	31.58%	0		25	9.40%	0	
	計	266	137	51.50%	20	7.52%	84	31.58%	0		25	9.40%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
合計		375	199	53.07%	26	6.93%	110	29.33%	0		40	10.67%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	232	213	91.81%	1	0.43%	4	1.72%	0		6	2.59%	8	3.45%
	計	232	213	91.81%	1	0.43%	4	1.72%	0		6	2.59%	8	3.45%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	526	490	93.16%	0		14	2.66%	0		9	1.71%	13	2.47%
	計	526	490	93.16%	0		14	2.66%	0		9	1.71%	13	2.47%
75 ～	男	0	0		0		0		0		0		0	
	女	16	15	93.75%	0		1	6.25%	0		0		0	
	計	16	15	93.75%	0		1	6.25%	0		0		0	
合計		774	718	92.76%	1	0.13%	19	2.45%	0		15	1.94%	21	2.71%