

平成30年度 事業年報

①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	1	0.82%	3	2.46%	58	47.54%	7	5.74%	46	37.70%	7	5.74%
	女	111	1	0.90%	2	1.80%	53	47.75%	3	2.70%	44	39.64%	8	7.21%
	計	233	2	0.86%	5	2.15%	111	47.64%	10	4.29%	90	38.63%	15	6.44%
40 ～ 74	男	699	1	0.14%	263	37.63%	198	28.33%	34	4.86%	201	28.76%	263	37.63%
	女	647	1	0.15%	201	31.07%	225	34.78%	42	6.49%	174	26.89%	201	31.07%
	計	1346	2	0.15%	464	34.47%	423	31.43%	76	5.65%	375	27.86%	464	34.47%
75 ～	男	27	0		19	70.37%	4	14.81%	0		4	14.81%	19	70.37%
	女	26	0		20	76.92%	3	11.54%	1	3.85%	2	7.69%	20	76.92%
	計	53	0		39	73.58%	7	13.21%	1	1.89%	6	11.32%	39	73.58%
合計		1632	4	0.25%	508	31.13%	541	33.15%	87	5.33%	471	28.86%	518	31.74%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	122	8	6.56%	74	60.66%	40	32.79%
	女	111	19	17.12%	79	71.17%	13	11.71%
	計	233	27	11.59%	153	65.67%	53	22.75%
40 ～ 74	男	699	11	1.57%	457	65.38%	231	33.05%
	女	647	77	11.90%	463	71.56%	107	16.54%
	計	1346	88	6.54%	920	68.35%	338	25.11%
75 ～	男	27	1	3.70%	20	74.07%	6	22.22%
	女	26	4	15.38%	17	65.38%	5	19.23%
	計	53	5	9.43%	37	69.81%	11	20.75%
合計		1632	120	7.35%	1110	68.01%	402	24.63%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	96	78.69%	11	9.02%	11	9.02%	0		2	1.64%	2	1.64%
	女	111	99	89.19%	6	5.41%	6	5.41%	0		0		0	
	計	233	195	83.69%	17	7.30%	17	7.30%	0		2	0.86%	2	0.86%
40 ～ 74	男	699	309	44.21%	97	13.88%	104	14.88%	0		37	5.29%	152	21.75%
	女	647	403	62.29%	77	11.90%	63	9.74%	0		20	3.09%	84	12.98%
	計	1346	712	52.90%	174	12.93%	167	12.41%	0		57	4.23%	236	17.53%
75 ～	男	27	3	11.11%	1	3.70%	5	18.52%	0		0		18	66.67%
	女	26	4	15.38%	4	15.38%	3	11.54%	0		1	3.85%	14	53.85%
	計	53	7	13.21%	5	9.43%	8	15.09%	0		1	1.89%	32	60.38%
合計		1632	914	56.00%	196	12.01%	192	11.76%	0		60	3.68%	270	16.54%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	120	98.36%	0		2	1.64%	0		0		0	
	女	111	110	99.10%	0		1	0.90%	0		0		0	
	計	233	230	98.71%	0		3	1.29%	0		0		0	
40 ～ 74	男	699	607	86.84%	0		92	13.16%	0		0		0	
	女	644	615	95.50%	0		27	4.19%	0		0		2	0.31%
	計	1343	1222	90.99%	0		119	8.86%	0		0		2	0.15%
75 ～	男	27	13	48.15%	0		14	51.85%	0		0		0	
	女	26	16	61.54%	0		10	38.46%	0		0		0	
	計	53	29	54.72%	0		24	45.28%	0		0		0	
合計		1629	1481	90.91%	0		146	8.96%	0		0		2	0.12%

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	50	40.98%	17	13.93%	30	24.59%	0		25	20.49%	0	
	女	111	89	80.18%	3	2.70%	10	9.01%	0		9	8.11%	0	
	計	233	139	59.66%	20	8.58%	40	17.17%	0		34	14.59%	0	
40 ～ 74	男	699	311	44.49%	112	16.02%	150	21.46%	0		124	17.74%	2	0.29%
	女	647	481	74.34%	57	8.81%	58	8.96%	0		51	7.88%	0	
	計	1346	792	58.84%	169	12.56%	208	15.45%	0		175	13.00%	2	0.15%
75 ～	男	27	18	66.67%	2	7.41%	5	18.52%	0		2	7.41%	0	
	女	26	14	53.85%	2	7.69%	8	30.77%	0		2	7.69%	0	
	計	53	32	60.38%	4	7.55%	13	24.53%	0		4	7.55%	0	
合計		1632	963	59.01%	193	11.83%	261	15.99%	0		213	13.05%	2	0.12%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	29	23.77%	28	22.95%	42	34.43%	13	10.66%	8	6.56%	2	1.64%
	女	111	54	48.65%	25	22.52%	24	21.62%	2	1.80%	6	5.41%	0	
	計	233	83	35.62%	53	22.75%	66	28.33%	15	6.44%	14	6.01%	2	0.86%
40 ～ 74	男	699	136	19.46%	168	24.03%	240	34.33%	54	7.73%	23	3.29%	78	11.16%
	女	647	133	20.56%	105	16.23%	264	40.80%	39	6.03%	22	3.40%	84	12.98%
	計	1346	269	19.99%	273	20.28%	504	37.44%	93	6.91%	45	3.34%	162	12.04%
75 ～	男	27	7	25.93%	7	25.93%	7	25.93%	0		0		6	22.22%
	女	26	3	11.54%	5	19.23%	8	30.77%	2	7.69%	0		8	30.77%
	計	53	10	18.87%	12	22.64%	15	28.30%	2	3.77%	0		14	26.42%
合計		1632	362	22.18%	338	20.71%	585	35.85%	110	6.74%	59	3.62%	178	10.91%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	70	57.38%	32	26.23%	15	12.30%	0		3	2.46%	2	1.64%
	女	111	69	62.16%	36	32.43%	5	4.50%	0		0		1	0.90%
	計	233	139	59.66%	68	29.18%	20	8.58%	0		3	1.29%	3	1.29%
40 ～ 74	男	699	190	27.18%	275	39.34%	166	23.75%	0		23	3.29%	45	6.44%
	女	647	247	38.18%	244	37.71%	131	20.25%	0		5	0.77%	20	3.09%
	計	1346	437	32.47%	519	38.56%	297	22.07%	0		28	2.08%	65	4.83%
75 ～	男	27	3	11.11%	10	37.04%	9	33.33%	0		1	3.70%	4	14.81%
	女	26	4	15.38%	9	34.62%	6	23.08%	0		1	3.85%	6	23.08%
	計	53	7	13.21%	19	35.85%	15	28.30%	0		2	3.77%	10	18.87%
合計		1632	583	35.72%	606	37.13%	332	20.34%	0		33	2.02%	78	4.78%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	90	73.77%	21	17.21%	11	9.02%	0		0		0	
	女	111	80	72.07%	21	18.92%	8	7.21%	0		2	1.80%	0	
	計	233	170	72.96%	42	18.03%	19	8.15%	0		2	0.86%	0	
40 ～ 74	男	699	517	73.96%	114	16.31%	54	7.73%	0		14	2.00%	0	
	女	647	385	59.51%	163	25.19%	92	14.22%	0		7	1.08%	0	
	計	1346	902	67.01%	277	20.58%	146	10.85%	0		21	1.56%	0	
75 ～	男	27	13	48.15%	3	11.11%	9	33.33%	0		2	7.41%	0	
	女	26	15	57.69%	6	23.08%	4	15.38%	0		1	3.85%	0	
	計	53	28	52.83%	9	16.98%	13	24.53%	0		3	5.66%	0	
合計		1632	1100	67.40%	328	20.10%	178	10.91%	0		26	1.59%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	95	77.87%	20	16.39%	4	3.28%	3	2.46%	0		0	
	女	111	109	98.20%	2	1.80%	0		0		0		0	
	計	233	204	87.55%	22	9.44%	4	1.72%	3	1.29%	0		0	
40 ～ 74	男	699	499	71.39%	104	14.88%	30	4.29%	18	2.58%	0		48	6.87%
	女	647	630	97.37%	8	1.24%	7	1.08%	2	0.31%	0		0	
	計	1346	1129	83.88%	112	8.32%	37	2.75%	20	1.49%	0		48	3.57%
75 ～	男	27	20	74.07%	2	7.41%	2	7.41%	3	11.11%	0		0	
	女	26	24	92.31%	0		2	7.69%	0		0		0	
	計	53	44	83.02%	2	3.77%	4	7.55%	3	5.66%	0		0	
合計		1632	1377	84.38%	136	8.33%	45	2.76%	26	1.59%	0		48	2.94%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	90	73.77%	27	22.13%	2	1.64%	0		3	2.46%	0	
	女	111	80	72.07%	7	6.31%	15	13.51%	5	4.50%	0		4	3.60%
	計	233	170	72.96%	34	14.59%	17	7.30%	5	2.15%	3	1.29%	4	1.72%
40 ～ 74	男	699	552	78.97%	95	13.59%	24	3.43%	4	0.57%	23	3.29%	1	0.14%
	女	647	447	69.09%	80	12.36%	59	9.12%	39	6.03%	5	0.77%	17	2.63%
	計	1346	999	74.22%	175	13.00%	83	6.17%	43	3.19%	28	2.08%	18	1.34%
75 ～	男	27	20	74.07%	2	7.41%	4	14.81%	1	3.70%	0		0	
	女	26	20	76.92%	3	11.54%	3	11.54%	0		0		0	
	計	53	40	75.47%	5	9.43%	7	13.21%	1	1.89%	0		0	
合計		1632	1209	74.08%	214	13.11%	107	6.56%	49	3.00%	31	1.90%	22	1.35%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	107	87.70%	10	8.20%	3	2.46%	0		2	1.64%	0	
	女	111	89	80.18%	15	13.51%	2	1.80%	0		5	4.50%	0	
	計	233	196	84.12%	25	10.73%	5	2.15%	0		7	3.00%	0	
40 ～ 74	男	699	619	88.56%	51	7.30%	11	1.57%	0		18	2.58%	0	
	女	647	554	85.63%	50	7.73%	8	1.24%	0		35	5.41%	0	
	計	1346	1173	87.15%	101	7.50%	19	1.41%	0		53	3.94%	0	
75 ～	男	27	24	88.89%	1	3.70%	1	3.70%	0		1	3.70%	0	
	女	26	22	84.62%	1	3.85%	0		0		3	11.54%	0	
	計	53	46	86.79%	2	3.77%	1	1.89%	0		4	7.55%	0	
合計		1632	1415	86.70%	128	7.84%	25	1.53%	0		64	3.92%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0		0		0		0		0	
	女	7	7	100.00%	0		0		0		0		0	
	計	11	11	100.00%	0		0		0		0		0	
40 ～ 74	男	38	38	100.00%	0		0		0		0		0	
	女	16	16	100.00%	0		0		0		0		0	
	計	54	54	100.00%	0		0		0		0		0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		66	66	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	21	21	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	21	21	100.00%	0		0		0		0		0	
40 ～ 74	男	219	213	97.26%	0		0		0		6	2.74%	0	
	女	0	0		0		0		0		0		0	
	計	219	213	97.26%	0		0		0		6	2.74%	0	
75 ～	男	2	1	50.00%	0		0		0		1	50.00%	0	
	女	0	0		0		0		0		0		0	
	計	2	1	50.00%	0		0		0		1	50.00%	0	
合計		242	235	97.11%	0		0		0		7	2.89%	0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	117	116	99.15%	0		0		0		1	0.85%	0	
	女	107	99	92.52%	0		0		0		8	7.48%	0	
	計	224	215	95.98%	0		0		0		9	4.02%	0	
40 ～ 74	男	686	654	95.34%	0		0		0		26	3.79%	6	0.87%
	女	633	607	95.89%	0		0		0		25	3.95%	1	0.16%
	計	1319	1261	95.60%	0		0		0		51	3.87%	7	0.53%
75 ～	男	27	25	92.59%	0		0		0		2	7.41%	0	
	女	25	23	92.00%	0		0		0		2	8.00%	0	
	計	52	48	92.31%	0		0		0		4	7.69%	0	
合計		1595	1524	95.55%	0		0		0		64	4.01%	7	0.44%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	108	88.52%	9	7.38%	5	4.10%	0		0		0	
	女	111	96	86.49%	2	1.80%	12	10.81%	0		1	0.90%	0	
	計	233	204	87.55%	11	4.72%	17	7.30%	0		1	0.43%	0	
40 ～ 74	男	699	531	75.97%	65	9.30%	61	8.73%	0		25	3.58%	17	2.43%
	女	647	531	82.07%	40	6.18%	55	8.50%	1	0.15%	12	1.85%	8	1.24%
	計	1346	1062	78.90%	105	7.80%	116	8.62%	1	0.07%	37	2.75%	25	1.86%
75 ～	男	27	19	70.37%	3	11.11%	1	3.70%	0		1	3.70%	3	11.11%
	女	26	13	50.00%	3	11.54%	7	26.92%	0		1	3.85%	2	7.69%
	計	53	32	60.38%	6	11.32%	8	15.09%	0		2	3.77%	5	9.43%
合計		1632	1298	79.53%	122	7.48%	141	8.64%	1	0.06%	40	2.45%	30	1.84%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	116	95.08%	1	0.82%	0		0		4	3.28%	1	0.82%
	女	111	111	100.00%	0		0		0		0		0	
	計	233	227	97.42%	1	0.43%	0		0		4	1.72%	1	0.43%
40 ～ 74	男	697	552	79.20%	26	3.73%	39	5.60%	0		32	4.59%	48	6.89%
	女	644	515	79.97%	33	5.12%	28	4.35%	0		25	3.88%	43	6.68%
	計	1341	1067	79.57%	59	4.40%	67	5.00%	0		57	4.25%	91	6.79%
75 ～	男	26	12	46.15%	0		3	11.54%	0		3	11.54%	8	30.77%
	女	26	7	26.92%	3	11.54%	4	15.38%	0		2	7.69%	10	38.46%
	計	52	19	36.54%	3	5.77%	7	13.46%	0		5	9.62%	18	34.62%
合計		1626	1313	80.75%	63	3.87%	74	4.55%	0		66	4.06%	110	6.77%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	110	90.16%	0		5	4.10%	0		6	4.92%	1	0.82%
	女	111	103	92.79%	0		6	5.41%	0		2	1.80%	0	
	計	233	213	91.42%	0		11	4.72%	0		8	3.43%	1	0.43%
40 ～ 74	男	697	575	82.50%	0		37	5.31%	0		35	5.02%	50	7.17%
	女	641	551	85.96%	0		22	3.43%	0		25	3.90%	43	6.71%
	計	1338	1126	84.16%	0		59	4.41%	0		60	4.48%	93	6.95%
75 ～	男	26	17	65.38%	0		1	3.85%	0		0		8	30.77%
	女	26	16	61.54%	0		0		0		0		10	38.46%
	計	52	33	63.46%	0		1	1.92%	0		0		18	34.62%
合計		1623	1372	84.53%	0		71	4.37%	0		68	4.19%	112	6.90%

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	118	96.72%	0		0		0		4	3.28%	0	
	女	111	105	94.59%	0		1	0.90%	0		2	1.80%	3	2.70%
	計	233	223	95.71%	0		1	0.43%	0		6	2.58%	3	1.29%
40 ～ 74	男	697	621	89.10%	0		30	4.30%	0		33	4.73%	13	1.87%
	女	647	599	92.58%	0		9	1.39%	0		30	4.64%	9	1.39%
	計	1344	1220	90.77%	0		39	2.90%	0		63	4.69%	22	1.64%
75 ～	男	27	17	62.96%	0		3	11.11%	0		6	22.22%	1	3.70%
	女	26	23	88.46%	0		1	3.85%	0		2	7.69%	0	
	計	53	40	75.47%	0		4	7.55%	0		8	15.09%	1	1.89%
合計		1630	1483	90.98%	0		44	2.70%	0		77	4.72%	26	1.60%

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	106	86.89%	0	0	16	13.11%	0	0	0	0	0	0
	女	108	92	85.19%	0	0	16	14.81%	0	0	0	0	0	0
	計	230	198	86.09%	0	0	32	13.91%	0	0	0	0	0	0
40 ～ 74	男	698	541	77.51%	0	0	149	21.35%	0	1	0.14%	7	1.00%	
	女	643	516	80.25%	0	0	123	19.13%	0	1	0.16%	3	0.47%	
	計	1341	1057	78.82%	0	0	272	20.28%	0	2	0.15%	10	0.75%	
75 ～	男	27	11	40.74%	0	0	13	48.15%	0	2	7.41%	1	3.70%	
	女	26	9	34.62%	0	0	16	61.54%	0	1	3.85%	0		
	計	53	20	37.74%	0	0	29	54.72%	0	3	5.66%	1	1.89%	
合計		1624	1275	78.51%	0	0	333	20.50%	0	5	0.31%	11	0.68%	

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	82	73	89.02%	0	0	8	9.76%	0	1	1.22%	0	0	
	女	67	58	86.57%	0	0	9	13.43%	0	0	0	0	0	
	計	149	131	87.92%	0	0	17	11.41%	0	1	0.67%	0	0	
40 ～ 74	男	368	316	85.87%	0	0	35	9.51%	0	16	4.35%	1	0.27%	
	女	357	284	79.55%	0	0	65	18.21%	0	7	1.96%	1	0.28%	
	計	725	600	82.76%	0	0	100	13.79%	0	23	3.17%	2	0.28%	
75 ～	男	13	10	76.92%	0	0	2	15.38%	0	1	7.69%	0	0	
	女	9	7	77.78%	0	0	2	22.22%	0	0	0	0	0	
	計	22	17	77.27%	0	0	4	18.18%	0	1	4.55%	0	0	
合計		896	748	83.48%	0	0	121	13.50%	0	25	2.79%	2	0.22%	

20. 胃内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	34	17	50.00%	0	0	13	38.24%	1	2.94%	3	8.82%	0	
	女	31	19	61.29%	0	0	11	35.48%	0	1	3.23%	0	0	
	計	65	36	55.38%	0	0	24	36.92%	1	1.54%	4	6.15%	0	
40 ～ 74	男	304	68	22.37%	0	0	209	68.75%	3	0.99%	21	6.91%	3	0.99%
	女	217	55	25.35%	0	0	147	67.74%	0	11	5.07%	4	1.84%	
	計	521	123	23.61%	0	0	356	68.33%	3	0.58%	32	6.14%	7	1.34%
75 ～	男	13	0	0	0	12	92.31%	0	1	7.69%	0	0		
	女	13	2	15.38%	0	0	6	46.15%	1	7.69%	4	30.77%	0	
	計	26	2	7.69%	0	0	18	69.23%	1	3.85%	5	19.23%	0	
合計		612	161	26.31%	0	0	398	65.03%	5	0.82%	41	6.70%	7	1.14%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	122	31	25.41%	3	2.46%	86	70.49%	0		1	0.82%	1	0.82%
	女	111	47	42.34%	2	1.80%	59	53.15%	0		3	2.70%	0	
	計	233	78	33.48%	5	2.15%	145	62.23%	0		4	1.72%	1	0.43%
40 ～ 74	男	699	61	8.73%	3	0.43%	592	84.69%	2	0.29%	38	5.44%	3	0.43%
	女	647	135	20.87%	7	1.08%	484	74.81%	0		19	2.94%	2	0.31%
	計	1346	196	14.56%	10	0.74%	1076	79.94%	2	0.15%	57	4.23%	5	0.37%
75 ～	男	27	0		0		23	85.19%	0		4	14.81%	0	
	女	26	2	7.69%	0		21	80.77%	0		3	11.54%	0	
	計	53	2	3.77%	0		44	83.02%	0		7	13.21%	0	
合計		1632	276	16.91%	15	0.92%	1265	77.51%	2	0.12%	68	4.17%	6	0.37%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	36	30	83.33%	0		4	11.11%	0		2	5.56%	0	
	計	36	30	83.33%	0		4	11.11%	0		2	5.56%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	190	168	88.42%	0		16	8.42%	0		6	3.16%	0	
	計	190	168	88.42%	0		16	8.42%	0		6	3.16%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		227	199	87.67%	0		20	8.81%	0		8	3.52%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	48	31	64.58%	0		17	35.42%	0		0		0	
	計	48	31	64.58%	0		17	35.42%	0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	217	114	52.53%	0		94	43.32%	0		9	4.15%	0	
	計	217	114	52.53%	0		94	43.32%	0		9	4.15%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		267	147	55.06%	0		111	41.57%	0		9	3.37%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	47	44	93.62%	0		0		0		2	4.26%	1	2.13%
	計	47	44	93.62%	0		0		0		2	4.26%	1	2.13%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	250	230	92.00%	1	0.40%	4	1.60%	0		5	2.00%	10	4.00%
	計	250	230	92.00%	1	0.40%	4	1.60%	0		5	2.00%	10	4.00%
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		298	275	92.28%	1	0.34%	4	1.34%	0		7	2.35%	11	3.69%

②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	664	31	4.67%	55	8.28%	262	39.46%	38	5.72%	251	37.80%	27	4.07%
	女	576	28	4.86%	38	6.60%	251	43.58%	60	10.42%	154	26.74%	45	7.81%
	計	1240	59	4.76%	93	7.50%	513	41.37%	98	7.90%	405	32.66%	72	5.81%
40 ～ 74	男	2431	20	0.82%	606	24.93%	790	32.50%	183	7.53%	739	30.40%	606	24.93%
	女	2397	30	1.25%	461	19.23%	1010	42.14%	264	11.01%	547	22.82%	461	19.23%
	計	4828	50	1.04%	1067	22.10%	1800	37.28%	447	9.26%	1286	26.64%	1067	22.10%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6068	109	1.80%	1160	19.12%	2313	38.12%	545	8.98%	1691	27.87%	1139	18.77%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	664	38	5.72%	411	61.90%	215	32.38%
	女	576	91	15.80%	395	68.58%	90	15.63%
	計	1240	129	10.40%	806	65.00%	305	24.60%
40 ～ 74	男	2431	95	3.91%	1468	60.39%	868	35.71%
	女	2397	281	11.72%	1651	68.88%	465	19.40%
	計	4828	376	7.79%	3119	64.60%	1333	27.61%
75 ～	男	0	0		0		0	
	女	0	0		0		0	
	計	0	0		0		0	
合計		6068	505	8.32%	3925	64.68%	1638	26.99%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	664	452	68.07%	116	17.47%	65	9.79%	0		18	2.71%	13	1.96%
	女	576	523	90.80%	23	3.99%	16	2.78%	0		7	1.22%	7	1.22%
	計	1240	975	78.63%	139	11.21%	81	6.53%	0		25	2.02%	20	1.61%
40 ～ 74	男	2431	1036	42.62%	369	15.18%	356	14.64%	0		170	6.99%	500	20.57%
	女	2397	1531	63.87%	273	11.39%	265	11.06%	0		72	3.00%	256	10.68%
	計	4828	2567	53.17%	642	13.30%	621	12.86%	0		242	5.01%	756	15.66%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6068	3542	58.37%	781	12.87%	702	11.57%	0		267	4.40%	776	12.79%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	663	656	98.94%	0		7	1.06%	0		0		0	
	女	560	553	98.75%	0		5	0.89%	2	0.36%	0		0	
	計	1223	1209	98.86%	0		12	0.98%	2	0.16%	0		0	
40 ～ 74	男	2417	2117	87.59%	0		269	11.13%	30	1.24%	0		1	0.04%
	女	2314	2247	97.10%	0		49	2.12%	18	0.78%	0		0	
	計	4731	4364	92.24%	0		318	6.72%	48	1.01%	0		1	0.02%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5954	5573	93.60%	0		330	5.54%	50	0.84%	0		1	0.02%

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	625	332	53.12%	105	16.80%	71	11.36%	0		117	18.72%	0	
	女	550	480	87.27%	30	5.45%	9	1.64%	0		30	5.45%	1	0.18%
	計	1175	812	69.11%	135	11.49%	80	6.81%	0		147	12.51%	1	0.09%
40 ～ 74	男	2430	1289	53.05%	457	18.81%	265	10.91%	0		413	17.00%	6	0.25%
	女	2397	1902	79.35%	231	9.64%	128	5.34%	0		129	5.38%	7	0.29%
	計	4827	3191	66.11%	688	14.25%	393	8.14%	0		542	11.23%	13	0.27%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6002	4003	66.69%	823	13.71%	473	7.88%	0		689	11.48%	14	0.23%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	625	187	29.92%	156	24.96%	204	32.64%	43	6.88%	25	4.00%	10	1.60%
	女	550	289	52.55%	114	20.73%	116	21.09%	8	1.45%	21	3.82%	2	0.36%
	計	1175	476	40.51%	270	22.98%	320	27.23%	51	4.34%	46	3.91%	12	1.02%
40 ～ 74	男	2430	499	20.53%	567	23.33%	890	36.63%	165	6.79%	66	2.72%	243	10.00%
	女	2397	650	27.12%	511	21.32%	849	35.42%	140	5.84%	33	1.38%	214	8.93%
	計	4827	1149	23.80%	1078	22.33%	1739	36.03%	305	6.32%	99	2.05%	457	9.47%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6002	1625	27.07%	1348	22.46%	2059	34.31%	356	5.93%	145	2.42%	469	7.81%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	664	446	67.17%	159	23.95%	41	6.17%	0	0	4	0.60%	14	2.11%
	女	576	465	80.73%	90	15.63%	18	3.13%	0	0	1	0.17%	2	0.35%
	計	1240	911	73.47%	249	20.08%	59	4.76%	0	0	5	0.40%	16	1.29%
40 ～ 74	男	2431	1072	44.10%	734	30.19%	327	13.45%	0	0	115	4.73%	183	7.53%
	女	2397	1393	58.11%	653	27.24%	256	10.68%	0	0	28	1.17%	67	2.80%
	計	4828	2465	51.06%	1387	28.73%	583	12.08%	0	0	143	2.96%	250	5.18%
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		6068	3376	55.64%	1636	26.96%	642	10.58%	0	0	148	2.44%	266	4.38%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	664	547	82.38%	75	11.30%	39	5.87%	0	0	3	0.45%	0	0
	女	576	411	71.35%	117	20.31%	45	7.81%	0	0	3	0.52%	0	0
	計	1240	958	77.26%	192	15.48%	84	6.77%	0	0	6	0.48%	0	0
40 ～ 74	男	2431	1865	76.72%	314	12.92%	204	8.39%	0	0	48	1.97%	0	0
	女	2397	1498	62.49%	571	23.82%	310	12.93%	0	0	18	0.75%	0	0
	計	4828	3363	69.66%	885	18.33%	514	10.65%	0	0	66	1.37%	0	0
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		6068	4321	71.21%	1077	17.75%	598	9.85%	0	0	72	1.19%	0	0

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	589	444	75.38%	97	16.47%	26	4.41%	17	2.89%	4	0.68%	1	0.17%
	女	494	491	99.39%	3	0.61%	0	0	0	0	0	0	0	0
	計	1083	935	86.33%	100	9.23%	26	2.40%	17	1.57%	4	0.37%	1	0.09%
40 ～ 74	男	2419	1836	75.90%	352	14.55%	110	4.55%	69	2.85%	9	0.37%	43	1.78%
	女	2336	2293	98.16%	26	1.11%	11	0.47%	3	0.13%	0	0	3	0.13%
	計	4755	4129	86.83%	378	7.95%	121	2.54%	72	1.51%	9	0.19%	46	0.97%
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		5838	5064	86.74%	478	8.19%	147	2.52%	89	1.52%	13	0.22%	47	0.81%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	625	490	78.40%	97	15.52%	17	2.72%	2	0.32%	19	3.04%	0	
	女	570	354	62.11%	46	8.07%	95	16.67%	59	10.35%	5	0.88%	11	1.93%
	計	1195	844	70.63%	143	11.97%	112	9.37%	61	5.10%	24	2.01%	11	0.92%
40 ～ 74	男	2430	1872	77.04%	310	12.76%	113	4.65%	38	1.56%	85	3.50%	12	0.49%
	女	2397	1587	66.21%	251	10.47%	292	12.18%	199	8.30%	19	0.79%	49	2.04%
	計	4827	3459	71.66%	561	11.62%	405	8.39%	237	4.91%	104	2.15%	61	1.26%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6022	4303	71.45%	704	11.69%	517	8.59%	298	4.95%	128	2.13%	72	1.20%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	441	387	87.76%	22	4.99%	13	2.95%	0		19	4.31%	0	
	女	373	335	89.81%	19	5.09%	5	1.34%	0		14	3.75%	0	
	計	814	722	88.70%	41	5.04%	18	2.21%	0		33	4.05%	0	
40 ～ 74	男	1980	1788	90.30%	69	3.48%	51	2.58%	0		72	3.64%	0	
	女	1955	1752	89.62%	95	4.86%	10	0.51%	0		98	5.01%	0	
	計	3935	3540	89.96%	164	4.17%	61	1.55%	0		170	4.32%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4749	4262	89.75%	205	4.32%	79	1.66%	0		203	4.27%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	66	65	98.48%	0		0		0		1	1.52%	0	
	女	51	51	100.00%	0		0		0		0		0	
	計	117	116	99.15%	0		0		0		1	0.85%	0	
40 ～ 74	男	491	489	99.59%	0		0		0		2	0.41%	0	
	女	393	390	99.24%	0		0		0		3	0.76%	0	
	計	884	879	99.43%	0		0		0		5	0.57%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1001	995	99.40%	0		0		0		6	0.60%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	14	14	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	14	14	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	277	266	96.03%	0	0	0	0	0	0	11	3.97%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	277	266	96.03%	0	0	0	0	0	0	11	3.97%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		291	280	96.22%	0	0	0	0	0	0	11	3.78%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	526	513	97.53%	0	0	0	0	0	0	13	2.47%	0	0
	女	416	393	94.47%	0	0	0	0	0	0	18	4.33%	5	1.20%
	計	942	906	96.18%	0	0	0	0	0	0	31	3.29%	5	0.53%
40 ～ 74	男	2326	2198	94.50%	0	0	0	0	0	0	122	5.25%	6	0.26%
	女	2220	2153	96.98%	0	0	0	0	0	0	62	2.79%	5	0.23%
	計	4546	4351	95.71%	0	0	0	0	0	0	184	4.05%	11	0.24%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		5488	5257	95.79%	0	0	0	0	0	0	215	3.92%	16	0.29%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	610	513	84.10%	61	10.00%	23	3.77%	1	0.16%	8	1.31%	4	0.66%
	女	532	452	84.96%	35	6.58%	37	6.95%	1	0.19%	5	0.94%	2	0.38%
	計	1142	965	84.50%	96	8.41%	60	5.25%	2	0.18%	13	1.14%	6	0.53%
40 ～ 74	男	2431	1870	76.92%	217	8.93%	204	8.39%	8	0.33%	75	3.09%	57	2.34%
	女	2396	1999	83.43%	157	6.55%	169	7.05%	0	0	41	1.71%	30	1.25%
	計	4827	3869	80.15%	374	7.75%	373	7.73%	8	0.17%	116	2.40%	87	1.80%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		5969	4834	80.99%	470	7.87%	433	7.25%	10	0.17%	129	2.16%	93	1.56%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	143	139	97.20%	1	0.70%	0		0		3	2.10%	0	
	女	78	77	98.72%	0		0		0		1	1.28%	0	
	計	221	216	97.74%	1	0.45%	0		0		4	1.81%	0	
40 ～ 74	男	549	451	82.15%	23	4.19%	25	4.55%	10	1.82%	19	3.46%	21	3.83%
	女	503	440	87.48%	12	2.39%	17	3.38%	3	0.60%	12	2.39%	19	3.78%
	計	1052	891	84.70%	35	3.33%	42	3.99%	13	1.24%	31	2.95%	40	3.80%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1273	1107	86.96%	36	2.83%	42	3.30%	13	1.02%	35	2.75%	40	3.14%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	78	73	93.59%	0		2	2.56%	2	2.56%	1	1.28%	0	
	女	37	33	89.19%	0		2	5.41%	0		2	5.41%	0	
	計	115	106	92.17%	0		4	3.48%	2	1.74%	3	2.61%	0	
40 ～ 74	男	300	253	84.33%	0		23	7.67%	7	2.33%	5	1.67%	12	4.00%
	女	229	202	88.21%	0		10	4.37%	7	3.06%	3	1.31%	7	3.06%
	計	529	455	86.01%	0		33	6.24%	14	2.65%	8	1.51%	19	3.59%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		644	561	87.11%	0		37	5.75%	16	2.48%	11	1.71%	19	2.95%

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	104	100	96.15%	0		2	1.92%	0		1	0.96%	1	0.96%
	女	51	46	90.20%	0		1	1.96%	0		3	5.88%	1	1.96%
	計	155	146	94.19%	0		3	1.94%	0		4	2.58%	2	1.29%
40 ～ 74	男	371	330	88.95%	0		8	2.16%	0		27	7.28%	6	1.62%
	女	258	249	96.51%	0		2	0.78%	0		4	1.55%	3	1.16%
	計	629	579	92.05%	0		10	1.59%	0		31	4.93%	9	1.43%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		784	725	92.47%	0		13	1.66%	0		35	4.46%	11	1.40%

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	664	588	88.55%	0		76	11.45%	0		0		0	
	女	562	507	90.21%	0		53	9.43%	0		2	0.36%	0	
	計	1226	1095	89.31%	0		129	10.52%	0		2	0.16%	0	
40 ～ 74	男	2427	1876	77.30%	1	0.04%	517	21.30%	0		23	0.95%	10	0.41%
	女	2360	1950	82.63%	0		396	16.78%	0		13	0.55%	1	0.04%
	計	4787	3826	79.92%	1	0.02%	913	19.07%	0		36	0.75%	11	0.23%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6013	4921	81.84%	1	0.02%	1042	17.33%	0		38	0.63%	11	0.18%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	439	402	91.57%	0		30	6.83%	0		7	1.59%	0	
	女	299	266	88.96%	0		30	10.03%	0		3	1.00%	0	
	計	738	668	90.51%	0		60	8.13%	0		10	1.36%	0	
40 ～ 74	男	1773	1507	85.00%	0		188	10.60%	0		65	3.67%	13	0.73%
	女	1483	1176	79.30%	0		276	18.61%	0		26	1.75%	5	0.34%
	計	3256	2683	82.40%	0		464	14.25%	0		91	2.79%	18	0.55%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3994	3351	83.90%	0		524	13.12%	0		101	2.53%	18	0.45%

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	57	29	50.88%	0		27	47.37%	0		1	1.75%	0	
	女	36	18	50.00%	0		17	47.22%	0		1	2.78%	0	
	計	93	47	50.54%	0		44	47.31%	0		2	2.15%	0	
40 ～ 74	男	353	82	23.23%	0		238	67.42%	4	1.13%	28	7.93%	1	0.28%
	女	250	75	30.00%	0		156	62.40%	2	0.80%	14	5.60%	3	1.20%
	計	603	157	26.04%	0		394	65.34%	6	1.00%	42	6.97%	4	0.66%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		696	204	29.31%	0		438	62.93%	6	0.86%	44	6.32%	4	0.57%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	114	25	21.93%	1	0.88%	85	74.56%	0		3	2.63%	0	
	女	65	23	35.38%	2	3.08%	37	56.92%	0		2	3.08%	1	1.54%
	計	179	48	26.82%	3	1.68%	122	68.16%	0		5	2.79%	1	0.56%
40 ～ 74	男	487	43	8.83%	5	1.03%	412	84.60%	8	1.64%	16	3.29%	3	0.62%
	女	458	92	20.09%	14	3.06%	335	73.14%	3	0.66%	12	2.62%	2	0.44%
	計	945	135	14.29%	19	2.01%	747	79.05%	11	1.16%	28	2.96%	5	0.53%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1124	183	16.28%	22	1.96%	869	77.31%	11	0.98%	33	2.94%	6	0.53%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	85	81	95.29%	0		1	1.18%	0		3	3.53%	0	
	計	85	81	95.29%	0		1	1.18%	0		3	3.53%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	704	625	88.78%	0		49	6.96%	0		30	4.26%	0	
	計	704	625	88.78%	0		49	6.96%	0		30	4.26%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		789	706	89.48%	0		50	6.34%	0		33	4.18%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	116	70	60.34%	0		42	36.21%	0		4	3.45%	0	
	計	116	70	60.34%	0		42	36.21%	0		4	3.45%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	466	239	51.29%	1	0.21%	216	46.35%	0		10	2.15%	0	
	計	466	239	51.29%	1	0.21%	216	46.35%	0		10	2.15%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		582	309	53.09%	1	0.17%	258	44.33%	0		14	2.41%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	260	245	94.23%	0		0		4	1.54%	2	0.77%	9	3.46%
	計	260	245	94.23%	0		0		4	1.54%	2	0.77%	9	3.46%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1129	1055	93.45%	7	0.62%	0		7	0.62%	15	1.33%	45	3.99%
	計	1129	1055	93.45%	7	0.62%	0		7	0.62%	15	1.33%	45	3.99%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1389	1300	93.59%	7	0.50%	0		11	0.79%	17	1.22%	54	3.89%

③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	0		0		1	50.00%	0		1	50.00%	0	
	女	22	4	18.18%	2	9.09%	12	54.55%	0		3	13.64%	1	4.55%
	計	24	4	16.67%	2	8.33%	13	54.17%	0		4	16.67%	1	4.17%
40 ～ 74	男	787	6	0.76%	391	49.68%	219	27.83%	31	3.94%	102	12.96%	391	49.68%
	女	2171	101	4.65%	665	30.63%	858	39.52%	131	6.03%	187	8.61%	665	30.63%
	計	2958	107	3.62%	1056	35.70%	1077	36.41%	162	5.48%	289	9.77%	1056	35.70%
75 ～	男	259	0		162	62.55%	52	20.08%	7	2.70%	35	13.51%	162	62.55%
	女	274	0		181	66.06%	55	20.07%	6	2.19%	30	10.95%	181	66.06%
	計	533	0		343	64.35%	107	20.08%	13	2.44%	65	12.20%	343	64.35%
合計		3515	111	3.16%	1401	39.86%	1197	34.05%	175	4.98%	358	10.18%	1400	39.83%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	2	0		1	50.00%	1	50.00%
	女	22	4	18.18%	11	50.00%	7	31.82%
	計	24	4	16.67%	12	50.00%	8	33.33%
40 ～ 74	男	787	24	3.05%	560	71.16%	203	25.79%
	女	2171	242	11.15%	1520	70.01%	409	18.84%
	計	2958	266	8.99%	2080	70.32%	612	20.69%
75 ～	男	259	12	4.63%	209	80.69%	38	14.67%
	女	274	35	12.77%	189	68.98%	50	18.25%
	計	533	47	8.82%	398	74.67%	88	16.51%
合計		3515	317	9.02%	2490	70.84%	708	20.14%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	0		1	50.00%	0		0		0	
	女	22	17	77.27%	3	13.64%	2	9.09%	0		0		0	
	計	24	18	75.00%	3	12.50%	3	12.50%	0		0		0	
40 ～ 74	男	787	241	30.62%	113	14.36%	98	12.45%	0		53	6.73%	282	35.83%
	女	2171	1118	51.50%	303	13.96%	254	11.70%	0		85	3.92%	411	18.93%
	計	2958	1359	45.94%	416	14.06%	352	11.90%	0		138	4.67%	693	23.43%
75 ～	男	259	53	20.46%	28	10.81%	46	17.76%	0		16	6.18%	116	44.79%
	女	274	45	16.42%	25	9.12%	48	17.52%	0		18	6.57%	138	50.36%
	計	533	98	18.39%	53	9.94%	94	17.64%	0		34	6.38%	254	47.65%
合計		3515	1475	41.96%	472	13.43%	449	12.77%	0		172	4.89%	947	26.94%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	2	0		1	50.00%	0		0		1	50.00%	0	
	女	22	18	81.82%	1	4.55%	0		0		3	13.64%	0	
	計	24	18	75.00%	2	8.33%	0		0		4	16.67%	0	
40 ～ 74	男	787	511	64.93%	137	17.41%	56	7.12%	0		78	9.91%	5	0.64%
	女	2171	1838	84.66%	176	8.11%	73	3.36%	0		77	3.55%	7	0.32%
	計	2958	2349	79.41%	313	10.58%	129	4.36%	0		155	5.24%	12	0.41%
75 ～	男	259	200	77.22%	34	13.13%	13	5.02%	0		9	3.47%	3	1.16%
	女	274	231	84.31%	19	6.93%	16	5.84%	0		7	2.55%	1	0.36%
	計	533	431	80.86%	53	9.94%	29	5.44%	0		16	3.00%	4	0.75%
合計		3515	2798	79.60%	368	10.47%	158	4.50%	0		175	4.98%	16	0.46%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	2	1	50.00%	0		1	50.00%	0		0		0	
	女	22	14	63.64%	4	18.18%	4	18.18%	0		0		0	
	計	24	15	62.50%	4	16.67%	5	20.83%	0		0		0	
40 ～ 74	男	787	206	26.18%	186	23.63%	216	27.45%	35	4.45%	19	2.41%	125	15.88%
	女	2171	575	26.49%	481	22.16%	622	28.65%	135	6.22%	19	0.88%	339	15.61%
	計	2958	781	26.40%	667	22.55%	838	28.33%	170	5.75%	38	1.28%	464	15.69%
75 ～	男	259	83	32.05%	64	24.71%	43	16.60%	6	2.32%	7	2.70%	56	21.62%
	女	274	59	21.53%	67	24.45%	58	21.17%	5	1.82%	2	0.73%	83	30.29%
	計	533	142	26.64%	131	24.58%	101	18.95%	11	2.06%	9	1.69%	139	26.08%
合計		3515	938	26.69%	802	22.82%	944	26.86%	181	5.15%	47	1.34%	603	17.16%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	1	50.00%	0		0		0		0	
	女	22	18	81.82%	4	18.18%	0		0		0		0	
	計	24	19	79.17%	5	20.83%	0		0		0		0	
40 ～ 74	男	787	188	23.89%	228	28.97%	222	28.21%	0		57	7.24%	92	11.69%
	女	2171	645	29.71%	772	35.56%	612	28.19%	0		54	2.49%	88	4.05%
	計	2958	833	28.16%	1000	33.81%	834	28.19%	0		111	3.75%	180	6.09%
75 ～	男	259	55	21.24%	69	26.64%	82	31.66%	0		18	6.95%	35	13.51%
	女	274	43	15.69%	100	36.50%	95	34.67%	0		13	4.74%	23	8.39%
	計	533	98	18.39%	169	31.71%	177	33.21%	0		31	5.82%	58	10.88%
合計		3515	950	27.03%	1174	33.40%	1011	28.76%	0		142	4.04%	238	6.77%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	22	17	77.27%	4	18.18%	1	4.55%	0		0		0	
	計	24	19	79.17%	4	16.67%	1	4.17%	0		0		0	
40 ～ 74	男	787	567	72.05%	126	16.01%	71	9.02%	0		23	2.92%	0	
	女	2169	1484	68.42%	438	20.19%	229	10.56%	0		18	0.83%	0	
	計	2956	2051	69.38%	564	19.08%	300	10.15%	0		41	1.39%	0	
75 ～	男	259	170	65.64%	39	15.06%	39	15.06%	0		11	4.25%	0	
	女	274	129	47.08%	61	22.26%	70	25.55%	0		14	5.11%	0	
	計	533	299	56.10%	100	18.76%	109	20.45%	0		25	4.69%	0	
合計		3513	2369	67.44%	668	19.02%	410	11.67%	0		66	1.88%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	1	50.00%	0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	8	7	87.50%	1	12.50%	0		0		0		0	
40 ～ 74	男	759	606	79.84%	88	11.59%	17	2.24%	15	1.98%	0		33	4.35%
	女	1340	1297	96.79%	30	2.24%	7	0.52%	4	0.30%	0		2	0.15%
	計	2099	1903	90.66%	118	5.62%	24	1.14%	19	0.91%	0		35	1.67%
75 ～	男	259	206	79.54%	30	11.58%	7	2.70%	3	1.16%	0		13	5.02%
	女	274	261	95.26%	8	2.92%	1	0.36%	3	1.09%	0		1	0.36%
	計	533	467	87.62%	38	7.13%	8	1.50%	6	1.13%	0		14	2.63%
合計		2640	2377	90.04%	157	5.95%	32	1.21%	25	0.95%	0		49	1.86%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	8	7	87.50%	0		0		0		0		1	12.50%
	計	10	9	90.00%	0		0		0		0		1	10.00%
40 ～ 74	男	759	610	80.37%	52	6.85%	70	9.22%	17	2.24%	3	0.40%	7	0.92%
	女	1563	1157	74.02%	161	10.30%	161	10.30%	48	3.07%	7	0.45%	29	1.86%
	計	2322	1767	76.10%	213	9.17%	231	9.95%	65	2.80%	10	0.43%	36	1.55%
75 ～	男	259	171	66.02%	6	2.32%	54	20.85%	24	9.27%	0		4	1.54%
	女	274	173	63.14%	20	7.30%	55	20.07%	20	7.30%	1	0.36%	5	1.82%
	計	533	344	64.54%	26	4.88%	109	20.45%	44	8.26%	1	0.19%	9	1.69%
合計		2865	2120	74.00%	239	8.34%	340	11.87%	109	3.80%	11	0.38%	46	1.61%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	7	6	85.71%	0		1	14.29%	0		0		0	
	計	9	8	88.89%	0		1	11.11%	0		0		0	
40 ～ 74	男	772	532	68.91%	80	10.36%	97	12.56%	4	0.52%	15	1.94%	44	5.70%
	女	1519	1165	76.70%	129	8.49%	148	9.74%	2	0.13%	44	2.90%	31	2.04%
	計	2291	1697	74.07%	209	9.12%	245	10.69%	6	0.26%	59	2.58%	75	3.27%
75 ～	男	259	129	49.81%	32	12.36%	47	18.15%	4	1.54%	16	6.18%	31	11.97%
	女	274	159	58.03%	31	11.31%	26	9.49%	2	0.73%	27	9.85%	29	10.58%
	計	533	288	54.03%	63	11.82%	73	13.70%	6	1.13%	43	8.07%	60	11.26%
合計		2833	1993	70.35%	272	9.60%	319	11.26%	12	0.42%	102	3.60%	135	4.77%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	321	193	60.12%	33	10.28%	37	11.53%	0		31	9.66%	27	8.41%
	女	539	333	61.78%	52	9.65%	55	10.20%	2	0.37%	34	6.31%	63	11.69%
	計	860	526	61.16%	85	9.88%	92	10.70%	2	0.23%	65	7.56%	90	10.47%
75 ～	男	128	57	44.53%	13	10.16%	18	14.06%	0		18	14.06%	22	17.19%
	女	145	62	42.76%	16	11.03%	28	19.31%	0		13	8.97%	26	17.93%
	計	273	119	43.59%	29	10.62%	46	16.85%	0		31	11.36%	48	17.58%
合計		1134	646	56.97%	114	10.05%	138	12.17%	2	0.18%	96	8.47%	138	12.17%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査	治療中
～ 39	男	0	0		0		0	0	0	0
	女	0	0		0		0	0	0	0
	計	0	0		0		0	0	0	0
40 ～ 74	男	0	0		0		0	0	0	0
	女	2	1	50.00%	1	50.00%	0	0	0	0
	計	2	1	50.00%	1	50.00%	0	0	0	0
75 ～	男	0	0		0		0	0	0	0
	女	0	0		0		0	0	0	0
	計	0	0		0		0	0	0	0
合計		2	1	50.00%	1	50.00%	0	0	0	0

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査	治療中	
～ 39	男	0	0		0		0	0	0	0	
	女	1	1	100.00%	0		0	0	0	0	
	計	1	1	100.00%	0		0	0	0	0	
40 ～ 74	男	0	0		0		0	0	0	0	
	女	14	11	78.57%	0		1	7.14%	2	14.29%	0
	計	14	11	78.57%	0		1	7.14%	2	14.29%	0
75 ～	男	0	0		0		0	0	0	0	
	女	0	0		0		0	0	0	0	
	計	0	0		0		0	0	0	0	
合計		15	12	80.00%	0		1	6.67%	2	13.33%	0

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査	治療中
～ 39	男	0	0		0		0	0	0	0
	女	1	1	100.00%	0		0	0	0	0
	計	1	1	100.00%	0		0	0	0	0
40 ～ 74	男	0	0		0		0	0	0	0
	女	4	0		0		4	100.00%	0	0
	計	4	0		0		4	100.00%	0	0
75 ～	男	0	0		0		0	0	0	0
	女	0	0		0		0	0	0	0
	計	0	0		0		0	0	0	0
合計		5	1	20.00%	0		4	80.00%	0	0

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査	治療中	
			人数	割合	人数	割合				人数	割合
～ 39	男	0	0		0		0	0	0	0	
	女	1	1	100.00%	0		0	0	0	0	
	計	1	1	100.00%	0		0	0	0	0	
40 ～ 74	男	0	0		0		0	0	0	0	
	女	12	10	83.33%	1	8.33%	0	0	0	1	8.33%
	計	12	10	83.33%	1	8.33%	0	0	0	1	8.33%
75 ～	男	0	0		0		0	0	0	0	
	女	0	0		0		0	0	0	0	
	計	0	0		0		0	0	0	0	
合計		13	11	84.62%	1	7.69%	0	0	0	1	7.69%

④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	899	186	20.69%	157	17.46%	378	42.05%	16	1.78%	151	16.80%	11	1.22%
	女	814	235	28.87%	86	10.57%	362	44.47%	49	6.02%	59	7.25%	23	2.83%
	計	1713	421	24.58%	243	14.19%	740	43.20%	65	3.79%	210	12.26%	34	1.98%
40 ～ 74	男	670	38	5.67%	210	31.34%	234	34.93%	23	3.43%	124	18.51%	210	31.34%
	女	665	47	7.07%	145	21.80%	278	41.80%	63	9.47%	79	11.88%	145	21.80%
	計	1335	85	6.37%	355	26.59%	512	38.35%	86	6.44%	203	15.21%	355	26.59%
75 ～	男	9	0		5	55.56%	3	33.33%	0		1	11.11%	5	55.56%
	女	6	0		5	83.33%	1	16.67%	0		0		5	83.33%
	計	15	0		10	66.67%	4	26.67%	0		1	6.67%	10	66.67%
合計		3063	506	16.52%	608	19.85%	1256	41.01%	151	4.93%	414	13.52%	399	13.03%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	892	63	7.06%	559	62.67%	270	30.27%
	女	811	142	17.51%	552	68.06%	117	14.43%
	計	1703	205	12.04%	1111	65.24%	387	22.72%
40 ～ 74	男	650	27	4.15%	363	55.85%	260	40.00%
	女	664	68	10.24%	446	67.17%	150	22.59%
	計	1314	95	7.23%	809	61.57%	410	31.20%
75 ～	男	9	0		8	88.89%	1	11.11%
	女	6	0		5	83.33%	1	16.67%
	計	15	0		13	86.67%	2	13.33%
合計		3032	300	9.89%	1933	63.75%	799	26.35%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	899	657	73.08%	159	17.69%	63	7.01%	0		15	1.67%	5	0.56%
	女	814	740	90.91%	32	3.93%	35	4.30%	0		4	0.49%	3	0.37%
	計	1713	1397	81.55%	191	11.15%	98	5.72%	0		19	1.11%	8	0.47%
40 ～ 74	男	670	253	37.76%	102	15.22%	115	17.16%	0		45	6.72%	155	23.13%
	女	664	428	64.46%	70	10.54%	70	10.54%	0		25	3.77%	71	10.69%
	計	1334	681	51.05%	172	12.89%	185	13.87%	0		70	5.25%	226	16.94%
75 ～	男	9	1	11.11%	1	11.11%	2	22.22%	0		1	11.11%	4	44.44%
	女	6	1	16.67%	1	16.67%	0		0		0		4	66.67%
	計	15	2	13.33%	2	13.33%	2	13.33%	0		1	6.67%	8	53.33%
合計		3062	2080	67.93%	365	11.92%	285	9.31%	0		90	2.94%	242	7.90%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	805	799	99.25%	0		6	0.75%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	805	799	99.25%	0		6	0.75%	0		0		0	
40 ～ 74	男	663	640	96.53%	0		23	3.47%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	663	640	96.53%	0		23	3.47%	0		0		0	
75 ～	男	6	4	66.67%	0		2	33.33%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	6	4	66.67%	0		2	33.33%	0		0		0	
合計		1474	1443	97.90%	0		31	2.10%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	613	576	93.96%	19	3.10%	6	0.98%	0		12	1.96%	0	
	女	0	0		0		0		0		0		0	
	計	613	576	93.96%	19	3.10%	6	0.98%	0		12	1.96%	0	
40 ～ 74	男	613	529	86.30%	41	6.69%	14	2.28%	0		28	4.57%	1	0.16%
	女	0	0		0		0		0		0		0	
	計	613	529	86.30%	41	6.69%	14	2.28%	0		28	4.57%	1	0.16%
75 ～	男	6	3	50.00%	0		2	33.33%	0		1	16.67%	0	
	女	0	0		0		0		0		0		0	
	計	6	3	50.00%	0		2	33.33%	0		1	16.67%	0	
合計		1232	1108	89.94%	60	4.87%	22	1.79%	0		41	3.33%	1	0.08%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	614	424	69.06%	97	15.80%	62	10.10%	8	1.30%	21	3.42%	2	0.33%
	女	0	0		0		0		0		0		0	
	計	614	424	69.06%	97	15.80%	62	10.10%	8	1.30%	21	3.42%	2	0.33%
40 ～ 74	男	624	224	35.90%	130	20.83%	171	27.40%	37	5.93%	6	0.96%	56	8.97%
	女	0	0		0		0		0		0		0	
	計	624	224	35.90%	130	20.83%	171	27.40%	37	5.93%	6	0.96%	56	8.97%
75 ～	男	6	0		1	16.67%	2	33.33%	0		0		3	50.00%
	女	0	0		0		0		0		0		0	
	計	6	0		1	16.67%	2	33.33%	0		0		3	50.00%
合計		1244	648	52.09%	228	18.33%	235	18.89%	45	3.62%	27	2.17%	61	4.90%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	809	747	92.34%	49	6.06%	7	0.87%	0		5	0.62%	1	0.12%
	女	0	0		0		0		0		0		0	
	計	809	747	92.34%	49	6.06%	7	0.87%	0		5	0.62%	1	0.12%
40 ～ 74	男	665	455	68.42%	131	19.70%	60	9.02%	0		8	1.20%	11	1.65%
	女	0	0		0		0		0		0		0	
	計	665	455	68.42%	131	19.70%	60	9.02%	0		8	1.20%	11	1.65%
75 ～	男	6	2	33.33%	1	16.67%	1	16.67%	0		0		2	33.33%
	女	0	0		0		0		0		0		0	
	計	6	2	33.33%	1	16.67%	1	16.67%	0		0		2	33.33%
合計		1480	1204	81.35%	181	12.23%	68	4.59%	0		13	0.88%	14	0.95%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	800	765	95.63%	25	3.13%	10	1.25%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	800	765	95.63%	25	3.13%	10	1.25%	0		0		0	
40 ～ 74	男	662	586	88.52%	44	6.65%	30	4.53%	0		2	0.30%	0	
	女	0	0		0		0		0		0		0	
	計	662	586	88.52%	44	6.65%	30	4.53%	0		2	0.30%	0	
75 ～	男	6	5	83.33%	1	16.67%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	6	5	83.33%	1	16.67%	0		0		0		0	
合計		1468	1356	92.37%	70	4.77%	40	2.72%	0		2	0.14%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	67	67	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	67	67	100.00%	0		0		0		0		0	
40 ～ 74	男	144	141	97.92%	1	0.69%	2	1.39%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	144	141	97.92%	1	0.69%	2	1.39%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		211	208	98.58%	1	0.47%	2	0.95%	0		0		0	

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	621	412	66.34%	62	9.98%	89	14.33%	45	7.25%	1	0.16%	12	1.93%
	女	0	0		0		0		0		0		0	
	計	621	412	66.34%	62	9.98%	89	14.33%	45	7.25%	1	0.16%	12	1.93%
40 ～ 74	男	613	397	64.76%	58	9.46%	86	14.03%	52	8.48%	2	0.33%	18	2.94%
	女	0	0		0		0		0		0		0	
	計	613	397	64.76%	58	9.46%	86	14.03%	52	8.48%	2	0.33%	18	2.94%
75 ～	男	6	4	66.67%	1	16.67%	1	16.67%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	6	4	66.67%	1	16.67%	1	16.67%	0		0		0	
合計		1240	813	65.56%	121	9.76%	176	14.19%	97	7.82%	3	0.24%	30	2.42%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	61	53	86.89%	4	6.56%	2	3.28%	0		2	3.28%	0	
	女	0	0		0		0		0		0		0	
	計	61	53	86.89%	4	6.56%	2	3.28%	0		2	3.28%	0	
40 ～ 74	男	145	121	83.45%	12	8.28%	0		0		12	8.28%	0	
	女	0	0		0		0		0		0		0	
	計	145	121	83.45%	12	8.28%	0		0		12	8.28%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		206	174	84.47%	16	7.77%	2	0.97%	0		14	6.80%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	32	32	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	32	32	100.00%	0		0		0		0		0	
40 ～ 74	男	27	26	96.30%	0		0		0		1	3.70%	0	
	女	0	0		0		0		0		0		0	
	計	27	26	96.30%	0		0		0		1	3.70%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		59	58	98.31%	0		0		0		1	1.69%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	39	36	92.31%	0		0		0		3	7.69%	0	
	女	0	0		0		0		0		0		0	
	計	39	36	92.31%	0		0		0		3	7.69%	0	
40 ～ 74	男	124	120	96.77%	0		0		0		4	3.23%	0	
	女	0	0		0		0		0		0		0	
	計	124	120	96.77%	0		0		0		4	3.23%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		163	156	95.71%	0		0		0		7	4.29%	0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	571	512	89.67%	33	5.78%	22	3.85%	0		2	0.35%	2	0.35%
	女	0	0		0		0		0		0		0	
	計	571	512	89.67%	33	5.78%	22	3.85%	0		2	0.35%	2	0.35%
40 ～ 74	男	609	506	83.09%	38	6.24%	54	8.87%	1	0.16%	8	1.31%	2	0.33%
	女	0	0		0		0		0		0		0	
	計	609	506	83.09%	38	6.24%	54	8.87%	1	0.16%	8	1.31%	2	0.33%
75 ～	男	6	5	83.33%	0		0		0		0		1	16.67%
	女	0	0		0		0		0		0		0	
	計	6	5	83.33%	0		0		0		0		1	16.67%
合計		1186	1023	86.26%	71	5.99%	76	6.41%	1	0.08%	10	0.84%	5	0.42%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	2	66.67%	0		0		0		1	33.33%	0	
	女	0	0		0		0		0		0		0	
	計	3	2	66.67%	0		0		0		1	33.33%	0	
40 ～ 74	男	8	7	87.50%	0		0		0		0		1	12.50%
	女	0	0		0		0		0		0		0	
	計	8	7	87.50%	0		0		0		0		1	12.50%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		11	9	81.82%	0		0		0		1	9.09%	1	9.09%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	739	661	89.45%	0		76	10.28%	0		2	0.27%	0	
	女	0	0		0		0		0		0		0	
	計	739	661	89.45%	0		76	10.28%	0		2	0.27%	0	
40 ～ 74	男	594	482	81.14%	0		105	17.68%	0		5	0.84%	2	0.34%
	女	0	0		0		0		0		0		0	
	計	594	482	81.14%	0		105	17.68%	0		5	0.84%	2	0.34%
75 ～	男	6	2	33.33%	0		3	50.00%	0		1	16.67%	0	
	女	0	0		0		0		0		0		0	
	計	6	2	33.33%	0		3	50.00%	0		1	16.67%	0	
合計		1339	1145	85.51%	0		184	13.74%	0		8	0.60%	2	0.15%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	14	13	92.86%	0		1	7.14%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	14	13	92.86%	0		1	7.14%	0		0		0	
40 ～ 74	男	82	65	79.27%	0		15	18.29%	0		2	2.44%	0	
	女	0	0		0		0		0		0		0	
	計	82	65	79.27%	0		15	18.29%	0		2	2.44%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		96	78	81.25%	0		16	16.67%	0		2	2.08%	0	

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	0		0		0		0		1	100.00%	0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		0		0		1	100.00%	0	
40 ～ 74	男	10	2	20.00%	0		7	70.00%	0		1	10.00%	0	
	女	0	0		0		0		0		0		0	
	計	10	2	20.00%	0		7	70.00%	0		1	10.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		11	2	18.18%	0		7	63.64%	0		2	18.18%	0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	2	50.00%	0	0	2	50.00%	0	0	0	0	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	4	2	50.00%	0	0	2	50.00%	0	0	0	0	0	0
40 ～ 74	男	22	6	27.27%	0	0	16	72.73%	0	0	0	0	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	22	6	27.27%	0	0	16	72.73%	0	0	0	0	0	0
75 ～	男	0	0		0	0	0		0	0	0	0	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	0	0		0	0	0		0	0	0	0	0	0
合計		26	8	30.77%	0	0	18	69.23%	0	0	0	0	0	0

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	33	27	81.82%	0	0	6	18.18%	0	0	0	0	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	33	27	81.82%	0	0	6	18.18%	0	0	0	0	0	0
40 ～ 74	男	90	69	76.67%	0	0	12	13.33%	0	0	9	10.00%	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	90	69	76.67%	0	0	12	13.33%	0	0	9	10.00%	0	0
75 ～	男	0	0		0	0	0		0	0	0	0	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	0	0		0	0	0		0	0	0	0	0	0
合計		123	96	78.05%	0	0	18	14.63%	0	0	9	7.32%	0	0

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	69	42	60.87%	0	0	25	36.23%	0	0	2	2.90%	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	69	42	60.87%	0	0	25	36.23%	0	0	2	2.90%	0	0
40 ～ 74	男	92	44	47.83%	0	0	46	50.00%	0	0	2	2.17%	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	92	44	47.83%	0	0	46	50.00%	0	0	2	2.17%	0	0
75 ～	男	0	0		0	0	0		0	0	0	0	0	0
	女	0	0		0	0	0		0	0	0	0	0	0
	計	0	0		0	0	0		0	0	0	0	0	0
合計		161	86	53.42%	0	0	71	44.10%	0	0	4	2.48%	0	0

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	72	69	95.83%	0		0		0		1	1.39%	2	2.78%
	女	0	0		0		0		0		0		0	
	計	72	69	95.83%	0		0		0		1	1.39%	2	2.78%
40 ～ 74	男	136	124	91.18%	0		2	1.47%	0		2	1.47%	8	5.88%
	女	0	0		0		0		0		0		0	
	計	136	124	91.18%	0		2	1.47%	0		2	1.47%	8	5.88%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		208	193	92.79%	0		2	0.96%	0		3	1.44%	10	4.81%

⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	143	51	35.66%	12	8.39%	47	32.87%	5	3.50%	26	18.18%	2	1.40%
	女	517	306	59.19%	12	2.32%	152	29.40%	14	2.71%	23	4.45%	10	1.93%
	計	660	357	54.09%	24	3.64%	199	30.15%	19	2.88%	49	7.42%	12	1.82%
40 ～ 74	男	380	198	52.11%	10	2.63%	93	24.47%	27	7.11%	42	11.05%	10	2.63%
	女	1492	970	65.01%	48	3.22%	299	20.04%	11	0.74%	145	9.72%	48	3.22%
	計	1872	1168	62.39%	58	3.10%	392	20.94%	38	2.03%	187	9.99%	58	3.10%
75 ～	男	25	9	36.00%	3	12.00%	7	28.00%	0		6	24.00%	3	12.00%
	女	72	56	77.78%	1	1.39%	7	9.72%	0		8	11.11%	1	1.39%
	計	97	65	67.01%	4	4.12%	14	14.43%	0		14	14.43%	4	4.12%
合計		2629	1590	60.48%	86	3.27%	605	23.01%	57	2.17%	250	9.51%	74	2.81%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	67	5	7.46%	39	58.21%	23	34.33%
	女	112	18	16.07%	78	69.64%	16	14.29%
	計	179	23	12.85%	117	65.36%	39	21.79%
40 ～ 74	男	26	1	3.85%	19	73.08%	6	23.08%
	女	54	11	20.37%	34	62.96%	9	16.67%
	計	80	12	15.00%	53	66.25%	15	18.75%
75 ～	男	3	0		2	66.67%	1	33.33%
	女	1	0		1	100.00%	0	
	計	4	0		3	75.00%	1	25.00%
合計		263	35	13.31%	173	65.78%	55	20.91%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	70	47	67.14%	13	18.57%	9	12.86%	0		1	1.43%	0	
	女	113	101	89.38%	5	4.42%	5	4.42%	1	0.88%	0		1	0.88%
	計	183	148	80.87%	18	9.84%	14	7.65%	1	0.55%	1	0.55%	1	0.55%
40 ～ 74	男	48	14	29.17%	11	22.92%	10	20.83%	6	12.50%	1	2.08%	6	12.50%
	女	59	32	54.24%	8	13.56%	6	10.17%	2	3.39%	3	5.08%	8	13.56%
	計	107	46	42.99%	19	17.76%	16	14.95%	8	7.48%	4	3.74%	14	13.08%
75 ～	男	3	0		0		1	33.33%	0		0		2	66.67%
	女	1	0		0		1	100.00%	0		0		0	
	計	4	0		0		2	50.00%	0		0		2	50.00%
合計		294	194	65.99%	37	12.59%	32	10.88%	9	3.06%	5	1.70%	17	5.78%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	67	65	97.01%	0		2	2.99%	0		0		0	
	女	107	106	99.07%	0		1	0.93%	0		0		0	
	計	174	171	98.28%	0		3	1.72%	0		0		0	
40 ～ 74	男	31	24	77.42%	0		7	22.58%	0		0		0	
	女	55	51	92.73%	0		4	7.27%	0		0		0	
	計	86	75	87.21%	0		11	12.79%	0		0		0	
75 ～	男	4	0		0		4	100.00%	0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	6	2	33.33%	0		4	66.67%	0		0		0	
合計		266	248	93.23%	0		18	6.77%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	73	44	60.27%	4	5.48%	7	9.59%	2	2.74%	16	21.92%	0	
	女	115	105	91.30%	6	5.22%	3	2.61%	0		1	0.87%	0	
	計	188	149	79.26%	10	5.32%	10	5.32%	2	1.06%	17	9.04%	0	
40 ～ 74	男	52	23	44.23%	14	26.92%	3	5.77%	12	23.08%	0		0	
	女	74	63	85.14%	8	10.81%	1	1.35%	1	1.35%	1	1.35%	0	
	計	126	86	68.25%	22	17.46%	4	3.17%	13	10.32%	1	0.79%	0	
75 ～	男	3	1	33.33%	1	33.33%	1	33.33%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	2	50.00%	1	25.00%	1	25.00%	0		0		0	
合計		318	237	74.53%	33	10.38%	15	4.72%	15	4.72%	18	5.66%	0	

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	74	26	35.14%	15	20.27%	26	35.14%	3	4.05%	3	4.05%	1	1.35%
	女	121	75	61.98%	28	23.14%	10	8.26%	3	2.48%	5	4.13%	0	
	計	195	101	51.79%	43	22.05%	36	18.46%	6	3.08%	8	4.10%	1	0.51%
40 ～ 74	男	44	9	20.45%	6	13.64%	15	34.09%	8	18.18%	1	2.27%	5	11.36%
	女	79	24	30.38%	16	20.25%	26	32.91%	2	2.53%	0		11	13.92%
	計	123	33	26.83%	22	17.89%	41	33.33%	10	8.13%	1	0.81%	16	13.01%
75 ～	男	3	1	33.33%	0		2	66.67%	0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	4	1	25.00%	0		3	75.00%	0		0		0	
合計		322	135	41.93%	65	20.19%	80	24.84%	16	4.97%	9	2.80%	17	5.28%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	77	61	79.22%	11	14.29%	1	1.30%	0		3	3.90%	1	1.30%
	女	126	110	87.30%	10	7.94%	4	3.17%	0		0		2	1.59%
	計	203	171	84.24%	21	10.34%	5	2.46%	0		3	1.48%	3	1.48%
40 ～ 74	男	43	14	32.56%	11	25.58%	9	20.93%	4	9.30%	1	2.33%	4	9.30%
	女	74	43	58.11%	19	25.68%	9	12.16%	0		1	1.35%	2	2.70%
	計	117	57	48.72%	30	25.64%	18	15.38%	4	3.42%	2	1.71%	6	5.13%
75 ～	男	3	1	33.33%	2	66.67%	0		0		0		0	
	女	1	0		1	100.00%	0		0		0		0	
	計	4	1	25.00%	3	75.00%	0		0		0		0	
合計		324	229	70.68%	54	16.67%	23	7.10%	4	1.23%	5	1.54%	9	2.78%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	75	67	89.33%	6	8.00%	2	2.67%	0		0		0	
	女	120	107	89.17%	7	5.83%	6	5.00%	0		0		0	
	計	195	174	89.23%	13	6.67%	8	4.10%	0		0		0	
40 ～ 74	男	61	53	86.89%	4	6.56%	4	6.56%	0		0		0	
	女	76	57	75.00%	10	13.16%	9	11.84%	0		0		0	
	計	137	110	80.29%	14	10.22%	13	9.49%	0		0		0	
75 ～	男	3	1	33.33%	0		2	66.67%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	2	50.00%	0		2	50.00%	0		0		0	
合計		336	286	85.12%	27	8.04%	23	6.85%	0		0		0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	51	38	74.51%	8	15.69%	2	3.92%	3	5.88%	0		0	
	女	43	43	100.00%	0		0		0		0		0	
	計	94	81	86.17%	8	8.51%	2	2.13%	3	3.19%	0		0	
40 ～ 74	男	28	23	82.14%	5	17.86%	0		0		0		0	
	女	45	45	100.00%	0		0		0		0		0	
	計	73	68	93.15%	5	6.85%	0		0		0		0	
75 ～	男	3	3	100.00%	0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		171	153	89.47%	13	7.60%	2	1.17%	3	1.75%	0		0	

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	71	46	64.79%	19	26.76%	1	1.41%	2	2.82%	3	4.23%	0	
	女	113	77	68.14%	9	7.96%	15	13.27%	11	9.73%	1	0.88%	0	
	計	184	123	66.85%	28	15.22%	16	8.70%	13	7.07%	4	2.17%	0	
40 ～ 74	男	41	30	73.17%	7	17.07%	2	4.88%	2	4.88%	0		0	
	女	68	49	72.06%	5	7.35%	8	11.76%	4	5.88%	1	1.47%	1	1.47%
	計	109	79	72.48%	12	11.01%	10	9.17%	6	5.50%	1	0.92%	1	0.92%
75 ～	男	3	1	33.33%	0		1	33.33%	0		0		1	33.33%
	女	1	1	100.00%	0		0		0		0		0	
	計	4	2	50.00%	0		1	25.00%	0		0		1	25.00%
合計		297	204	68.69%	40	13.47%	27	9.09%	19	6.40%	5	1.68%	2	0.67%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	54	49	90.74%	4	7.41%	0		1	1.85%	0		0	
	女	38	37	97.37%	0		0		0		1	2.63%	0	
	計	92	86	93.48%	4	4.35%	0		1	1.09%	1	1.09%	0	
40 ～ 74	男	27	14	51.85%	5	18.52%	4	14.81%	2	7.41%	2	7.41%	0	
	女	24	19	79.17%	1	4.17%	0		3	12.50%	1	4.17%	0	
	計	51	33	64.71%	6	11.76%	4	7.84%	5	9.80%	3	5.88%	0	
75 ～	男	3	3	100.00%	0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		147	123	83.67%	10	6.80%	4	2.72%	6	4.08%	4	2.72%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	16	16	100.00%	0		0		0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	21	21	100.00%	0		0		0		0		0	
40 ～ 74	男	30	30	100.00%	0		0		0		0		0	
	女	15	15	100.00%	0		0		0		0		0	
	計	45	45	100.00%	0		0		0		0		0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		67	67	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	8	8	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	8	8	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	61	60	98.36%	0	0	0	0	0	0	1	1.64%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	61	60	98.36%	0	0	0	0	0	0	1	1.64%	0	0
75 ～	男	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
合計		70	69	98.57%	0	0	0	0	0	0	1	1.43%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	45	41	91.11%	0	0	0	0	0	0	4	8.89%	0	0
	女	47	46	97.87%	0	0	0	0	0	0	1	2.13%	0	0
	計	92	87	94.57%	0	0	0	0	0	0	5	5.43%	0	0
40 ～ 74	男	30	27	90.00%	0	0	0	0	0	0	3	10.00%	0	0
	女	64	59	92.19%	0	0	0	0	0	0	5	7.81%	0	0
	計	94	86	91.49%	0	0	0	0	0	0	8	8.51%	0	0
75 ～	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
合計		190	177	93.16%	0	0	0	0	0	0	13	6.84%	0	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	62	51	82.26%	8	12.90%	2	3.23%	0	0	1	1.61%	0	0
	女	98	91	92.86%	4	4.08%	2	2.04%	0	0	1	1.02%	0	0
	計	160	142	88.75%	12	7.50%	4	2.50%	0	0	2	1.25%	0	0
40 ～ 74	男	25	18	72.00%	6	24.00%	1	4.00%	0	0	0	0	0	0
	女	55	40	72.73%	7	12.73%	5	9.09%	0	0	3	5.45%	0	0
	計	80	58	72.50%	13	16.25%	6	7.50%	0	0	3	3.75%	0	0
75 ～	男	3	1	33.33%	1	33.33%	0	0	0	0	0	0	1	33.33%
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	計	4	2	50.00%	1	25.00%	0	0	0	0	0	0	1	25.00%
合計		244	202	82.79%	26	10.66%	10	4.10%	0	0	5	2.05%	1	0.41%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
	女	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	計	5	5	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	4	3	75.00%	0	0	0	0	0	1	25.00%	0	0	0
	計	7	6	85.71%	0	0	0	0	0	1	14.29%	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		12	11	91.67%	0	0	0	0	0	1	8.33%	0	0	0

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	0	0	0	0	0	1	50.00%	0	0	0
	女	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
	計	4	3	75.00%	0	0	0	0	0	1	25.00%	0	0	0
40 ～ 74	男	3	2	66.67%	0	1	33.33%	0	0	0	0	0	0	0
	女	5	4	80.00%	0	0	0	0	0	1	20.00%	0	0	0
	計	8	6	75.00%	0	1	12.50%	0	0	1	12.50%	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		12	9	75.00%	0	1	8.33%	0	0	2	16.67%	0	0	0

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
	女	3	2	66.67%	0	0	0	0	0	0	0	1	33.33%	0
	計	5	4	80.00%	0	0	0	0	0	0	0	1	20.00%	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		6	5	83.33%	0	0	0	0	0	0	0	1	16.67%	0

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	66	60	90.91%	0	0	6	9.09%	0	0	0	0	0	0
	女	118	107	90.68%	0	0	11	9.32%	0	0	0	0	0	0
	計	184	167	90.76%	0	0	17	9.24%	0	0	0	0	0	0
40 ～ 74	男	27	22	81.48%	0	0	5	18.52%	0	0	0	0	0	0
	女	74	57	77.03%	0	0	17	22.97%	0	0	0	0	0	0
	計	101	79	78.22%	0	0	22	21.78%	0	0	0	0	0	0
75 ～	男	3	0	0	0	0	3	100.00%	0	0	0	0	0	0
	女	1	0	0	0	0	1	100.00%	0	0	0	0	0	0
	計	4	0	0	0	0	4	100.00%	0	0	0	0	0	0
合計		289	246	85.12%	0	0	43	14.88%	0	0	0	0	0	0

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	37	32	86.49%	0	0	4	10.81%	0	0	1	2.70%	0	0
	女	20	19	95.00%	0	0	1	5.00%	0	0	0	0	0	0
	計	57	51	89.47%	0	0	5	8.77%	0	0	1	1.75%	0	0
40 ～ 74	男	19	16	84.21%	0	0	1	5.26%	0	0	2	10.53%	0	0
	女	22	18	81.82%	0	0	4	18.18%	0	0	0	0	0	0
	計	41	34	82.93%	0	0	5	12.20%	0	0	2	4.88%	0	0
75 ～	男	3	2	66.67%	0	0	1	33.33%	0	0	0	0	0	0
	女	1	0	0	0	0	1	100.00%	0	0	0	0	0	0
	計	4	2	50.00%	0	0	2	50.00%	0	0	0	0	0	0
合計		102	87	85.29%	0	0	12	11.76%	0	0	3	2.94%	0	0

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	3	75.00%	0	0	1	25.00%	0	0	0	0	0	0
	女	7	2	28.57%	0	0	5	71.43%	0	0	0	0	0	0
	計	11	5	45.45%	0	0	6	54.55%	0	0	0	0	0	0
40 ～ 74	男	10	0	0	0	0	9	90.00%	0	0	1	10.00%	0	0
	女	10	2	20.00%	0	0	7	70.00%	0	0	0	0	1	10.00%
	計	20	2	10.00%	0	0	16	80.00%	0	0	1	5.00%	1	5.00%
75 ～	男	1	0	0	0	0	0	0	0	0	1	100.00%	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	0	0	0	0	0	0	0	0	1	100.00%	0	0
合計		32	7	21.88%	0	0	22	68.75%	0	0	2	6.25%	1	3.13%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	6	2	33.33%	0		4	66.67%	0		0		0	
	女	9	2	22.22%	0		6	66.67%	0		1	11.11%	0	
	計	15	4	26.67%	0		10	66.67%	0		1	6.67%	0	
40 ～ 74	男	49	5	10.20%	0		39	79.59%	0		4	8.16%	1	2.04%
	女	108	13	12.04%	2	1.85%	90	83.33%	0		3	2.78%	0	
	計	157	18	11.46%	2	1.27%	129	82.17%	0		7	4.46%	1	0.64%
75 ～	男	5	0		0		5	100.00%	0		0		0	
	女	4	0		0		3	75.00%	0		1	25.00%	0	
	計	9	0		0		8	88.89%	0		1	11.11%	0	
合計		181	22	12.15%	2	1.10%	147	81.22%	0		9	4.97%	1	0.55%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	118	108	91.53%	0		4	3.39%	0		6	5.08%	0	
	計	118	108	91.53%	0		4	3.39%	0		6	5.08%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	283	238	84.10%	0		28	9.89%	0		17	6.01%	0	
	計	283	238	84.10%	0		28	9.89%	0		17	6.01%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	7	4	57.14%	0		1	14.29%	0		2	28.57%	0	
	計	7	4	57.14%	0		1	14.29%	0		2	28.57%	0	
合計		408	350	85.78%	0		33	8.09%	0		25	6.13%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	208	113	54.33%	0		94	45.19%	0		1	0.48%	0	
	計	208	113	54.33%	0		94	45.19%	0		1	0.48%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	296	161	54.39%	1	0.34%	127	42.91%	0		7	2.36%	0	
	計	296	161	54.39%	1	0.34%	127	42.91%	0		7	2.36%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	11	10	90.91%	0		1	9.09%	0		0		0	
	計	11	10	90.91%	0		1	9.09%	0		0		0	
合計		515	284	55.15%	1	0.19%	222	43.11%	0		8	1.55%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	229	219	95.63%	0		4	1.75%	0		4	1.75%	2	0.87%
	計	229	219	95.63%	0		4	1.75%	0		4	1.75%	2	0.87%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	615	586	95.28%	2	0.33%	8	1.30%	0		6	0.98%	13	2.11%
	計	615	586	95.28%	2	0.33%	8	1.30%	0		6	0.98%	13	2.11%
75 ～	男	0	0		0		0		0		0		0	
	女	29	28	96.55%	0		1	3.45%	0		0		0	
	計	29	28	96.55%	0		1	3.45%	0		0		0	
合計		873	833	95.42%	2	0.23%	13	1.49%	0		10	1.15%	15	1.72%