

# 令和元年度 事業年報

## ①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	3	2.11%	3	2.11%	74	52.11%	6	4.23%	50	35.21%	6	4.23%
	女	112	0		2	1.79%	53	47.32%	4	3.57%	39	34.82%	14	12.50%
	計	254	3	1.18%	5	1.97%	127	50.00%	10	3.94%	89	35.04%	20	7.87%
40 ～ 74	男	771	0		281	36.45%	230	29.83%	33	4.28%	226	29.31%	281	36.45%
	女	667	0		208	31.18%	230	34.48%	40	6.00%	187	28.04%	208	31.18%
	計	1438	0		489	34.01%	460	31.99%	73	5.08%	413	28.72%	489	34.01%
75 ～	男	38	0		27	71.05%	2	5.26%	0		9	23.68%	27	71.05%
	女	19	0		14	73.68%	0		0		5	26.32%	14	73.68%
	計	57	0		41	71.93%	2	3.51%	0		14	24.56%	41	71.93%
合計		1749	3	0.17%	535	30.59%	589	33.68%	83	4.75%	516	29.50%	550	31.45%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	142	9	6.34%	96	67.61%	37	26.06%
	女	112	19	16.96%	77	68.75%	16	14.29%
	計	254	28	11.02%	173	68.11%	53	20.87%
40 ～ 74	男	771	18	2.33%	473	61.35%	280	36.32%
	女	667	95	14.24%	447	67.02%	125	18.74%
	計	1438	113	7.86%	920	63.98%	405	28.16%
75 ～	男	38	2	5.26%	28	73.68%	8	21.05%
	女	19	2	10.53%	12	63.16%	5	26.32%
	計	57	4	7.02%	40	70.18%	13	22.81%
合計		1749	145	8.29%	1133	64.78%	471	26.93%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	117	82.39%	15	10.56%	5	3.52%	0		3	2.11%	2	1.41%
	女	112	101	90.18%	3	2.68%	8	7.14%	0		0		0	
	計	254	218	85.83%	18	7.09%	13	5.12%	0		3	1.18%	2	0.79%
40 ～ 74	男	771	377	48.90%	95	12.32%	101	13.10%	0		32	4.15%	166	21.53%
	女	667	422	63.27%	80	11.99%	64	9.60%	0		13	1.95%	88	13.19%
	計	1438	799	55.56%	175	12.17%	165	11.47%	0		45	3.13%	254	17.66%
75 ～	男	38	9	23.68%	1	2.63%	5	13.16%	0		1	2.63%	22	57.89%
	女	19	10	52.63%	0		3	15.79%	0		1	5.26%	5	26.32%
	計	57	19	33.33%	1	1.75%	8	14.04%	0		2	3.51%	27	47.37%
合計		1749	1036	59.23%	194	11.09%	186	10.63%	0		50	2.86%	283	16.18%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	138	97.18%	0	0	4	2.82%	0	0	0	0	0	0
	女	112	112	100.00%	0	0	0	0	0	0	0	0	0	0
	計	254	250	98.43%	0	0	4	1.57%	0	0	0	0	0	0
40 ～ 74	男	770	681	88.44%	0	0	89	11.56%	0	0	0	0	0	0
	女	667	632	94.75%	0	0	35	5.25%	0	0	0	0	0	0
	計	1437	1313	91.37%	0	0	124	8.63%	0	0	0	0	0	0
75 ～	男	37	15	40.54%	0	0	22	59.46%	0	0	0	0	0	0
	女	18	10	55.56%	0	0	8	44.44%	0	0	0	0	0	0
	計	55	25	45.45%	0	0	30	54.55%	0	0	0	0	0	0
合計		1746	1588	90.95%	0	0	158	9.05%	0	0	0	0	0	0

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	74	52.11%	17	11.97%	26	18.31%	0	0	25	17.61%	0	0
	女	112	89	79.46%	6	5.36%	12	10.71%	0	0	5	4.46%	0	0
	計	254	163	64.17%	23	9.06%	38	14.96%	0	0	30	11.81%	0	0
40 ～ 74	男	771	352	45.65%	139	18.03%	134	17.38%	0	0	145	18.81%	1	0.13%
	女	667	519	77.81%	43	6.45%	54	8.10%	0	0	51	7.65%	0	0
	計	1438	871	60.57%	182	12.66%	188	13.07%	0	0	196	13.63%	1	0.07%
75 ～	男	38	19	50.00%	6	15.79%	10	26.32%	0	0	3	7.89%	0	0
	女	19	11	57.89%	1	5.26%	7	36.84%	0	0	0	0	0	0
	計	57	30	52.63%	7	12.28%	17	29.82%	0	0	3	5.26%	0	0
合計		1749	1064	60.83%	212	12.12%	243	13.89%	0	0	229	13.09%	1	0.06%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	54	38.03%	31	21.83%	39	27.46%	8	5.63%	8	5.63%	2	1.41%
	女	112	50	44.64%	28	25.00%	19	16.96%	4	3.57%	11	9.82%	0	0
	計	254	104	40.94%	59	23.23%	58	22.83%	12	4.72%	19	7.48%	2	0.79%
40 ～ 74	男	771	154	19.97%	174	22.57%	284	36.84%	46	5.97%	25	3.24%	88	11.41%
	女	667	143	21.44%	115	17.24%	264	39.58%	44	6.60%	22	3.30%	79	11.84%
	計	1438	297	20.65%	289	20.10%	548	38.11%	90	6.26%	47	3.27%	167	11.61%
75 ～	男	38	6	15.79%	11	28.95%	10	26.32%	1	2.63%	1	2.63%	9	23.68%
	女	19	0	0	5	26.32%	7	36.84%	0	0	0	0	7	36.84%
	計	57	6	10.53%	16	28.07%	17	29.82%	1	1.75%	1	1.75%	16	28.07%
合計		1749	407	23.27%	364	20.81%	623	35.62%	103	5.89%	67	3.83%	185	10.58%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	84	59.15%	45	31.69%	11	7.75%	0		0		2	1.41%
	女	112	77	68.75%	27	24.11%	5	4.46%	0		2	1.79%	1	0.89%
	計	254	161	63.39%	72	28.35%	16	6.30%	0		2	0.79%	3	1.18%
40 ～ 74	男	771	219	28.40%	278	36.06%	195	25.29%	0		20	2.59%	59	7.65%
	女	667	247	37.03%	253	37.93%	145	21.74%	0		3	0.45%	19	2.85%
	計	1438	466	32.41%	531	36.93%	340	23.64%	0		23	1.60%	78	5.42%
75 ～	男	38	1	2.63%	16	42.11%	18	47.37%	0		1	2.63%	2	5.26%
	女	19	1	5.26%	7	36.84%	6	31.58%	0		1	5.26%	4	21.05%
	計	57	2	3.51%	23	40.35%	24	42.11%	0		2	3.51%	6	10.53%
合計		1749	629	35.96%	626	35.79%	380	21.73%	0		27	1.54%	87	4.97%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	113	79.58%	19	13.38%	10	7.04%	0		0		0	
	女	112	77	68.75%	24	21.43%	10	8.93%	0		1	0.89%	0	
	計	254	190	74.80%	43	16.93%	20	7.87%	0		1	0.39%	0	
40 ～ 74	男	771	573	74.32%	111	14.40%	69	8.95%	0		18	2.33%	0	
	女	667	403	60.42%	154	23.09%	101	15.14%	0		9	1.35%	0	
	計	1438	976	67.87%	265	18.43%	170	11.82%	0		27	1.88%	0	
75 ～	男	38	24	63.16%	6	15.79%	5	13.16%	0		3	7.89%	0	
	女	19	10	52.63%	5	26.32%	3	15.79%	0		1	5.26%	0	
	計	57	34	59.65%	11	19.30%	8	14.04%	0		4	7.02%	0	
合計		1749	1200	68.61%	319	18.24%	198	11.32%	0		32	1.83%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	120	84.51%	14	9.86%	5	3.52%	3	2.11%	0		0	
	女	112	112	100.00%	0		0		0		0		0	
	計	254	232	91.34%	14	5.51%	5	1.97%	3	1.18%	0		0	
40 ～ 74	男	771	560	72.63%	119	15.43%	24	3.11%	23	2.98%	0		45	5.84%
	女	667	650	97.45%	11	1.65%	5	0.75%	0		0		1	0.15%
	計	1438	1210	84.14%	130	9.04%	29	2.02%	23	1.60%	0		46	3.20%
75 ～	男	38	29	76.32%	4	10.53%	3	7.89%	2	5.26%	0		0	
	女	19	18	94.74%	0		1	5.26%	0		0		0	
	計	57	47	82.46%	4	7.02%	4	7.02%	2	3.51%	0		0	
合計		1749	1489	85.13%	148	8.46%	38	2.17%	28	1.60%	0		46	2.63%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	115	80.99%	23	16.20%	1	0.70%	1	0.70%	2	1.41%	0	
	女	112	77	68.75%	5	4.46%	19	16.96%	6	5.36%	0		5	4.46%
	計	254	192	75.59%	28	11.02%	20	7.87%	7	2.76%	2	0.79%	5	1.97%
40 ～ 74	男	771	630	81.71%	96	12.45%	24	3.11%	5	0.65%	13	1.69%	3	0.39%
	女	667	460	68.97%	89	13.34%	65	9.75%	39	5.85%	2	0.30%	12	1.80%
	計	1438	1090	75.80%	185	12.87%	89	6.19%	44	3.06%	15	1.04%	15	1.04%
75 ～	男	38	26	68.42%	5	13.16%	5	13.16%	2	5.26%	0		0	
	女	19	14	73.68%	4	21.05%	1	5.26%	0		0		0	
	計	57	40	70.18%	9	15.79%	6	10.53%	2	3.51%	0		0	
合計		1749	1322	75.59%	222	12.69%	115	6.58%	53	3.03%	17	0.97%	20	1.14%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	120	84.51%	19	13.38%	3	2.11%	0		0		0	
	女	112	98	87.50%	10	8.93%	1	0.89%	0		3	2.68%	0	
	計	254	218	85.83%	29	11.42%	4	1.57%	0		3	1.18%	0	
40 ～ 74	男	771	666	86.38%	71	9.21%	12	1.56%	0		21	2.72%	1	0.13%
	女	667	562	84.26%	73	10.94%	5	0.75%	0		27	4.05%	0	
	計	1438	1228	85.40%	144	10.01%	17	1.18%	0		48	3.34%	1	0.07%
75 ～	男	38	33	86.84%	4	10.53%	1	2.63%	0		0		0	
	女	19	17	89.47%	0		1	5.26%	0		1	5.26%	0	
	計	57	50	87.72%	4	7.02%	2	3.51%	0		1	1.75%	0	
合計		1749	1496	85.53%	177	10.12%	23	1.32%	0		52	2.97%	1	0.06%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	10	10	100.00%	0		0		0		0		0	
	女	10	10	100.00%	0		0		0		0		0	
	計	20	20	100.00%	0		0		0		0		0	
40 ～ 74	男	30	29	96.67%	0		0		0		1	3.33%	0	
	女	10	10	100.00%	0		0		0		0		0	
	計	40	39	97.50%	0		0		0		1	2.50%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		60	59	98.33%	0		0		0		1	1.67%	0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	28	28	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	28	28	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	224	218	97.32%	0	0	0	0	0	6	2.68%	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	224	218	97.32%	0	0	0	0	0	6	2.68%	0	0	0
75 ～	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
合計		255	249	97.65%	0	0	0	0	0	6	2.35%	0	0	0

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	139	131	94.24%	0	0	0	0	0	8	5.76%	0	0	0
	女	108	103	95.37%	0	0	0	0	0	3	2.78%	2	1.85%	0
	計	247	234	94.74%	0	0	0	0	0	11	4.45%	2	0.81%	0
40 ～ 74	男	759	717	94.47%	0	0	0	0	0	35	4.61%	7	0.92%	0
	女	654	628	96.02%	0	0	0	0	0	24	3.67%	2	0.31%	0
	計	1413	1345	95.19%	0	0	0	0	0	59	4.18%	9	0.64%	0
75 ～	男	38	36	94.74%	0	0	0	0	0	2	5.26%	0	0	0
	女	18	18	100.00%	0	0	0	0	0	0	0	0	0	0
	計	56	54	96.43%	0	0	0	0	0	2	3.57%	0	0	0
合計		1716	1633	95.16%	0	0	0	0	0	72	4.20%	11	0.64%	0

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	122	85.92%	14	9.86%	5	3.52%	0	0	1	0.70%	0	0
	女	112	104	92.86%	3	2.68%	3	2.68%	0	0	1	0.89%	1	0.89%
	計	254	226	88.98%	17	6.69%	8	3.15%	0	0	2	0.79%	1	0.39%
40 ～ 74	男	771	605	78.47%	77	9.99%	58	7.52%	2	0.26%	15	1.95%	14	1.82%
	女	667	529	79.31%	64	9.60%	61	9.15%	0	0	7	1.05%	6	0.90%
	計	1438	1134	78.86%	141	9.81%	119	8.28%	2	0.14%	22	1.53%	20	1.39%
75 ～	男	38	23	60.53%	2	5.26%	6	15.79%	0	0	3	7.89%	4	10.53%
	女	19	10	52.63%	2	10.53%	7	36.84%	0	0	0	0	0	0
	計	57	33	57.89%	4	7.02%	13	22.81%	0	0	3	5.26%	4	7.02%
合計		1749	1393	79.65%	162	9.26%	140	8.00%	2	0.11%	27	1.54%	25	1.43%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	135	95.07%	0		1	0.70%	0		5	3.52%	1	0.70%
	女	112	108	96.43%	0		2	1.79%	0		1	0.89%	1	0.89%
	計	254	243	95.67%	0		3	1.18%	0		6	2.36%	2	0.79%
40 ～ 74	男	768	549	71.48%	12	1.56%	68	8.85%	0		94	12.24%	45	5.86%
	女	665	486	73.08%	16	2.41%	56	8.42%	0		64	9.62%	43	6.47%
	計	1433	1035	72.23%	28	1.95%	124	8.65%	0		158	11.03%	88	6.14%
75 ～	男	38	13	34.21%	2	5.26%	10	26.32%	0		3	7.89%	10	26.32%
	女	19	3	15.79%	0		5	26.32%	0		5	26.32%	6	31.58%
	計	57	16	28.07%	2	3.51%	15	26.32%	0		8	14.04%	16	28.07%
合計		1744	1294	74.20%	30	1.72%	142	8.14%	0		172	9.86%	106	6.08%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	129	90.85%	0		9	6.34%	0		3	2.11%	1	0.70%
	女	111	101	90.99%	0		6	5.41%	0		3	2.70%	1	0.90%
	計	253	230	90.91%	0		15	5.93%	0		6	2.37%	2	0.79%
40 ～ 74	男	767	655	85.40%	0		37	4.82%	0		30	3.91%	45	5.87%
	女	665	588	88.42%	0		20	3.01%	0		15	2.26%	42	6.32%
	計	1432	1243	86.80%	0		57	3.98%	0		45	3.14%	87	6.08%
75 ～	男	38	26	68.42%	0		1	2.63%	0		1	2.63%	10	26.32%
	女	19	12	63.16%	0		0		0		1	5.26%	6	31.58%
	計	57	38	66.67%	0		1	1.75%	0		2	3.51%	16	28.07%
合計		1742	1511	86.74%	0		73	4.19%	0		53	3.04%	105	6.03%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	138	97.18%	0		1	0.70%	0		3	2.11%	0	
	女	112	102	91.07%	0		0		0		4	3.57%	6	5.36%
	計	254	240	94.49%	0		1	0.39%	0		7	2.76%	6	2.36%
40 ～ 74	男	769	688	89.47%	0		28	3.64%	0		39	5.07%	14	1.82%
	女	667	612	91.75%	0		8	1.20%	0		40	6.00%	7	1.05%
	計	1436	1300	90.53%	0		36	2.51%	0		79	5.50%	21	1.46%
75 ～	男	38	26	68.42%	0		4	10.53%	0		7	18.42%	1	2.63%
	女	19	17	89.47%	0		2	10.53%	0		0		0	
	計	57	43	75.44%	0		6	10.53%	0		7	12.28%	1	1.75%
合計		1747	1583	90.61%	0		43	2.46%	0		93	5.32%	28	1.60%

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	127	89.44%	0		15	10.56%	0		0		0	
	女	108	94	87.04%	0		14	12.96%	0		0		0	
	計	250	221	88.40%	0		29	11.60%	0		0		0	
40 ～ 74	男	771	593	76.91%	0		165	21.40%	0		7	0.91%	6	0.78%
	女	663	515	77.68%	0		139	20.97%	0		7	1.06%	2	0.30%
	計	1434	1108	77.27%	0		304	21.20%	0		14	0.98%	8	0.56%
75 ～	男	38	16	42.11%	0		19	50.00%	0		2	5.26%	1	2.63%
	女	19	4	21.05%	0		14	73.68%	0		1	5.26%	0	
	計	57	20	35.09%	0		33	57.89%	0		3	5.26%	1	1.75%
合計		1741	1349	77.48%	0		366	21.02%	0		17	0.98%	9	0.52%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	107	97	90.65%	1	0.93%	9	8.41%	0		0		0	
	女	70	55	78.57%	0		15	21.43%	0		0		0	
	計	177	152	85.88%	1	0.56%	24	13.56%	0		0		0	
40 ～ 74	男	376	328	87.23%	0		36	9.57%	0		12	3.19%	0	
	女	356	283	79.49%	2	0.56%	64	17.98%	0		5	1.40%	2	0.56%
	計	732	611	83.47%	2	0.27%	100	13.66%	0		17	2.32%	2	0.27%
75 ～	男	16	13	81.25%	0		2	12.50%	0		1	6.25%	0	
	女	4	2	50.00%	0		1	25.00%	0		1	25.00%	0	
	計	20	15	75.00%	0		3	15.00%	0		2	10.00%	0	
合計		929	778	83.75%	3	0.32%	127	13.67%	0		19	2.05%	2	0.22%

20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	32	10	31.25%	0		20	62.50%	0		2	6.25%	0	
	女	35	17	48.57%	0		16	45.71%	1	2.86%	1	2.86%	0	
	計	67	27	40.30%	0		36	53.73%	1	1.49%	3	4.48%	0	
40 ～ 74	男	366	86	23.50%	0		249	68.03%	8	2.19%	20	5.46%	3	0.82%
	女	237	51	21.52%	2	0.84%	172	72.57%	1	0.42%	8	3.38%	3	1.27%
	計	603	137	22.72%	2	0.33%	421	69.82%	9	1.49%	28	4.64%	6	1.00%
75 ～	男	20	1	5.00%	0		16	80.00%	0		3	15.00%	0	
	女	14	4	28.57%	0		9	64.29%	0		1	7.14%	0	
	計	34	5	14.71%	0		25	73.53%	0		4	11.76%	0	
合計		704	169	24.01%	2	0.28%	482	68.47%	10	1.42%	35	4.97%	6	0.85%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	142	38	26.76%	4	2.82%	93	65.49%	0	0	7	4.93%	0	0
	女	112	55	49.11%	3	2.68%	52	46.43%	0	0	2	1.79%	0	0
	計	254	93	36.61%	7	2.76%	145	57.09%	0	0	9	3.54%	0	0
40 ～ 74	男	771	78	10.12%	5	0.65%	654	84.82%	0	0	33	4.28%	1	0.13%
	女	667	123	18.44%	10	1.50%	507	76.01%	0	0	23	3.45%	4	0.60%
	計	1438	201	13.98%	15	1.04%	1161	80.74%	0	0	56	3.89%	5	0.35%
75 ～	男	38	1	2.63%	0	0	35	92.11%	0	0	2	5.26%	0	0
	女	19	1	5.26%	0	0	17	89.47%	0	0	1	5.26%	0	0
	計	57	2	3.51%	0	0	52	91.23%	0	0	3	5.26%	0	0
合計		1749	296	16.92%	22	1.26%	1358	77.64%	0	0	68	3.89%	5	0.29%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0	0	0	0	0	0	0	0	0	0	0	
	女	36	31	86.11%	0	0	3	8.33%	0	0	2	5.56%	0	0
	計	36	31	86.11%	0	0	3	8.33%	0	0	2	5.56%	0	0
40 ～ 74	男	0	0	0	0	0	0	0	0	0	0	0	0	
	女	210	178	84.76%	0	0	9	4.29%	0	0	23	10.95%	0	0
	計	210	178	84.76%	0	0	9	4.29%	0	0	23	10.95%	0	0
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	
	計	1	1	100.00%	0	0	0	0	0	0	0	0	0	
合計		247	210	85.02%	0	0	12	4.86%	0	0	25	10.12%	0	0

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0	0	0	0	0	0	0	0	0	0	0	
	女	56	27	48.21%	3	5.36%	21	37.50%	0	0	5	8.93%	0	0
	計	56	27	48.21%	3	5.36%	21	37.50%	0	0	5	8.93%	0	0
40 ～ 74	男	0	0	0	0	0	0	0	0	0	0	0	0	
	女	224	114	50.89%	8	3.57%	87	38.84%	0	0	15	6.70%	0	0
	計	224	114	50.89%	8	3.57%	87	38.84%	0	0	15	6.70%	0	0
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	
	女	0	0	0	0	0	0	0	0	0	0	0	0	
	計	0	0	0	0	0	0	0	0	0	0	0	0	
合計		280	141	50.36%	11	3.93%	108	38.57%	0	0	20	7.14%	0	0



## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	56	50	89.29%	0		0		0		4	7.14%	2	3.57%
	計	56	50	89.29%	0		0		0		4	7.14%	2	3.57%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	275	255	92.73%	3	1.09%	2	0.73%	0		4	1.45%	11	4.00%
	計	275	255	92.73%	3	1.09%	2	0.73%	0		4	1.45%	11	4.00%
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		332	306	92.17%	3	0.90%	2	0.60%	0		8	2.41%	13	3.92%

## ②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	796	43	5.40%	70	8.79%	316	39.70%	43	5.40%	290	36.43%	34	4.27%
	女	708	37	5.23%	55	7.77%	315	44.49%	53	7.49%	209	29.52%	39	5.51%
	計	1504	80	5.32%	125	8.31%	631	41.95%	96	6.38%	499	33.18%	73	4.85%
40 ～ 74	男	3078	27	0.88%	774	25.15%	1027	33.37%	242	7.86%	907	29.47%	774	25.15%
	女	2973	42	1.41%	581	19.54%	1261	42.42%	296	9.96%	691	23.24%	581	19.54%
	計	6051	69	1.14%	1355	22.39%	2288	37.81%	538	8.89%	1598	26.41%	1355	22.39%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7555	149	1.97%	1480	19.59%	2919	38.64%	634	8.39%	2097	27.76%	1428	18.90%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	796	46	5.78%	480	60.30%	270	33.92%
	女	708	125	17.66%	467	65.96%	116	16.38%
	計	1504	171	11.37%	947	62.97%	386	25.66%
40 ～ 74	男	3078	108	3.51%	1852	60.17%	1118	36.32%
	女	2973	364	12.24%	1985	66.77%	624	20.99%
	計	6051	472	7.80%	3837	63.41%	1742	28.79%
75 ～	男	0	0		0		0	
	女	0	0		0		0	
	計	0	0		0		0	
合計		7555	643	8.51%	4784	63.32%	2128	28.17%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	796	612	76.88%	94	11.81%	62	7.79%	0		14	1.76%	14	1.76%
	女	708	638	90.11%	35	4.94%	28	3.95%	0		1	0.14%	6	0.85%
	計	1504	1250	83.11%	129	8.58%	90	5.98%	0		15	1.00%	20	1.33%
40 ～ 74	男	3078	1423	46.23%	464	15.07%	404	13.13%	0		148	4.81%	639	20.76%
	女	2973	1957	65.83%	302	10.16%	317	10.66%	0		67	2.25%	330	11.10%
	計	6051	3380	55.86%	766	12.66%	721	11.92%	0		215	3.55%	969	16.01%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7555	4630	61.28%	895	11.85%	811	10.73%	0		230	3.04%	989	13.09%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	795	784	98.62%	0		9	1.13%	2	0.25%	0		0	
	女	692	687	99.28%	0		3	0.43%	2	0.29%	0		0	
	計	1487	1471	98.92%	0		12	0.81%	4	0.27%	0		0	
40 ～ 74	男	3059	2709	88.56%	0		305	9.97%	43	1.41%	1	0.03%	1	0.03%
	女	2887	2797	96.88%	0		69	2.39%	21	0.73%	0		0	
	計	5946	5506	92.60%	0		374	6.29%	64	1.08%	1	0.02%	1	0.02%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7433	6977	93.87%	0		386	5.19%	68	0.91%	1	0.01%	1	0.01%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	767	440	57.37%	125	16.30%	61	7.95%	0		140	18.25%	1	0.13%
	女	694	618	89.05%	35	5.04%	21	3.03%	0		20	2.88%	0	
	計	1461	1058	72.42%	160	10.95%	82	5.61%	0		160	10.95%	1	0.07%
40 ～ 74	男	3076	1652	53.71%	548	17.82%	322	10.47%	1	0.03%	538	17.49%	15	0.49%
	女	2973	2437	81.97%	272	9.15%	129	4.34%	1	0.03%	126	4.24%	8	0.27%
	計	6049	4089	67.60%	820	13.56%	451	7.46%	2	0.03%	664	10.98%	23	0.38%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7510	5147	68.54%	980	13.05%	533	7.10%	2	0.03%	824	10.97%	24	0.32%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	767	279	36.38%	177	23.08%	224	29.20%	44	5.74%	28	3.65%	15	1.96%
	女	694	375	54.03%	146	21.04%	118	17.00%	7	1.01%	43	6.20%	5	0.72%
	計	1461	654	44.76%	323	22.11%	342	23.41%	51	3.49%	71	4.86%	20	1.37%
40 ～ 74	男	3076	667	21.68%	743	24.15%	1063	34.56%	198	6.44%	92	2.99%	313	10.18%
	女	2973	840	28.25%	615	20.69%	1043	35.08%	169	5.68%	51	1.72%	255	8.58%
	計	6049	1507	24.91%	1358	22.45%	2106	34.82%	367	6.07%	143	2.36%	568	9.39%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7510	2161	28.77%	1681	22.38%	2448	32.60%	418	5.57%	214	2.85%	588	7.83%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	796	583	73.24%	157	19.72%	32	4.02%	0		10	1.26%	14	1.76%
	女	708	582	82.20%	106	14.97%	13	1.84%	0		3	0.42%	4	0.56%
	計	1504	1165	77.46%	263	17.49%	45	2.99%	0		13	0.86%	18	1.20%
40 ～ 74	男	3078	1579	51.30%	807	26.22%	318	10.33%	0		141	4.58%	233	7.57%
	女	2973	1915	64.41%	679	22.84%	259	8.71%	0		37	1.24%	83	2.79%
	計	6051	3494	57.74%	1486	24.56%	577	9.54%	0		178	2.94%	316	5.22%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7555	4659	61.67%	1749	23.15%	622	8.23%	0		191	2.53%	334	4.42%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	796	678	85.18%	75	9.42%	40	5.03%	0		3	0.38%	0	
	女	707	495	70.01%	141	19.94%	65	9.19%	0		6	0.85%	0	
	計	1503	1173	78.04%	216	14.37%	105	6.99%	0		9	0.60%	0	
40 ～ 74	男	3078	2371	77.03%	363	11.79%	279	9.06%	0		65	2.11%	0	
	女	2973	1847	62.13%	669	22.50%	432	14.53%	0		25	0.84%	0	
	計	6051	4218	69.71%	1032	17.06%	711	11.75%	0		90	1.49%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7554	5391	71.37%	1248	16.52%	816	10.80%	0		99	1.31%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	685	541	78.98%	86	12.55%	33	4.82%	20	2.92%	4	0.58%	1	0.15%
	女	624	620	99.36%	3	0.48%	1	0.16%	0		0		0	
	計	1309	1161	88.69%	89	6.80%	34	2.60%	20	1.53%	4	0.31%	1	0.08%
40 ～ 74	男	3057	2375	77.69%	424	13.87%	121	3.96%	80	2.62%	7	0.23%	50	1.64%
	女	2907	2851	98.07%	36	1.24%	11	0.38%	6	0.21%	0		3	0.10%
	計	5964	5226	87.63%	460	7.71%	132	2.21%	86	1.44%	7	0.12%	53	0.89%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7273	6387	87.82%	549	7.55%	166	2.28%	106	1.46%	11	0.15%	54	0.74%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	763	579	75.88%	148	19.40%	11	1.44%	1	0.13%	24	3.15%	0	
	女	693	459	66.23%	53	7.65%	95	13.71%	59	8.51%	4	0.58%	23	3.32%
	計	1456	1038	71.29%	201	13.80%	106	7.28%	60	4.12%	28	1.92%	23	1.58%
40 ～ 74	男	3076	2384	77.50%	418	13.59%	126	4.10%	41	1.33%	87	2.83%	20	0.65%
	女	2973	2015	67.78%	306	10.29%	353	11.87%	192	6.46%	27	0.91%	80	2.69%
	計	6049	4399	72.72%	724	11.97%	479	7.92%	233	3.85%	114	1.88%	100	1.65%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7505	5437	72.45%	925	12.33%	585	7.79%	293	3.90%	142	1.89%	123	1.64%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	509	461	90.57%	20	3.93%	10	1.96%	0		18	3.54%	0	
	女	464	416	89.66%	17	3.66%	6	1.29%	0		25	5.39%	0	
	計	973	877	90.13%	37	3.80%	16	1.64%	0		43	4.42%	0	
40 ～ 74	男	2518	2245	89.16%	113	4.49%	73	2.90%	0		86	3.42%	1	0.04%
	女	2461	2245	91.22%	89	3.62%	29	1.18%	0		98	3.98%	0	
	計	4979	4490	90.18%	202	4.06%	102	2.05%	0		184	3.70%	1	0.02%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5952	5367	90.17%	239	4.02%	118	1.98%	0		227	3.81%	1	0.02%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	73	73	100.00%	0		0		0		0		0	
	女	39	39	100.00%	0		0		0		0		0	
	計	112	112	100.00%	0		0		0		0		0	
40 ～ 74	男	451	449	99.56%	0		0		0		2	0.44%	0	
	女	302	299	99.01%	0		0		1	0.33%	2	0.66%	0	
	計	753	748	99.34%	0		0		1	0.13%	4	0.53%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		865	860	99.42%	0		0		1	0.12%	4	0.46%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	23	23	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	23	23	100.00%	0		0		0		0		0	
40 ～ 74	男	343	334	97.38%	0		0		0		9	2.62%	0	
	女	0	0		0		0		0		0		0	
	計	343	334	97.38%	0		0		0		9	2.62%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		366	357	97.54%	0		0		0		9	2.46%	0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	595	574	96.47%	0		0		0		20	3.36%	1	0.17%
	女	486	462	95.06%	0		0		0		22	4.53%	2	0.41%
	計	1081	1036	95.84%	0		0		0		42	3.89%	3	0.28%
40 ～ 74	男	2924	2752	94.12%	0		0		0		165	5.64%	7	0.24%
	女	2734	2624	95.98%	0		0		0		105	3.84%	5	0.18%
	計	5658	5376	95.02%	0		0		0		270	4.77%	12	0.21%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6739	6412	95.15%	0		0		0		312	4.63%	15	0.22%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	758	660	87.07%	52	6.86%	38	5.01%	0		3	0.40%	5	0.66%
	女	683	596	87.26%	41	6.00%	40	5.86%	0		5	0.73%	1	0.15%
	計	1441	1256	87.16%	93	6.45%	78	5.41%	0		8	0.56%	6	0.42%
40 ～ 74	男	3074	2418	78.66%	243	7.91%	255	8.30%	6	0.20%	69	2.24%	83	2.70%
	女	2970	2482	83.57%	184	6.20%	226	7.61%	5	0.17%	40	1.35%	33	1.11%
	計	6044	4900	81.07%	427	7.06%	481	7.96%	11	0.18%	109	1.80%	116	1.92%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7485	6156	82.24%	520	6.95%	559	7.47%	11	0.15%	117	1.56%	122	1.63%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	133	120	90.23%	0		3	2.26%	4	3.01%	6	4.51%	0	
	女	95	93	97.89%	1	1.05%	0		0		0		1	1.05%
	計	228	213	93.42%	1	0.44%	3	1.32%	4	1.75%	6	2.63%	1	0.44%
40 ～ 74	男	727	563	77.44%	12	1.65%	58	7.98%	29	3.99%	40	5.50%	25	3.44%
	女	530	429	80.94%	4	0.75%	31	5.85%	11	2.08%	25	4.72%	30	5.66%
	計	1257	992	78.92%	16	1.27%	89	7.08%	40	3.18%	65	5.17%	55	4.38%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1485	1205	81.14%	17	1.14%	92	6.20%	44	2.96%	71	4.78%	56	3.77%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	83	80	96.39%	0		3	3.61%	0		0		0	
	女	39	37	94.87%	0		1	2.56%	0		1	2.56%	0	
	計	122	117	95.90%	0		4	3.28%	0		1	0.82%	0	
40 ～ 74	男	378	338	89.42%	0		14	3.70%	12	3.17%	3	0.79%	11	2.91%
	女	238	213	89.50%	0		8	3.36%	3	1.26%	2	0.84%	12	5.04%
	計	616	551	89.45%	0		22	3.57%	15	2.44%	5	0.81%	23	3.73%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		738	668	90.51%	0		26	3.52%	15	2.03%	6	0.81%	23	3.12%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	99	92	92.93%	0		0		0		4	4.04%	3	3.03%
	女	61	57	93.44%	0		0		0		3	4.92%	1	1.64%
	計	160	149	93.13%	0		0		0		7	4.38%	4	2.50%
40 ～ 74	男	480	425	88.54%	0		12	2.50%	0		32	6.67%	11	2.29%
	女	259	244	94.21%	0		1	0.39%	0		10	3.86%	4	1.54%
	計	739	669	90.53%	0		13	1.76%	0		42	5.68%	15	2.03%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		899	818	90.99%	0		13	1.45%	0		49	5.45%	19	2.11%

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	796	721	90.58%	0		72	9.05%	0		3	0.38%	0	
	女	682	625	91.64%	1	0.15%	54	7.92%	0		2	0.29%	0	
	計	1478	1346	91.07%	1	0.07%	126	8.53%	0		5	0.34%	0	
40 ～ 74	男	3070	2416	78.70%	1	0.03%	610	19.87%	0		29	0.94%	14	0.46%
	女	2933	2417	82.41%	0		491	16.74%	0		21	0.72%	4	0.14%
	計	6003	4833	80.51%	1	0.02%	1101	18.34%	0		50	0.83%	18	0.30%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7481	6179	82.60%	2	0.03%	1227	16.40%	0		55	0.74%	18	0.24%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	476	441	92.65%	0		34	7.14%	0		1	0.21%	0	
	女	337	277	82.20%	0		57	16.91%	0		3	0.89%	0	
	計	813	718	88.31%	0		91	11.19%	0		4	0.49%	0	
40 ～ 74	男	2144	1783	83.16%	0		269	12.55%	0		76	3.54%	16	0.75%
	女	1840	1373	74.62%	0		410	22.28%	0		45	2.45%	12	0.65%
	計	3984	3156	79.22%	0		679	17.04%	0		121	3.04%	28	0.70%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4797	3874	80.76%	0		770	16.05%	0		125	2.61%	28	0.58%

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	92	38	41.30%	0		50	54.35%	0		4	4.35%	0	
	女	57	29	50.88%	0		27	47.37%	1	1.75%	0		0	
	計	149	67	44.97%	0		77	51.68%	1	0.67%	4	2.68%	0	
40 ～ 74	男	548	117	21.35%	0		392	71.53%	10	1.82%	28	5.11%	1	0.18%
	女	336	75	22.32%	2	0.60%	241	71.73%	3	0.89%	10	2.98%	5	1.49%
	計	884	192	21.72%	2	0.23%	633	71.61%	13	1.47%	38	4.30%	6	0.68%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1033	259	25.07%	2	0.19%	710	68.73%	14	1.36%	42	4.07%	6	0.58%



## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	112	24	21.43%	4	3.57%	83	74.11%	0		1	0.89%	0	
	女	79	33	41.77%	3	3.80%	39	49.37%	0		4	5.06%	0	
	計	191	57	29.84%	7	3.66%	122	63.87%	0		5	2.62%	0	
40 ～ 74	男	632	65	10.28%	11	1.74%	532	84.18%	1	0.16%	21	3.32%	2	0.32%
	女	477	96	20.13%	16	3.35%	350	73.38%	0		15	3.14%	0	
	計	1109	161	14.52%	27	2.43%	882	79.53%	1	0.09%	36	3.25%	2	0.18%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1300	218	16.77%	34	2.62%	1004	77.23%	1	0.08%	41	3.15%	2	0.15%

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	99	91	91.92%	0		2	2.02%	0		6	6.06%	0	
	計	99	91	91.92%	0		2	2.02%	0		6	6.06%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	850	732	86.12%	1	0.12%	35	4.12%	0		82	9.65%	0	
	計	850	732	86.12%	1	0.12%	35	4.12%	0		82	9.65%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		949	823	86.72%	1	0.11%	37	3.90%	0		88	9.27%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	120	78	65.00%	3	2.50%	32	26.67%	0		7	5.83%	0	
	計	120	78	65.00%	3	2.50%	32	26.67%	0		7	5.83%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	495	263	53.13%	8	1.62%	194	39.19%	0		30	6.06%	0	
	計	495	263	53.13%	8	1.62%	194	39.19%	0		30	6.06%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		615	341	55.45%	11	1.79%	226	36.75%	0		37	6.02%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	300	286	95.33%	1	0.33%	1	0.33%	1	0.33%	5	1.67%	6	2.00%
	計	300	286	95.33%	1	0.33%	1	0.33%	1	0.33%	5	1.67%	6	2.00%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1264	1183	93.59%	9	0.71%	1	0.08%	4	0.32%	17	1.34%	50	3.96%
	計	1264	1183	93.59%	9	0.71%	1	0.08%	4	0.32%	17	1.34%	50	3.96%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1564	1469	93.93%	10	0.64%	2	0.13%	5	0.32%	22	1.41%	56	3.58%

### ③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	0		0		0		1	50.00%	1	50.00%	0	
	女	18	4	22.22%	4	22.22%	8	44.44%	1	5.56%	0		1	5.56%
	計	20	4	20.00%	4	20.00%	8	40.00%	2	10.00%	1	5.00%	1	5.00%
40 ～ 74	男	790	12	1.52%	386	48.86%	236	29.87%	18	2.28%	106	13.42%	386	48.86%
	女	2086	96	4.60%	617	29.58%	846	40.56%	115	5.51%	186	8.92%	617	29.58%
	計	2876	108	3.76%	1003	34.87%	1082	37.62%	133	4.62%	292	10.15%	1003	34.87%
75 ～	男	257	0		174	67.70%	49	19.07%	8	3.11%	21	8.17%	174	67.70%
	女	287	0		195	67.94%	52	18.12%	6	2.09%	29	10.10%	195	67.94%
	計	544	0		369	67.83%	101	18.57%	14	2.57%	50	9.19%	369	67.83%
合計		3440	112	3.26%	1376	40.00%	1191	34.62%	149	4.33%	343	9.97%	1373	39.91%

#### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	2	0		1	50.00%	1	50.00%
	女	18	2	11.11%	16	88.89%	0	
	計	20	2	10.00%	17	85.00%	1	5.00%
40 ～ 74	男	790	24	3.04%	551	69.75%	215	27.22%
	女	2086	236	11.31%	1434	68.74%	416	19.94%
	計	2876	260	9.04%	1985	69.02%	631	21.94%
75 ～	男	257	11	4.28%	216	84.05%	30	11.67%
	女	287	32	11.15%	197	68.64%	58	20.21%
	計	544	43	7.90%	413	75.92%	88	16.18%
合計		3440	305	8.87%	2415	70.20%	720	20.93%

#### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	18	15	83.33%	0		2	11.11%	0		0		1	5.56%
	計	20	17	85.00%	0		2	10.00%	0		0		1	5.00%
40 ～ 74	男	790	301	38.10%	98	12.41%	87	11.01%	0		34	4.30%	270	34.18%
	女	2086	1138	54.55%	263	12.61%	236	11.31%	0		63	3.02%	386	18.50%
	計	2876	1439	50.03%	361	12.55%	323	11.23%	0		97	3.37%	656	22.81%
75 ～	男	257	72	28.02%	29	11.28%	23	8.95%	0		6	2.33%	127	49.42%
	女	287	66	23.00%	25	8.71%	41	14.29%	0		7	2.44%	148	51.57%
	計	544	138	25.37%	54	9.93%	64	11.76%	0		13	2.39%	275	50.55%
合計		3440	1594	46.34%	415	12.06%	389	11.31%	0		110	3.20%	932	27.09%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	0		0		0		1	50.00%	0	
	女	18	17	94.44%	1	5.56%	0		0		0		0	
	計	20	18	90.00%	1	5.00%	0		0		1	5.00%	0	
40 ～ 74	男	790	520	65.82%	128	16.20%	56	7.09%	0		82	10.38%	4	0.51%
	女	2086	1771	84.90%	168	8.05%	64	3.07%	0		76	3.64%	7	0.34%
	計	2876	2291	79.66%	296	10.29%	120	4.17%	0		158	5.49%	11	0.38%
75 ～	男	257	199	77.43%	31	12.06%	15	5.84%	0		11	4.28%	1	0.39%
	女	287	238	82.93%	25	8.71%	10	3.48%	0		13	4.53%	1	0.35%
	計	544	437	80.33%	56	10.29%	25	4.60%	0		24	4.41%	2	0.37%
合計		3440	2746	79.83%	353	10.26%	145	4.22%	0		183	5.32%	13	0.38%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	0		1	50.00%	0		1	50.00%	0		0	
	女	18	15	83.33%	1	5.56%	1	5.56%	1	5.56%	0		0	
	計	20	15	75.00%	2	10.00%	1	5.00%	2	10.00%	0		0	
40 ～ 74	男	790	224	28.35%	194	24.56%	181	22.91%	24	3.04%	16	2.03%	151	19.11%
	女	2086	595	28.52%	491	23.54%	543	26.03%	99	4.75%	19	0.91%	339	16.25%
	計	2876	819	28.48%	685	23.82%	724	25.17%	123	4.28%	35	1.22%	490	17.04%
75 ～	男	257	83	32.30%	60	23.35%	34	13.23%	5	1.95%	11	4.28%	64	24.90%
	女	287	63	21.95%	80	27.87%	46	16.03%	6	2.09%	4	1.39%	88	30.66%
	計	544	146	26.84%	140	25.74%	80	14.71%	11	2.02%	15	2.76%	152	27.94%
合計		3440	980	28.49%	827	24.04%	805	23.40%	136	3.95%	50	1.45%	642	18.66%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	18	11	61.11%	7	38.89%	0		0		0		0	
	計	20	13	65.00%	7	35.00%	0		0		0		0	
40 ～ 74	男	790	173	21.90%	258	32.66%	214	27.09%	0		57	7.22%	88	11.14%
	女	2086	671	32.17%	716	34.32%	566	27.13%	0		63	3.02%	70	3.36%
	計	2876	844	29.35%	974	33.87%	780	27.12%	0		120	4.17%	158	5.49%
75 ～	男	257	41	15.95%	80	31.13%	76	29.57%	0		25	9.73%	35	13.62%
	女	287	46	16.03%	89	31.01%	109	37.98%	0		20	6.97%	23	8.01%
	計	544	87	15.99%	169	31.07%	185	34.01%	0		45	8.27%	58	10.66%
合計		3440	944	27.44%	1150	33.43%	965	28.05%	0		165	4.80%	216	6.28%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	18	15	83.33%	2	11.11%	1	5.56%	0		0		0	
	計	20	17	85.00%	2	10.00%	1	5.00%	0		0		0	
40 ～ 74	男	790	599	75.82%	92	11.65%	72	9.11%	0		27	3.42%	0	
	女	2085	1521	72.95%	377	18.08%	172	8.25%	0		15	0.72%	0	
	計	2875	2120	73.74%	469	16.31%	244	8.49%	0		42	1.46%	0	
75 ～	男	257	173	67.32%	31	12.06%	38	14.79%	0		15	5.84%	0	
	女	287	144	50.17%	76	26.48%	47	16.38%	0		20	6.97%	0	
	計	544	317	58.27%	107	19.67%	85	15.63%	0		35	6.43%	0	
合計		3439	2454	71.36%	578	16.81%	330	9.60%	0		77	2.24%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	1	50.00%	0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	5	4	80.00%	1	20.00%	0		0		0		0	
40 ～ 74	男	762	614	80.58%	76	9.97%	16	2.10%	13	1.71%	0		43	5.64%
	女	1317	1291	98.03%	19	1.44%	7	0.53%	0		0		0	
	計	2079	1905	91.63%	95	4.57%	23	1.11%	13	0.63%	0		43	2.07%
75 ～	男	257	221	85.99%	19	7.39%	6	2.33%	2	0.78%	0		9	3.50%
	女	287	273	95.12%	8	2.79%	3	1.05%	2	0.70%	0		1	0.35%
	計	544	494	90.81%	27	4.96%	9	1.65%	4	0.74%	0		10	1.84%
合計		2628	2403	91.44%	123	4.68%	32	1.22%	17	0.65%	0		53	2.02%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	9	4	44.44%	1	11.11%	4	44.44%	0		0		0	
	計	11	6	54.55%	1	9.09%	4	36.36%	0		0		0	
40 ～ 74	男	763	614	80.47%	58	7.60%	55	7.21%	14	1.83%	15	1.97%	7	0.92%
	女	1526	1128	73.92%	167	10.94%	151	9.90%	46	3.01%	10	0.66%	24	1.57%
	計	2289	1742	76.10%	225	9.83%	206	9.00%	60	2.62%	25	1.09%	31	1.35%
75 ～	男	257	173	67.32%	7	2.72%	53	20.62%	17	6.61%	2	0.78%	5	1.95%
	女	287	197	68.64%	23	8.01%	49	17.07%	12	4.18%	2	0.70%	4	1.39%
	計	544	370	68.01%	30	5.51%	102	18.75%	29	5.33%	4	0.74%	9	1.65%
合計		2844	2118	74.47%	256	9.00%	312	10.97%	89	3.13%	29	1.02%	40	1.41%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	2	1	50.00%	0		1	50.00%	0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	7	6	85.71%	0		1	14.29%	0		0		0	
40 ～ 74	男	773	541	69.99%	80	10.35%	99	12.81%	0		14	1.81%	39	5.05%
	女	1449	1132	78.12%	110	7.59%	129	8.90%	3	0.21%	38	2.62%	37	2.55%
	計	2222	1673	75.29%	190	8.55%	228	10.26%	3	0.14%	52	2.34%	76	3.42%
75 ～	男	257	127	49.42%	32	12.45%	49	19.07%	3	1.17%	11	4.28%	35	13.62%
	女	287	188	65.51%	23	8.01%	32	11.15%	3	1.05%	15	5.23%	26	9.06%
	計	544	315	57.90%	55	10.11%	81	14.89%	6	1.10%	26	4.78%	61	11.21%
合計		2773	1994	71.91%	245	8.84%	310	11.18%	9	0.32%	78	2.81%	137	4.94%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	199	90	45.23%	9	4.52%	41	20.60%	0		44	22.11%	15	7.54%
	女	389	177	45.50%	22	5.66%	78	20.05%	3	0.77%	67	17.22%	42	10.80%
	計	588	267	45.41%	31	5.27%	119	20.24%	3	0.51%	111	18.88%	57	9.69%
75 ～	男	70	16	22.86%	3	4.29%	20	28.57%	0		20	28.57%	11	15.71%
	女	102	19	18.63%	1	0.98%	28	27.45%	0		26	25.49%	28	27.45%
	計	172	35	20.35%	4	2.33%	48	27.91%	0		46	26.74%	39	22.67%
合計		761	303	39.82%	35	4.60%	167	21.94%	3	0.39%	157	20.63%	96	12.61%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	



## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	2	1	50.00%	0		1	50.00%	0		0		0	
	計	3	2	66.67%	0		1	33.33%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3	2	66.67%	0		1	33.33%	0		0		0	

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3	3	100.00%	0		0		0		0		0	

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	0		0		1	100.00%	0		0		0	

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	13	10	76.92%	0		1	7.69%	0		2	15.38%	0	
	計	13	10	76.92%	0		1	7.69%	0		2	15.38%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		14	11	78.57%	0		1	7.14%	0		2	14.29%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	10	3	30.00%	0		5	50.00%	0		2	20.00%	0	
	計	10	3	30.00%	0		5	50.00%	0		2	20.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		11	4	36.36%	0		5	45.45%	0		2	18.18%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	16	14	87.50%	0		0		0		2	12.50%	0	
	計	16	14	87.50%	0		0		0		2	12.50%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		16	14	87.50%	0		0		0		2	12.50%	0	

#### ④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1131	229	20.25%	196	17.33%	461	40.76%	23	2.03%	195	17.24%	27	2.39%
	女	1018	278	27.31%	71	6.97%	487	47.84%	49	4.81%	99	9.72%	34	3.34%
	計	2149	507	23.59%	267	12.42%	948	44.11%	72	3.35%	294	13.68%	61	2.84%
40 ～ 74	男	799	36	4.51%	253	31.66%	292	36.55%	18	2.25%	149	18.65%	253	31.66%
	女	771	61	7.91%	169	21.92%	344	44.62%	44	5.71%	94	12.19%	169	21.92%
	計	1570	97	6.18%	422	26.88%	636	40.51%	62	3.95%	243	15.48%	422	26.88%
75 ～	男	19	0		9	47.37%	7	36.84%	0		3	15.79%	9	47.37%
	女	7	0		6	85.71%	0		1	14.29%	0		6	85.71%
	計	26	0		15	57.69%	7	26.92%	1	3.85%	3	11.54%	15	57.69%
合計		3745	604	16.13%	704	18.80%	1591	42.48%	135	3.60%	540	14.42%	498	13.30%

##### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	1131	99	8.75%	703	62.16%	329	29.09%
	女	1018	186	18.27%	655	64.34%	177	17.39%
	計	2149	285	13.26%	1358	63.19%	506	23.55%
40 ～ 74	男	799	27	3.38%	435	54.44%	337	42.18%
	女	771	80	10.38%	501	64.98%	190	24.64%
	計	1570	107	6.82%	936	59.62%	527	33.57%
75 ～	男	19	1	5.26%	16	84.21%	2	10.53%
	女	7	0		4	57.14%	3	42.86%
	計	26	1	3.85%	20	76.92%	5	19.23%
合計		3745	393	10.49%	2314	61.79%	1038	27.72%

##### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1131	883	78.07%	144	12.73%	88	7.78%	0		9	0.80%	7	0.62%
	女	1018	914	89.78%	38	3.73%	51	5.01%	0		8	0.79%	7	0.69%
	計	2149	1797	83.62%	182	8.47%	139	6.47%	0		17	0.79%	14	0.65%
40 ～ 74	男	799	298	37.30%	121	15.14%	137	17.15%	0		52	6.51%	191	23.90%
	女	771	482	62.52%	91	11.80%	81	10.51%	0		20	2.59%	97	12.58%
	計	1570	780	49.68%	212	13.50%	218	13.89%	0		72	4.59%	288	18.34%
75 ～	男	19	2	10.53%	2	10.53%	4	21.05%	0		3	15.79%	8	42.11%
	女	7	1	14.29%	1	14.29%	1	14.29%	0		0		4	57.14%
	計	26	3	11.54%	3	11.54%	5	19.23%	0		3	11.54%	12	46.15%
合計		3745	2580	68.89%	397	10.60%	362	9.67%	0		92	2.46%	314	8.38%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1010	998	98.81%	0		12	1.19%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1010	998	98.81%	0		12	1.19%	0		0		0	
40 ～ 74	男	765	731	95.56%	0		33	4.31%	0		0		1	0.13%
	女	0	0		0		0		0		0		0	
	計	765	731	95.56%	0		33	4.31%	0		0		1	0.13%
75 ～	男	7	6	85.71%	0		1	14.29%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	7	6	85.71%	0		1	14.29%	0		0		0	
合計		1782	1735	97.36%	0		46	2.58%	0		0		1	0.06%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	778	717	92.16%	25	3.21%	15	1.93%	0		21	2.70%	0	
	女	0	0		0		0		0		0		0	
	計	778	717	92.16%	25	3.21%	15	1.93%	0		21	2.70%	0	
40 ～ 74	男	705	612	86.81%	44	6.24%	25	3.55%	0		22	3.12%	2	0.28%
	女	0	0		0		0		0		0		0	
	計	705	612	86.81%	44	6.24%	25	3.55%	0		22	3.12%	2	0.28%
75 ～	男	7	3	42.86%	3	42.86%	0		0		1	14.29%	0	
	女	0	0		0		0		0		0		0	
	計	7	3	42.86%	3	42.86%	0		0		1	14.29%	0	
合計		1490	1332	89.40%	72	4.83%	40	2.68%	0		44	2.95%	2	0.13%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	779	532	68.29%	120	15.40%	74	9.50%	8	1.03%	39	5.01%	6	0.77%
	女	0	0		0		0		0		0		0	
	計	779	532	68.29%	120	15.40%	74	9.50%	8	1.03%	39	5.01%	6	0.77%
40 ～ 74	男	713	251	35.20%	165	23.14%	198	27.77%	26	3.65%	11	1.54%	62	8.70%
	女	0	0		0		0		0		0		0	
	計	713	251	35.20%	165	23.14%	198	27.77%	26	3.65%	11	1.54%	62	8.70%
75 ～	男	7	0		0		0		1	14.29%	0		6	85.71%
	女	0	0		0		0		0		0		0	
	計	7	0		0		0		1	14.29%	0		6	85.71%
合計		1499	783	52.23%	285	19.01%	272	18.15%	35	2.33%	50	3.34%	74	4.94%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1013	953	94.08%	40	3.95%	7	0.69%	0		8	0.79%	5	0.49%
	女	0	0		0		0		0		0		0	
	計	1013	953	94.08%	40	3.95%	7	0.69%	0		8	0.79%	5	0.49%
40 ～ 74	男	771	563	73.02%	111	14.40%	55	7.13%	0		16	2.08%	26	3.37%
	女	0	0		0		0		0		0		0	
	計	771	563	73.02%	111	14.40%	55	7.13%	0		16	2.08%	26	3.37%
75 ～	男	7	3	42.86%	3	42.86%	1	14.29%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	7	3	42.86%	3	42.86%	1	14.29%	0		0		0	
合計		1791	1519	84.81%	154	8.60%	63	3.52%	0		24	1.34%	31	1.73%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1000	954	95.40%	30	3.00%	15	1.50%	0		1	0.10%	0	
	女	0	0		0		0		0		0		0	
	計	1000	954	95.40%	30	3.00%	15	1.50%	0		1	0.10%	0	
40 ～ 74	男	765	683	89.28%	48	6.27%	31	4.05%	0		3	0.39%	0	
	女	0	0		0		0		0		0		0	
	計	765	683	89.28%	48	6.27%	31	4.05%	0		3	0.39%	0	
75 ～	男	7	7	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	7	7	100.00%	0		0		0		0		0	
合計		1772	1644	92.78%	78	4.40%	46	2.60%	0		4	0.23%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	92	92	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	92	92	100.00%	0		0		0		0		0	
40 ～ 74	男	159	154	96.86%	3	1.89%	1	0.63%	1	0.63%	0		0	
	女	0	0		0		0		0		0		0	
	計	159	154	96.86%	3	1.89%	1	0.63%	1	0.63%	0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		251	246	98.01%	3	1.20%	1	0.40%	1	0.40%	0		0	

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	786	516	65.65%	85	10.81%	116	14.76%	54	6.87%	4	0.51%	11	1.40%
	女	0	0		0		0		0		0		0	
	計	786	516	65.65%	85	10.81%	116	14.76%	54	6.87%	4	0.51%	11	1.40%
40 ～ 74	男	703	483	68.71%	58	8.25%	96	13.66%	38	5.41%	4	0.57%	24	3.41%
	女	0	0		0		0		0		0		0	
	計	703	483	68.71%	58	8.25%	96	13.66%	38	5.41%	4	0.57%	24	3.41%
75 ～	男	7	4	57.14%	1	14.29%	2	28.57%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	7	4	57.14%	1	14.29%	2	28.57%	0		0		0	
合計		1496	1003	67.05%	144	9.63%	214	14.30%	92	6.15%	8	0.53%	35	2.34%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	108	86	79.63%	15	13.89%	1	0.93%	0		6	5.56%	0	
	女	0	0		0		0		0		0		0	
	計	108	86	79.63%	15	13.89%	1	0.93%	0		6	5.56%	0	
40 ～ 74	男	161	137	85.09%	11	6.83%	1	0.62%	0		12	7.45%	0	
	女	0	0		0		0		0		0		0	
	計	161	137	85.09%	11	6.83%	1	0.62%	0		12	7.45%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		269	223	82.90%	26	9.67%	2	0.74%	0		18	6.69%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	37	37	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	37	37	100.00%	0		0		0		0		0	
40 ～ 74	男	22	22	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	22	22	100.00%	0		0		0		0		0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		60	60	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	39	36	92.31%	0		0		0		3	7.69%	0	
	女	0	0		0		0		0		0		0	
	計	39	36	92.31%	0		0		0		3	7.69%	0	
40 ～ 74	男	125	117	93.60%	0		0		0		8	6.40%	0	
	女	0	0		0		0		0		0		0	
	計	125	117	93.60%	0		0		0		8	6.40%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		164	153	93.29%	0		0		0		11	6.71%	0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	724	649	89.64%	36	4.97%	34	4.70%	0		3	0.41%	2	0.28%
	女	0	0		0		0		0		0		0	
	計	724	649	89.64%	36	4.97%	34	4.70%	0		3	0.41%	2	0.28%
40 ～ 74	男	689	579	84.03%	41	5.95%	49	7.11%	2	0.29%	13	1.89%	5	0.73%
	女	0	0		0		0		0		0		0	
	計	689	579	84.03%	41	5.95%	49	7.11%	2	0.29%	13	1.89%	5	0.73%
75 ～	男	6	5	83.33%	0		1	16.67%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	6	5	83.33%	0		1	16.67%	0		0		0	
合計		1419	1233	86.89%	77	5.43%	84	5.92%	2	0.14%	16	1.13%	7	0.49%



## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	3	75.00%	0	0	0	0	0	1	25.00%	0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	4	3	75.00%	0	0	0	0	0	1	25.00%	0	0	
40 ～ 74	男	8	6	75.00%	0	2	25.00%	0	0	0		0	0	
	女	0	0		0	0		0	0		0	0	0	
	計	8	6	75.00%	0	2	25.00%	0	0	0		0	0	
75 ～	男	0	0		0	0		0	0		0	0	0	
	女	0	0		0	0		0	0		0	0	0	
	計	0	0		0	0		0	0		0	0	0	
合計		12	9	75.00%	0	2	16.67%	0	0	1	8.33%	0	0	

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	2	2	100.00%	0	0	0	0	0	0	0	0	0	
40 ～ 74	男	1	0		0	0	0	0	0	1	100.00%	0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	1	0		0	0	0	0	0	1	100.00%	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		3	2	66.67%	0	0	0	0	0	1	33.33%	0	0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
40 ～ 74	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		0	0		0	0	0	0	0	0	0	0	0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	925	815	88.11%	0		105	11.35%	0		5	0.54%	0	
	女	0	0		0		0		0		0		0	
	計	925	815	88.11%	0		105	11.35%	0		5	0.54%	0	
40 ～ 74	男	668	551	82.49%	0		113	16.92%	0		2	0.30%	2	0.30%
	女	0	0		0		0		0		0		0	
	計	668	551	82.49%	0		113	16.92%	0		2	0.30%	2	0.30%
75 ～	男	7	1	14.29%	0		6	85.71%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	7	1	14.29%	0		6	85.71%	0		0		0	
合計		1600	1367	85.44%	0		224	14.00%	0		7	0.44%	2	0.13%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	12	9	75.00%	0		3	25.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	12	9	75.00%	0		3	25.00%	0		0		0	
40 ～ 74	男	89	68	76.40%	0		20	22.47%	0		1	1.12%	0	
	女	0	0		0		0		0		0		0	
	計	89	68	76.40%	0		20	22.47%	0		1	1.12%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		101	77	76.24%	0		23	22.77%	0		1	0.99%	0	

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	0		0		1	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
40 ～ 74	男	20	4	20.00%	1	5.00%	15	75.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	20	4	20.00%	1	5.00%	15	75.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		21	4	19.05%	1	4.76%	16	76.19%	0		0		0	

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	2	0		0		2	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	0		0		2	100.00%	0		0		0	
40 ～ 74	男	28	5	17.86%	0		23	82.14%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	28	5	17.86%	0		23	82.14%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		30	5	16.67%	0		25	83.33%	0		0		0	

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	29	22	75.86%	0		3	10.34%	0		4	13.79%	0	
	女	0	0		0		0		0		0		0	
	計	29	22	75.86%	0		3	10.34%	0		4	13.79%	0	
40 ～ 74	男	81	66	81.48%	1	1.23%	3	3.70%	0		11	13.58%	0	
	女	0	0		0		0		0		0		0	
	計	81	66	81.48%	1	1.23%	3	3.70%	0		11	13.58%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		110	88	80.00%	1	0.91%	6	5.45%	0		15	13.64%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	73	46	63.01%	2	2.74%	20	27.40%	0		5	6.85%	0	
	女	0	0		0		0		0		0		0	
	計	73	46	63.01%	2	2.74%	20	27.40%	0		5	6.85%	0	
40 ～ 74	男	72	36	50.00%	2	2.78%	26	36.11%	0		8	11.11%	0	
	女	0	0		0		0		0		0		0	
	計	72	36	50.00%	2	2.78%	26	36.11%	0		8	11.11%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		145	82	56.55%	4	2.76%	46	31.72%	0		13	8.97%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	69	65	94.20%	0		1	1.45%	0		2	2.90%	1	1.45%
	女	0	0		0		0		0		0		0	
	計	69	65	94.20%	0		1	1.45%	0		2	2.90%	1	1.45%
40 ～ 74	男	111	105	94.59%	0		0		0		1	0.90%	5	4.50%
	女	0	0		0		0		0		0		0	
	計	111	105	94.59%	0		0		0		1	0.90%	5	4.50%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		180	170	94.44%	0		1	0.56%	0		3	1.67%	6	3.33%

## ⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	176	61	34.66%	28	15.91%	46	26.14%	14	7.95%	24	13.64%	3	1.70%
	女	507	290	57.20%	25	4.93%	129	25.44%	12	2.37%	42	8.28%	9	1.78%
	計	683	351	51.39%	53	7.76%	175	25.62%	26	3.81%	66	9.66%	12	1.76%
40 ～ 74	男	410	188	45.85%	13	3.17%	123	30.00%	29	7.07%	44	10.73%	13	3.17%
	女	1432	908	63.41%	47	3.28%	279	19.48%	10	0.70%	164	11.45%	47	3.28%
	計	1842	1096	59.50%	60	3.26%	402	21.82%	39	2.12%	208	11.29%	60	3.26%
75 ～	男	23	10	43.48%	4	17.39%	7	30.43%	0		2	8.70%	4	17.39%
	女	64	47	73.44%	0		6	9.38%	0		9	14.06%	0	
	計	87	57	65.52%	4	4.60%	13	14.94%	0		11	12.64%	4	4.60%
合計		2612	1504	57.58%	117	4.48%	590	22.59%	65	2.49%	285	10.91%	76	2.91%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	67	3	4.48%	42	62.69%	22	32.84%
	女	129	21	16.28%	89	68.99%	19	14.73%
	計	196	24	12.24%	131	66.84%	41	20.92%
40 ～ 74	男	23	0		18	78.26%	5	21.74%
	女	55	9	16.36%	37	67.27%	9	16.36%
	計	78	9	11.54%	55	70.51%	14	17.95%
75 ～	男	4	1	25.00%	2	50.00%	1	25.00%
	女	1	0		1	100.00%	0	
	計	5	1	20.00%	3	60.00%	1	20.00%
合計		279	34	12.19%	189	67.74%	56	20.07%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	75	61	81.33%	6	8.00%	5	6.67%	1	1.33%	1	1.33%	1	1.33%
	女	131	124	94.66%	2	1.53%	5	3.82%	0		0		0	
	計	206	185	89.81%	8	3.88%	10	4.85%	1	0.49%	1	0.49%	1	0.49%
40 ～ 74	男	57	24	42.11%	9	15.79%	10	17.54%	3	5.26%	1	1.75%	10	17.54%
	女	58	33	56.90%	2	3.45%	14	24.14%	0		1	1.72%	8	13.79%
	計	115	57	49.57%	11	9.57%	24	20.87%	3	2.61%	2	1.74%	18	15.65%
75 ～	男	4	0		0		0		0		1	25.00%	3	75.00%
	女	1	1	100.00%	0		0		0		0		0	
	計	5	1	20.00%	0		0		0		1	20.00%	3	60.00%
合計		326	243	74.54%	19	5.83%	34	10.43%	4	1.23%	4	1.23%	22	6.75%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	67	65	97.01%	0		2	2.99%	0		0		0	
	女	129	128	99.22%	0		1	0.78%	0		0		0	
	計	196	193	98.47%	0		3	1.53%	0		0		0	
40 ～ 74	男	26	21	80.77%	0		5	19.23%	0		0		0	
	女	71	68	95.77%	0		3	4.23%	0		0		0	
	計	97	89	91.75%	0		8	8.25%	0		0		0	
75 ～	男	5	1	20.00%	0		4	80.00%	0		0		0	
	女	3	1	33.33%	0		2	66.67%	0		0		0	
	計	8	2	25.00%	0		6	75.00%	0		0		0	
合計		301	284	94.35%	0		17	5.65%	0		0		0	

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	99	61	61.62%	11	11.11%	8	8.08%	5	5.05%	14	14.14%	0	
	女	136	125	91.91%	4	2.94%	1	0.74%	0		6	4.41%	0	
	計	235	186	79.15%	15	6.38%	9	3.83%	5	2.13%	20	8.51%	0	
40 ～ 74	男	46	17	36.96%	10	21.74%	3	6.52%	14	30.43%	2	4.35%	0	
	女	69	52	75.36%	10	14.49%	3	4.35%	1	1.45%	3	4.35%	0	
	計	115	69	60.00%	20	17.39%	6	5.22%	15	13.04%	5	4.35%	0	
75 ～	男	4	2	50.00%	2	50.00%	0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	5	3	60.00%	2	40.00%	0		0		0		0	
合計		355	258	72.68%	37	10.42%	15	4.23%	20	5.63%	25	7.04%	0	

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	95	40	42.11%	23	24.21%	25	26.32%	4	4.21%	2	2.11%	1	1.05%
	女	140	97	69.29%	19	13.57%	15	10.71%	3	2.14%	6	4.29%	0	
	計	235	137	58.30%	42	17.87%	40	17.02%	7	2.98%	8	3.40%	1	0.43%
40 ～ 74	男	41	10	24.39%	6	14.63%	12	29.27%	7	17.07%	0		6	14.63%
	女	73	20	27.40%	16	21.92%	25	34.25%	4	5.48%	0		8	10.96%
	計	114	30	26.32%	22	19.30%	37	32.46%	11	9.65%	0		14	12.28%
75 ～	男	4	1	25.00%	0		1	25.00%	0		0		2	50.00%
	女	1	0		0		1	100.00%	0		0		0	
	計	5	1	20.00%	0		2	40.00%	0		0		2	40.00%
合計		354	168	47.46%	64	18.08%	79	22.32%	18	5.08%	8	2.26%	17	4.80%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	93	88	94.62%	3	3.23%	0		0		1	1.08%	1	1.08%
	女	144	128	88.89%	10	6.94%	3	2.08%	0		1	0.69%	2	1.39%
	計	237	216	91.14%	13	5.49%	3	1.27%	0		2	0.84%	3	1.27%
40 ～ 74	男	58	30	51.72%	9	15.52%	11	18.97%	2	3.45%	2	3.45%	4	6.90%
	女	77	38	49.35%	23	29.87%	12	15.58%	1	1.30%	1	1.30%	2	2.60%
	計	135	68	50.37%	32	23.70%	23	17.04%	3	2.22%	3	2.22%	6	4.44%
75 ～	男	4	2	50.00%	1	25.00%	0		0		0		1	25.00%
	女	1	0		0		1	100.00%	0		0		0	
	計	5	2	40.00%	1	20.00%	1	20.00%	0		0		1	20.00%
合計		377	286	75.86%	46	12.20%	27	7.16%	3	0.80%	5	1.33%	10	2.65%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	87	75	86.21%	9	10.34%	2	2.30%	0		1	1.15%	0	
	女	139	130	93.53%	6	4.32%	2	1.44%	0		1	0.72%	0	
	計	226	205	90.71%	15	6.64%	4	1.77%	0		2	0.88%	0	
40 ～ 74	男	71	60	84.51%	3	4.23%	7	9.86%	0		1	1.41%	0	
	女	83	57	68.67%	14	16.87%	12	14.46%	0		0		0	
	計	154	117	75.97%	17	11.04%	19	12.34%	0		1	0.65%	0	
75 ～	男	4	3	75.00%	0		0		0		1	25.00%	0	
	女	1	1	100.00%	0		0		0		0		0	
	計	5	4	80.00%	0		0		0		1	20.00%	0	
合計		385	326	84.68%	32	8.31%	23	5.97%	0		4	1.04%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	69	57	82.61%	5	7.25%	5	7.25%	2	2.90%	0		0	
	女	32	32	100.00%	0		0		0		0		0	
	計	101	89	88.12%	5	4.95%	5	4.95%	2	1.98%	0		0	
40 ～ 74	男	21	14	66.67%	4	19.05%	1	4.76%	0		0		2	9.52%
	女	56	55	98.21%	1	1.79%	0		0		0		0	
	計	77	69	89.61%	5	6.49%	1	1.30%	0		0		2	2.60%
75 ～	男	4	3	75.00%	1	25.00%	0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	5	4	80.00%	1	20.00%	0		0		0		0	
合計		183	162	88.52%	11	6.01%	6	3.28%	2	1.09%	0		2	1.09%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	96	63	65.63%	26	27.08%	2	2.08%	4	4.17%	1	1.04%	0	
	女	145	108	74.48%	11	7.59%	17	11.72%	7	4.83%	1	0.69%	1	0.69%
	計	241	171	70.95%	37	15.35%	19	7.88%	11	4.56%	2	0.83%	1	0.41%
40 ～ 74	男	38	26	68.42%	3	7.89%	3	7.89%	6	15.79%	0		0	
	女	71	48	67.61%	10	14.08%	8	11.27%	3	4.23%	1	1.41%	1	1.41%
	計	109	74	67.89%	13	11.93%	11	10.09%	9	8.26%	1	0.92%	1	0.92%
75 ～	男	4	0		0		4	100.00%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	5	1	20.00%	0		4	80.00%	0		0		0	
合計		355	246	69.30%	50	14.08%	34	9.58%	20	5.63%	3	0.85%	2	0.56%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	68	63	92.65%	2	2.94%	0		2	2.94%	1	1.47%	0	
	女	34	27	79.41%	4	11.76%	0		3	8.82%	0		0	
	計	102	90	88.24%	6	5.88%	0		5	4.90%	1	0.98%	0	
40 ～ 74	男	27	15	55.56%	3	11.11%	2	7.41%	6	22.22%	1	3.70%	0	
	女	33	21	63.64%	7	21.21%	0		4	12.12%	1	3.03%	0	
	計	60	36	60.00%	10	16.67%	2	3.33%	10	16.67%	2	3.33%	0	
75 ～	男	4	4	100.00%	0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
合計		167	131	78.44%	16	9.58%	2	1.20%	15	8.98%	3	1.80%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	14	14	100.00%	0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	20	20	100.00%	0		0		0		0		0	
40 ～ 74	男	29	29	100.00%	0		0		0		0		0	
	女	19	19	100.00%	0		0		0		0		0	
	計	48	48	100.00%	0		0		0		0		0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		69	69	100.00%	0		0		0		0		0	



12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	6	6	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	6	6	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	79	76	96.20%	0	0	0	0	0	3	3.80%	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	79	76	96.20%	0	0	0	0	0	3	3.80%	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		85	82	96.47%	0	0	0	0	0	3	3.53%	0	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	50	46	92.00%	0	0	0	0	0	4	8.00%	0	0	0
	女	25	25	100.00%	0	0	0	0	0	0	0	0	0	0
	計	75	71	94.67%	0	0	0	0	0	4	5.33%	0	0	0
40 ～ 74	男	43	39	90.70%	0	0	0	0	0	4	9.30%	0	0	0
	女	66	63	95.45%	0	0	0	0	0	3	4.55%	0	0	0
	計	109	102	93.58%	0	0	0	0	0	7	6.42%	0	0	0
75 ～	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	計	5	5	100.00%	0	0	0	0	0	0	0	0	0	0
合計		189	178	94.18%	0	0	0	0	0	11	5.82%	0	0	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	68	56	82.35%	8	11.76%	4	5.88%	0	0	0	0	0	0
	女	120	104	86.67%	9	7.50%	5	4.17%	0	0	1	0.83%	1	0.83%
	計	188	160	85.11%	17	9.04%	9	4.79%	0	0	1	0.53%	1	0.53%
40 ～ 74	男	23	15	65.22%	3	13.04%	3	13.04%	0	0	1	4.35%	1	4.35%
	女	60	48	80.00%	7	11.67%	2	3.33%	0	0	3	5.00%	0	0
	計	83	63	75.90%	10	12.05%	5	6.02%	0	0	4	4.82%	1	1.20%
75 ～	男	4	2	50.00%	1	25.00%	0	0	0	0	0	0	1	25.00%
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	計	5	3	60.00%	1	20.00%	0	0	0	0	0	0	1	20.00%
合計		276	226	81.88%	28	10.14%	14	5.07%	0	0	5	1.81%	3	1.09%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	4	3	75.00%	0		1	25.00%	0		0		0	
	計	4	3	75.00%	0		1	25.00%	0		0		0	
40 ～ 74	男	4	2	50.00%	0		0		0		2	50.00%	0	
	女	9	7	77.78%	0		2	22.22%	0		0		0	
	計	13	9	69.23%	0		2	15.38%	0		2	15.38%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		17	12	70.59%	0		3	17.65%	0		2	11.76%	0	

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	4	4	100.00%	0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	8	8	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8	8	100.00%	0		0		0		0		0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5	5	100.00%	0		0		0		0		0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	70	64	91.43%	0	0	6	8.57%	0	0	0	0	0	0
	女	135	119	88.15%	0	0	16	11.85%	0	0	0	0	0	0
	計	205	183	89.27%	0	0	22	10.73%	0	0	0	0	0	0
40 ～ 74	男	24	16	66.67%	0	0	7	29.17%	0	0	1	4.17%	0	0
	女	77	64	83.12%	0	0	13	16.88%	0	0	0	0	0	0
	計	101	80	79.21%	0	0	20	19.80%	0	0	1	0.99%	0	0
75 ～	男	4	0	0	0	0	4	100.00%	0	0	0	0	0	0
	女	1	0	0	0	0	0	0	0	0	1	100.00%	0	0
	計	5	0	0	0	0	4	80.00%	0	0	1	20.00%	0	0
合計		311	263	84.57%	0	0	46	14.79%	0	0	2	0.64%	0	0

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	42	33	78.57%	0	0	6	14.29%	0	0	3	7.14%	0	0
	女	16	16	100.00%	0	0	0	0	0	0	0	0	0	0
	計	58	49	84.48%	0	0	6	10.34%	0	0	3	5.17%	0	0
40 ～ 74	男	31	25	80.65%	0	0	5	16.13%	0	0	1	3.23%	0	0
	女	36	25	69.44%	0	0	11	30.56%	0	0	0	0	0	0
	計	67	50	74.63%	0	0	16	23.88%	0	0	1	1.49%	0	0
75 ～	男	2	1	50.00%	0	0	1	50.00%	0	0	0	0	0	0
	女	1	0	0	0	0	1	100.00%	0	0	0	0	0	0
	計	3	1	33.33%	0	0	2	66.67%	0	0	0	0	0	0
合計		128	100	78.13%	0	0	24	18.75%	0	0	4	3.13%	0	0

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	15	6	40.00%	0	0	8	53.33%	0	0	1	6.67%	0	0
	女	7	3	42.86%	0	0	4	57.14%	0	0	0	0	0	0
	計	22	9	40.91%	0	0	12	54.55%	0	0	1	4.55%	0	0
40 ～ 74	男	27	7	25.93%	0	0	18	66.67%	0	0	1	3.70%	1	3.70%
	女	21	5	23.81%	0	0	15	71.43%	0	0	1	4.76%	0	0
	計	48	12	25.00%	0	0	33	68.75%	0	0	2	4.17%	1	2.08%
75 ～	男	2	0	0	0	0	1	50.00%	0	0	1	50.00%	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2	0	0	0	0	1	50.00%	0	0	1	50.00%	0	0
合計		72	21	29.17%	0	0	46	63.89%	0	0	4	5.56%	1	1.39%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	10	4	40.00%	0		5	50.00%	0		1	10.00%	0	
	女	11	2	18.18%	0		9	81.82%	0		0		0	
	計	21	6	28.57%	0		14	66.67%	0		1	4.76%	0	
40 ～ 74	男	68	3	4.41%	0		60	88.24%	0		5	7.35%	0	
	女	108	23	21.30%	3	2.78%	76	70.37%	0		6	5.56%	0	
	計	176	26	14.77%	3	1.70%	136	77.27%	0		11	6.25%	0	
75 ～	男	4	0		0		4	100.00%	0		0		0	
	女	4	0		0		2	50.00%	0		2	50.00%	0	
	計	8	0		0		6	75.00%	0		2	25.00%	0	
合計		205	32	15.61%	3	1.46%	156	76.10%	0		14	6.83%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	100	85	85.00%	0		2	2.00%	0		13	13.00%	0	
	計	100	85	85.00%	0		2	2.00%	0		13	13.00%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	292	237	81.16%	1	0.34%	16	5.48%	0		38	13.01%	0	
	計	292	237	81.16%	1	0.34%	16	5.48%	0		38	13.01%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	6	6	100.00%	0		0		0		0		0	
合計		398	328	82.41%	1	0.25%	18	4.52%	0		51	12.81%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	174	100	57.47%	7	4.02%	55	31.61%	0		12	6.90%	0	
	計	174	100	57.47%	7	4.02%	55	31.61%	0		12	6.90%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	322	165	51.24%	11	3.42%	116	36.02%	0		30	9.32%	0	
	計	322	165	51.24%	11	3.42%	116	36.02%	0		30	9.32%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	6	6	100.00%	0		0		0		0		0	
合計		502	271	53.98%	18	3.59%	171	34.06%	0		42	8.37%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	231	218	94.37%	0		8	3.46%	0		1	0.43%	4	1.73%
	計	231	218	94.37%	0		8	3.46%	0		1	0.43%	4	1.73%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	623	589	94.54%	1	0.16%	14	2.25%	0		10	1.61%	9	1.44%
	計	623	589	94.54%	1	0.16%	14	2.25%	0		10	1.61%	9	1.44%
75 ～	男	0	0		0		0		0		0		0	
	女	33	33	100.00%	0		0		0		0		0	
	計	33	33	100.00%	0		0		0		0		0	
合計		887	840	94.70%	1	0.11%	22	2.48%	0		11	1.24%	13	1.47%