

平成28年度 事業年報

①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	0		1	0.71%	69	49.29%	6	4.29%	53	37.86%	11	7.86%
	女	114	1	0.88%	2	1.75%	61	53.51%	7	6.14%	37	32.46%	6	5.26%
	計	254	1	0.39%	3	1.18%	130	51.18%	13	5.12%	90	35.43%	17	6.69%
40 ～ 74	男	602	0		203	33.72%	175	29.07%	26	4.32%	191	31.73%	203	33.72%
	女	612	0		157	25.65%	220	35.95%	57	9.31%	172	28.10%	157	25.65%
	計	1214	0		360	29.65%	395	32.54%	83	6.84%	363	29.90%	360	29.65%
75 ～	男	31	0		21	67.74%	4	12.90%	0		6	19.35%	21	67.74%
	女	10	0		9	90.00%	0		1	10.00%	0		9	90.00%
	計	41	0		30	73.17%	4	9.76%	1	2.44%	6	14.63%	30	73.17%
合計		1509	1	0.07%	393	26.04%	529	35.06%	97	6.43%	459	30.42%	407	26.97%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	140	8	5.71%	85	60.71%	47	33.57%
	女	114	14	12.28%	83	72.81%	17	14.91%
	計	254	22	8.66%	168	66.14%	64	25.20%
40 ～ 74	男	602	11	1.83%	413	68.60%	178	29.57%
	女	612	68	11.11%	446	72.88%	98	16.01%
	計	1214	79	6.51%	859	70.76%	276	22.73%
75 ～	男	31	3	9.68%	20	64.52%	8	25.81%
	女	10	1	10.00%	5	50.00%	4	40.00%
	計	41	4	9.76%	25	60.98%	12	29.27%
合計		1509	105	6.96%	1052	69.72%	352	23.33%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	102	72.86%	19	13.57%	12	8.57%	0		4	2.86%	3	2.14%
	女	114	106	92.98%	3	2.63%	3	2.63%	0		2	1.75%	0	
	計	254	208	81.89%	22	8.66%	15	5.91%	0		6	2.36%	3	1.18%
40 ～ 74	男	602	268	44.52%	85	14.12%	82	13.62%	0		37	6.15%	130	21.59%
	女	612	377	61.60%	82	13.40%	65	10.62%	0		11	1.80%	77	12.58%
	計	1214	645	53.13%	167	13.76%	147	12.11%	0		48	3.95%	207	17.05%
75 ～	男	31	6	19.35%	1	3.23%	6	19.35%	0		2	6.45%	16	51.61%
	女	10	1	10.00%	1	10.00%	2	20.00%	0		0		6	60.00%
	計	41	7	17.07%	2	4.88%	8	19.51%	0		2	4.88%	22	53.66%
合計		1509	860	56.99%	191	12.66%	170	11.27%	0		56	3.71%	232	15.37%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	136	97.14%	0	0	4	2.86%	0	0	0	0	0	0
	女	114	111	97.37%	0	0	3	2.63%	0	0	0	0	0	0
	計	254	247	97.24%	0	0	7	2.76%	0	0	0	0	0	0
40 ～ 74	男	602	516	85.71%	0	0	86	14.29%	0	0	0	0	0	0
	女	611	563	92.14%	0	0	48	7.86%	0	0	0	0	0	0
	計	1213	1079	88.95%	0	0	134	11.05%	0	0	0	0	0	0
75 ～	男	31	8	25.81%	0	0	23	74.19%	0	0	0	0	0	0
	女	10	5	50.00%	0	0	5	50.00%	0	0	0	0	0	0
	計	41	13	31.71%	0	0	28	68.29%	0	0	0	0	0	0
合計		1508	1339	88.79%	0	0	169	11.21%	0	0	0	0	0	0

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	63	45.00%	15	10.71%	31	22.14%	0	0	31	22.14%	0	0
	女	114	92	80.70%	10	8.77%	8	7.02%	0	0	4	3.51%	0	0
	計	254	155	61.02%	25	9.84%	39	15.35%	0	0	35	13.78%	0	0
40 ～ 74	男	602	296	49.17%	82	13.62%	125	20.76%	0	0	97	16.11%	2	0.33%
	女	612	434	70.92%	58	9.48%	85	13.89%	0	0	34	5.56%	1	0.16%
	計	1214	730	60.13%	140	11.53%	210	17.30%	0	0	131	10.79%	3	0.25%
75 ～	男	31	14	45.16%	5	16.13%	9	29.03%	0	0	2	6.45%	1	3.23%
	女	10	5	50.00%	3	30.00%	2	20.00%	0	0	0	0	0	0
	計	41	19	46.34%	8	19.51%	11	26.83%	0	0	2	4.88%	1	2.44%
合計		1509	904	59.91%	173	11.46%	260	17.23%	0	0	168	11.13%	4	0.27%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	50	35.71%	29	20.71%	39	27.86%	13	9.29%	6	4.29%	3	2.14%
	女	114	58	50.88%	27	23.68%	19	16.67%	5	4.39%	4	3.51%	1	0.88%
	計	254	108	42.52%	56	22.05%	58	22.83%	18	7.09%	10	3.94%	4	1.57%
40 ～ 74	男	602	131	21.76%	121	20.10%	222	36.88%	59	9.80%	5	0.83%	64	10.63%
	女	612	130	21.24%	135	22.06%	191	31.21%	63	10.29%	14	2.29%	79	12.91%
	計	1214	261	21.50%	256	21.09%	413	34.02%	122	10.05%	19	1.57%	143	11.78%
75 ～	男	31	10	32.26%	8	25.81%	7	22.58%	2	6.45%	0	0	4	12.90%
	女	10	1	10.00%	0	0	5	50.00%	1	10.00%	0	0	3	30.00%
	計	41	11	26.83%	8	19.51%	12	29.27%	3	7.32%	0	0	7	17.07%
合計		1509	380	25.18%	320	21.21%	483	32.01%	143	9.48%	29	1.92%	154	10.21%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	81	57.86%	48	34.29%	8	5.71%	0		2	1.43%	1	0.71%
	女	114	75	65.79%	32	28.07%	7	6.14%	0		0		0	
	計	254	156	61.42%	80	31.50%	15	5.91%	0		2	0.79%	1	0.39%
40 ～ 74	男	602	178	29.57%	260	43.19%	108	17.94%	0		26	4.32%	30	4.98%
	女	612	213	34.80%	269	43.95%	96	15.69%	0		19	3.10%	15	2.45%
	計	1214	391	32.21%	529	43.57%	204	16.80%	0		45	3.71%	45	3.71%
75 ～	男	31	2	6.45%	15	48.39%	6	19.35%	0		4	12.90%	4	12.90%
	女	10	2	20.00%	3	30.00%	2	20.00%	0		1	10.00%	2	20.00%
	計	41	4	9.76%	18	43.90%	8	19.51%	0		5	12.20%	6	14.63%
合計		1509	551	36.51%	627	41.55%	227	15.04%	0		52	3.45%	52	3.45%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	116	82.86%	17	12.14%	7	5.00%	0		0		0	
	女	114	77	67.54%	26	22.81%	10	8.77%	0		1	0.88%	0	
	計	254	193	75.98%	43	16.93%	17	6.69%	0		1	0.39%	0	
40 ～ 74	男	602	463	76.91%	77	12.79%	55	9.14%	0		7	1.16%	0	
	女	612	346	56.54%	162	26.47%	98	16.01%	0		6	0.98%	0	
	計	1214	809	66.64%	239	19.69%	153	12.60%	0		13	1.07%	0	
75 ～	男	31	14	45.16%	6	19.35%	7	22.58%	0		4	12.90%	0	
	女	10	4	40.00%	3	30.00%	2	20.00%	0		1	10.00%	0	
	計	41	18	43.90%	9	21.95%	9	21.95%	0		5	12.20%	0	
合計		1509	1020	67.59%	291	19.28%	179	11.86%	0		19	1.26%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	106	75.71%	8	5.71%	20	14.29%	1	0.71%	0		5	3.57%
	女	114	113	99.12%	0		1	0.88%	0		0		0	
	計	254	219	86.22%	8	3.15%	21	8.27%	1	0.39%	0		5	1.97%
40 ～ 74	男	602	461	76.58%	52	8.64%	54	8.97%	7	1.16%	0		28	4.65%
	女	612	597	97.55%	8	1.31%	5	0.82%	1	0.16%	0		1	0.16%
	計	1214	1058	87.15%	60	4.94%	59	4.86%	8	0.66%	0		29	2.39%
75 ～	男	31	23	74.19%	2	6.45%	5	16.13%	1	3.23%	0		0	
	女	10	8	80.00%	0		2	20.00%	0		0		0	
	計	41	31	75.61%	2	4.88%	7	17.07%	1	2.44%	0		0	
合計		1509	1308	86.68%	70	4.64%	87	5.77%	10	0.66%	0		34	2.25%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	114	81.43%	23	16.43%	1	0.71%	0		2	1.43%	0	
	女	114	73	64.04%	17	14.91%	14	12.28%	6	5.26%	0		4	3.51%
	計	254	187	73.62%	40	15.75%	15	5.91%	6	2.36%	2	0.79%	4	1.57%
40 ～ 74	男	602	495	82.23%	77	12.79%	15	2.49%	3	0.50%	12	1.99%	0	
	女	612	429	70.10%	87	14.22%	53	8.66%	33	5.39%	2	0.33%	8	1.31%
	計	1214	924	76.11%	164	13.51%	68	5.60%	36	2.97%	14	1.15%	8	0.66%
75 ～	男	31	23	74.19%	2	6.45%	5	16.13%	1	3.23%	0		0	
	女	10	9	90.00%	1	10.00%	0		0		0		0	
	計	41	32	78.05%	3	7.32%	5	12.20%	1	2.44%	0		0	
合計		1509	1143	75.75%	207	13.72%	88	5.83%	43	2.85%	16	1.06%	12	0.80%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	131	93.57%	2	1.43%	3	2.14%	0		4	2.86%	0	
	女	114	103	90.35%	5	4.39%	2	1.75%	0		4	3.51%	0	
	計	254	234	92.13%	7	2.76%	5	1.97%	0		8	3.15%	0	
40 ～ 74	男	602	547	90.86%	10	1.66%	13	2.16%	0		32	5.32%	0	
	女	612	552	90.20%	16	2.61%	23	3.76%	0		21	3.43%	0	
	計	1214	1099	90.53%	26	2.14%	36	2.97%	0		53	4.37%	0	
75 ～	男	31	26	83.87%	0		3	9.68%	0		2	6.45%	0	
	女	10	10	100.00%	0		0		0		0		0	
	計	41	36	87.80%	0		3	7.32%	0		2	4.88%	0	
合計		1509	1369	90.72%	33	2.19%	44	2.92%	0		63	4.17%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	15	15	100.00%	0		0		0		0		0	
	女	10	10	100.00%	0		0		0		0		0	
	計	25	25	100.00%	0		0		0		0		0	
40 ～ 74	男	50	48	96.00%	0		0		0		2	4.00%	0	
	女	36	36	100.00%	0		0		0		0		0	
	計	86	84	97.67%	0		0		0		2	2.33%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		111	109	98.20%	0		0		0		2	1.80%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	26	26	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	26	26	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	196	188	95.92%	0	0	0	0	0	0	8	4.08%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	196	188	95.92%	0	0	0	0	0	0	8	4.08%	0	0
75 ～	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
合計		225	217	96.44%	0	0	0	0	0	0	8	3.56%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	135	131	97.04%	0	0	0	0	0	0	4	2.96%	0	0
	女	113	105	92.92%	0	0	0	0	0	0	7	6.19%	1	0.88%
	計	248	236	95.16%	0	0	0	0	0	0	11	4.44%	1	0.40%
40 ～ 74	男	588	551	93.71%	0	0	0	0	0	0	35	5.95%	2	0.34%
	女	603	573	95.02%	0	0	0	0	0	0	30	4.98%	0	0
	計	1191	1124	94.37%	0	0	0	0	0	0	65	5.46%	2	0.17%
75 ～	男	31	30	96.77%	0	0	0	0	0	0	0	0	1	3.23%
	女	10	10	100.00%	0	0	0	0	0	0	0	0	0	0
	計	41	40	97.56%	0	0	0	0	0	0	0	0	1	2.44%
合計		1480	1400	94.59%	0	0	0	0	0	0	76	5.14%	4	0.27%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	110	78.57%	24	17.14%	4	2.86%	0	0	2	1.43%	0	0
	女	114	101	88.60%	6	5.26%	7	6.14%	0	0	0	0	0	0
	計	254	211	83.07%	30	11.81%	11	4.33%	0	0	2	0.79%	0	0
40 ～ 74	男	602	465	77.24%	76	12.62%	34	5.65%	0	0	10	1.66%	17	2.82%
	女	612	497	81.21%	44	7.19%	58	9.48%	0	0	6	0.98%	7	1.14%
	計	1214	962	79.24%	120	9.88%	92	7.58%	0	0	16	1.32%	24	1.98%
75 ～	男	31	19	61.29%	5	16.13%	4	12.90%	0	0	2	6.45%	1	3.23%
	女	10	7	70.00%	2	20.00%	0	0	0	0	1	10.00%	0	0
	計	41	26	63.41%	7	17.07%	4	9.76%	0	0	3	7.32%	1	2.44%
合計		1509	1199	79.46%	157	10.40%	107	7.09%	0	0	21	1.39%	25	1.66%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	139	136	97.84%	0		1	0.72%	0		1	0.72%	1	0.72%
	女	113	111	98.23%	0		0		0		1	0.88%	1	0.88%
	計	252	247	98.02%	0		1	0.40%	0		2	0.79%	2	0.79%
40 ～ 74	男	601	483	80.37%	23	3.83%	24	3.99%	0		45	7.49%	26	4.33%
	女	610	516	84.59%	23	3.77%	24	3.93%	0		27	4.43%	20	3.28%
	計	1211	999	82.49%	46	3.80%	48	3.96%	0		72	5.95%	46	3.80%
75 ～	男	31	17	54.84%	1	3.23%	3	9.68%	0		6	19.35%	4	12.90%
	女	9	2	22.22%	2	22.22%	3	33.33%	0		0		2	22.22%
	計	40	19	47.50%	3	7.50%	6	15.00%	0		6	15.00%	6	15.00%
合計		1503	1265	84.17%	49	3.26%	55	3.66%	0		80	5.32%	54	3.59%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	129	111	86.05%	0		10	7.75%	0		7	5.43%	1	0.78%
	女	110	90	81.82%	0		9	8.18%	0		10	9.09%	1	0.91%
	計	239	201	84.10%	0		19	7.95%	0		17	7.11%	2	0.84%
40 ～ 74	男	581	503	86.57%	1	0.17%	32	5.51%	0		20	3.44%	25	4.30%
	女	602	529	87.87%	0		33	5.48%	0		20	3.32%	20	3.32%
	計	1183	1032	87.24%	1	0.08%	65	5.49%	0		40	3.38%	45	3.80%
75 ～	男	31	25	80.65%	0		1	3.23%	0		1	3.23%	4	12.90%
	女	10	7	70.00%	0		0		0		0		3	30.00%
	計	41	32	78.05%	0		1	2.44%	0		1	2.44%	7	17.07%
合計		1463	1265	86.47%	1	0.07%	85	5.81%	0		58	3.96%	54	3.69%

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	139	138	99.28%	0		0		0		1	0.72%	0	
	女	113	108	95.58%	0		0		0		4	3.54%	1	0.88%
	計	252	246	97.62%	0		0		0		5	1.98%	1	0.40%
40 ～ 74	男	602	556	92.36%	0		26	4.32%	0		9	1.50%	11	1.83%
	女	611	585	95.74%	0		10	1.64%	0		9	1.47%	7	1.15%
	計	1213	1141	94.06%	0		36	2.97%	0		18	1.48%	18	1.48%
75 ～	男	31	22	70.97%	0		4	12.90%	0		5	16.13%	0	
	女	10	10	100.00%	0		0		0		0		0	
	計	41	32	78.05%	0		4	9.76%	0		5	12.20%	0	
合計		1506	1419	94.22%	0		40	2.66%	0		28	1.86%	19	1.26%

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	140	129	92.14%	0		10	7.14%	0		1	0.71%	0	
	女	112	106	94.64%	0		5	4.46%	0		1	0.89%	0	
	計	252	235	93.25%	0		15	5.95%	0		2	0.79%	0	
40 ～ 74	男	601	493	82.03%	0		104	17.30%	0		2	0.33%	2	0.33%
	女	609	514	84.40%	0		84	13.79%	0		9	1.48%	2	0.33%
	計	1210	1007	83.22%	0		188	15.54%	0		11	0.91%	4	0.33%
75 ～	男	31	16	51.61%	0		14	45.16%	0		1	3.23%	0	
	女	10	3	30.00%	0		6	60.00%	0		1	10.00%	0	
	計	41	19	46.34%	0		20	48.78%	0		2	4.88%	0	
合計		1503	1261	83.90%	0		223	14.84%	0		15	1.00%	4	0.27%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	104	99	95.19%	0		3	2.88%	0		2	1.92%	0	
	女	81	72	88.89%	0		7	8.64%	0		2	2.47%	0	
	計	185	171	92.43%	0		10	5.41%	0		4	2.16%	0	
40 ～ 74	男	380	335	88.16%	0		27	7.11%	0		16	4.21%	2	0.53%
	女	382	320	83.77%	1	0.26%	59	15.45%	0		2	0.52%	0	
	計	762	655	85.96%	1	0.13%	86	11.29%	0		18	2.36%	2	0.26%
75 ～	男	18	12	66.67%	0		4	22.22%	0		2	11.11%	0	
	女	5	5	100.00%	0		0		0		0		0	
	計	23	17	73.91%	0		4	17.39%	0		2	8.70%	0	
合計		970	843	86.91%	1	0.10%	100	10.31%	0		24	2.47%	2	0.21%

20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	34	13	38.24%	0		17	50.00%	0		4	11.76%	0	
	女	22	10	45.45%	0		10	45.45%	0		2	9.09%	0	
	計	56	23	41.07%	0		27	48.21%	0		6	10.71%	0	
40 ～ 74	男	204	36	17.65%	3	1.47%	128	62.75%	0		36	17.65%	1	0.49%
	女	180	34	18.89%	1	0.56%	127	70.56%	0		17	9.44%	1	0.56%
	計	384	70	18.23%	4	1.04%	255	66.41%	0		53	13.80%	2	0.52%
75 ～	男	10	0		0		4	40.00%	0		6	60.00%	0	
	女	5	0		0		5	100.00%	0		0		0	
	計	15	0		0		9	60.00%	0		6	40.00%	0	
合計		455	93	20.44%	4	0.88%	291	63.96%	0		65	14.29%	2	0.44%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	139	40	28.78%	2	1.44%	92	66.19%	0	5	3.60%	0	
	女	113	59	52.21%	4	3.54%	49	43.36%	0	1	0.88%	0	
	計	252	99	39.29%	6	2.38%	141	55.95%	0	6	2.38%	0	
40 ～ 74	男	602	77	12.79%	5	0.83%	485	80.56%	0	33	5.48%	2	0.33%
	女	612	125	20.42%	4	0.65%	445	72.71%	0	36	5.88%	2	0.33%
	計	1214	202	16.64%	9	0.74%	930	76.61%	0	69	5.68%	4	0.33%
75 ～	男	31	2	6.45%	0		26	83.87%	0	3	9.68%	0	
	女	10	1	10.00%	1	10.00%	8	80.00%	0	0		0	
	計	41	3	7.32%	1	2.44%	34	82.93%	0	3	7.32%	0	
合計		1507	304	20.17%	16	1.06%	1105	73.32%	0	78	5.18%	4	0.27%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	43	39	90.70%	0		3	6.98%	0	1	2.33%	0	
	計	43	39	90.70%	0		3	6.98%	0	1	2.33%	0	
40 ～ 74	男	0	0		0		0		0	0		0	
	女	184	160	86.96%	0		13	7.07%	0	11	5.98%	0	
	計	184	160	86.96%	0		13	7.07%	0	11	5.98%	0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		227	199	87.67%	0		16	7.05%	0	12	5.29%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	48	30	62.50%	0		18	37.50%	0	0		0	
	計	48	30	62.50%	0		18	37.50%	0	0		0	
40 ～ 74	男	0	0		0		0		0	0		0	
	女	184	99	53.80%	0		77	41.85%	0	8	4.35%	0	
	計	184	99	53.80%	0		77	41.85%	0	8	4.35%	0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		232	129	55.60%	0		95	40.95%	0	8	3.45%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	43	41	95.35%	0		2	4.65%	0		0		0	
	計	43	41	95.35%	0		2	4.65%	0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	233	214	91.85%	3	1.29%	6	2.58%	0		4	1.72%	6	2.58%
	計	233	214	91.85%	3	1.29%	6	2.58%	0		4	1.72%	6	2.58%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		276	255	92.39%	3	1.09%	8	2.90%	0		4	1.45%	6	2.17%

②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	505	38	7.52%	65	12.87%	211	41.78%	29	5.74%	150	29.70%	12	2.38%
	女	537	66	12.29%	64	11.92%	252	46.93%	39	7.26%	99	18.44%	17	3.17%
	計	1042	104	9.98%	129	12.38%	463	44.43%	68	6.53%	249	23.90%	29	2.78%
40 ～ 74	男	1838	21	1.14%	474	25.79%	620	33.73%	84	4.57%	547	29.76%	474	25.79%
	女	1802	27	1.50%	349	19.37%	731	40.57%	190	10.54%	398	22.09%	349	19.37%
	計	3640	48	1.32%	823	22.61%	1351	37.12%	274	7.53%	945	25.96%	823	22.61%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4682	152	3.25%	952	20.33%	1814	38.74%	342	7.30%	1194	25.50%	852	18.20%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	505	36	7.13%	300	59.41%	169	33.47%
	女	537	93	17.32%	362	67.41%	82	15.27%
	計	1042	129	12.38%	662	63.53%	251	24.09%
40 ～ 74	男	1838	67	3.65%	1146	62.35%	625	34.00%
	女	1802	230	12.76%	1205	66.87%	367	20.37%
	計	3640	297	8.16%	2351	64.59%	992	27.25%
75 ～	男	0	0		0		0	
	女	0	0		0		0	
	計	0	0		0		0	
合計		4682	426	9.10%	3013	64.35%	1243	26.55%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	505	339	67.13%	101	20.00%	47	9.31%	0		15	2.97%	3	0.59%
	女	537	471	87.71%	32	5.96%	23	4.28%	0		7	1.30%	4	0.74%
	計	1042	810	77.74%	133	12.76%	70	6.72%	0		22	2.11%	7	0.67%
40 ～ 74	男	1838	749	40.75%	286	15.56%	321	17.46%	0		157	8.54%	325	17.68%
	女	1802	1120	62.15%	216	11.99%	218	12.10%	0		56	3.11%	192	10.65%
	計	3640	1869	51.35%	502	13.79%	539	14.81%	0		213	5.85%	517	14.20%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4682	2679	57.22%	635	13.56%	609	13.01%	0		235	5.02%	524	11.19%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	504	492	97.62%	0		7	1.39%	5	0.99%	0		0	
	女	519	512	98.65%	0		5	0.96%	2	0.39%	0		0	
	計	1023	1004	98.14%	0		12	1.17%	7	0.68%	0		0	
40 ～ 74	男	1828	1547	84.63%	0		248	13.57%	33	1.81%	0		0	
	女	1728	1634	94.56%	0		75	4.34%	17	0.98%	0		2	0.12%
	計	3556	3181	89.45%	0		323	9.08%	50	1.41%	0		2	0.06%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4579	4185	91.40%	0		335	7.32%	57	1.24%	0		2	0.04%

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	470	259	55.11%	73	15.53%	42	8.94%	0		96	20.43%	0	
	女	502	442	88.05%	24	4.78%	14	2.79%	0		22	4.38%	0	
	計	972	701	72.12%	97	9.98%	56	5.76%	0		118	12.14%	0	
40 ～ 74	男	1837	1004	54.65%	307	16.71%	231	12.57%	0		290	15.79%	5	0.27%
	女	1802	1473	81.74%	161	8.93%	70	3.88%	1	0.06%	96	5.33%	1	0.06%
	計	3639	2477	68.07%	468	12.86%	301	8.27%	1	0.03%	386	10.61%	6	0.16%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4611	3178	68.92%	565	12.25%	357	7.74%	1	0.02%	504	10.93%	6	0.13%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	470	164	34.89%	102	21.70%	147	31.28%	45	9.57%	8	1.70%	4	0.85%
	女	502	323	64.34%	81	16.14%	56	11.16%	17	3.39%	24	4.78%	1	0.20%
	計	972	487	50.10%	183	18.83%	203	20.88%	62	6.38%	32	3.29%	5	0.51%
40 ～ 74	男	1837	446	24.28%	424	23.08%	632	34.40%	153	8.33%	34	1.85%	148	8.06%
	女	1802	541	30.02%	391	21.70%	533	29.58%	139	7.71%	38	2.11%	160	8.88%
	計	3639	987	27.12%	815	22.40%	1165	32.01%	292	8.02%	72	1.98%	308	8.46%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4611	1474	31.97%	998	21.64%	1368	29.67%	354	7.68%	104	2.26%	313	6.79%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	505	358	70.89%	106	20.99%	29	5.74%	0	0	8	1.58%	4	0.79%
	女	536	420	78.36%	98	18.28%	16	2.99%	0	0	1	0.19%	1	0.19%
	計	1041	778	74.74%	204	19.60%	45	4.32%	0	0	9	0.86%	5	0.48%
40 ～ 74	男	1838	933	50.76%	492	26.77%	201	10.94%	0	0	89	4.84%	123	6.69%
	女	1802	1062	58.93%	520	28.86%	133	7.38%	0	0	41	2.28%	46	2.55%
	計	3640	1995	54.81%	1012	27.80%	334	9.18%	0	0	130	3.57%	169	4.64%
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		4681	2773	59.24%	1216	25.98%	379	8.10%	0	0	139	2.97%	174	3.72%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	505	417	82.57%	48	9.50%	36	7.13%	0	0	4	0.79%	0	0
	女	535	378	70.65%	106	19.81%	49	9.16%	0	0	2	0.37%	0	0
	計	1040	795	76.44%	154	14.81%	85	8.17%	0	0	6	0.58%	0	0
40 ～ 74	男	1838	1437	78.18%	232	12.62%	132	7.18%	0	0	37	2.01%	0	0
	女	1802	1099	60.99%	419	23.25%	258	14.32%	0	0	26	1.44%	0	0
	計	3640	2536	69.67%	651	17.88%	390	10.71%	0	0	63	1.73%	0	0
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		4680	3331	71.18%	805	17.20%	475	10.15%	0	0	69	1.47%	0	0

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	426	335	78.64%	32	7.51%	51	11.97%	5	1.17%	3	0.70%	0	0
	女	471	469	99.58%	1	0.21%	1	0.21%	0	0	0	0	0	0
	計	897	804	89.63%	33	3.68%	52	5.80%	5	0.56%	3	0.33%	0	0
40 ～ 74	男	1821	1438	78.97%	173	9.50%	157	8.62%	25	1.37%	5	0.27%	23	1.26%
	女	1785	1743	97.65%	27	1.51%	12	0.67%	2	0.11%	0	0	1	0.06%
	計	3606	3181	88.21%	200	5.55%	169	4.69%	27	0.75%	5	0.14%	24	0.67%
75 ～	男	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		4503	3985	88.50%	233	5.17%	221	4.91%	32	0.71%	8	0.18%	24	0.53%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	472	372	78.81%	83	17.58%	4	0.85%	1	0.21%	12	2.54%	0	
	女	522	370	70.88%	43	8.24%	61	11.69%	32	6.13%	7	1.34%	9	1.72%
	計	994	742	74.65%	126	12.68%	65	6.54%	33	3.32%	19	1.91%	9	0.91%
40 ～ 74	男	1837	1461	79.53%	252	13.72%	52	2.83%	17	0.93%	51	2.78%	4	0.22%
	女	1802	1273	70.64%	218	12.10%	147	8.16%	119	6.60%	14	0.78%	31	1.72%
	計	3639	2734	75.13%	470	12.92%	199	5.47%	136	3.74%	65	1.79%	35	0.96%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4633	3476	75.03%	596	12.86%	264	5.70%	169	3.65%	84	1.81%	44	0.95%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	314	285	90.76%	7	2.23%	2	0.64%	0		20	6.37%	0	
	女	352	326	92.61%	5	1.42%	7	1.99%	0		14	3.98%	0	
	計	666	611	91.74%	12	1.80%	9	1.35%	0		34	5.11%	0	
40 ～ 74	男	1489	1355	91.00%	30	2.01%	24	1.61%	0		79	5.31%	1	0.07%
	女	1468	1329	90.53%	35	2.38%	60	4.09%	0		44	3.00%	0	
	計	2957	2684	90.77%	65	2.20%	84	2.84%	0		123	4.16%	1	0.03%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3623	3295	90.95%	77	2.13%	93	2.57%	0		157	4.33%	1	0.03%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	29	29	100.00%	0		0		0		0		0	
	女	18	18	100.00%	0		0		0		0		0	
	計	47	47	100.00%	0		0		0		0		0	
40 ～ 74	男	202	201	99.50%	0		0		0		1	0.50%	0	
	女	141	138	97.87%	0		0		0		3	2.13%	0	
	計	343	339	98.83%	0		0		0		4	1.17%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		390	386	98.97%	0		0		0		4	1.03%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	168	161	95.83%	0	0	0	0	0	0	7	4.17%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	168	161	95.83%	0	0	0	0	0	0	7	4.17%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		172	165	95.93%	0	0	0	0	0	0	7	4.07%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	385	365	94.81%	0	0	0	0	0	0	19	4.94%	1	0.26%
	女	387	374	96.64%	0	0	0	0	0	0	12	3.10%	1	0.26%
	計	772	739	95.73%	0	0	0	0	0	0	31	4.02%	2	0.26%
40 ～ 74	男	1749	1649	94.28%	0	0	0	0	0	0	96	5.49%	4	0.23%
	女	1658	1585	95.60%	0	0	0	0	0	0	73	4.40%	0	0
	計	3407	3234	94.92%	0	0	0	0	0	0	169	4.96%	4	0.12%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		4179	3973	95.07%	0	0	0	0	0	0	200	4.79%	6	0.14%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	459	390	84.97%	49	10.68%	17	3.70%	0	0	2	0.44%	1	0.22%
	女	467	412	88.22%	27	5.78%	26	5.57%	0	0	1	0.21%	1	0.21%
	計	926	802	86.61%	76	8.21%	43	4.64%	0	0	3	0.32%	2	0.22%
40 ～ 74	男	1837	1413	76.92%	200	10.89%	124	6.75%	5	0.27%	58	3.16%	37	2.01%
	女	1799	1479	82.21%	150	8.34%	128	7.12%	1	0.06%	27	1.50%	14	0.78%
	計	3636	2892	79.54%	350	9.63%	252	6.93%	6	0.17%	85	2.34%	51	1.40%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		4562	3694	80.97%	426	9.34%	295	6.47%	6	0.13%	88	1.93%	53	1.16%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	53	94.64%	1	1.79%	0		1	1.79%	1	1.79%	0	
	女	58	57	98.28%	1	1.72%	0		0		0		0	
	計	114	110	96.49%	2	1.75%	0		1	0.88%	1	0.88%	0	
40 ～ 74	男	362	308	85.08%	5	1.38%	11	3.04%	13	3.59%	14	3.87%	11	3.04%
	女	339	294	86.73%	15	4.42%	8	2.36%	5	1.47%	12	3.54%	5	1.47%
	計	701	602	85.88%	20	2.85%	19	2.71%	18	2.57%	26	3.71%	16	2.28%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		815	712	87.36%	22	2.70%	19	2.33%	19	2.33%	27	3.31%	16	1.96%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	15	10	66.67%	0		3	20.00%	2	13.33%	0		0	
	女	5	3	60.00%	0		0		2	40.00%	0		0	
	計	20	13	65.00%	0		3	15.00%	4	20.00%	0		0	
40 ～ 74	男	146	121	82.88%	0		11	7.53%	8	5.48%	0		6	4.11%
	女	119	113	94.96%	0		3	2.52%	3	2.52%	0		0	
	計	265	234	88.30%	0		14	5.28%	11	4.15%	0		6	2.26%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		285	247	86.67%	0		17	5.96%	15	5.26%	0		6	2.11%

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	29	29	100.00%	0		0		0		0		0	
	女	22	22	100.00%	0		0		0		0		0	
	計	51	51	100.00%	0		0		0		0		0	
40 ～ 74	男	218	203	93.12%	0		7	3.21%	0		3	1.38%	5	2.29%
	女	180	175	97.22%	0		3	1.67%	0		1	0.56%	1	0.56%
	計	398	378	94.97%	0		10	2.51%	0		4	1.01%	6	1.51%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		449	429	95.55%	0		10	2.23%	0		4	0.89%	6	1.34%

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	505	459	90.89%	0		42	8.32%	0		4	0.79%	0	
	女	516	476	92.25%	0		40	7.75%	0		0		0	
	計	1021	935	91.58%	0		82	8.03%	0		4	0.39%	0	
40 ～ 74	男	1833	1511	82.43%	1	0.05%	300	16.37%	0		17	0.93%	4	0.22%
	女	1774	1530	86.25%	2	0.11%	226	12.74%	0		14	0.79%	2	0.11%
	計	3607	3041	84.31%	3	0.08%	526	14.58%	0		31	0.86%	6	0.17%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4628	3976	85.91%	3	0.06%	608	13.14%	0		35	0.76%	6	0.13%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	349	323	92.55%	0		20	5.73%	0		5	1.43%	1	0.29%
	女	285	250	87.72%	0		31	10.88%	0		4	1.40%	0	
	計	634	573	90.38%	0		51	8.04%	0		9	1.42%	1	0.16%
40 ～ 74	男	1497	1319	88.11%	0		123	8.22%	0		44	2.94%	11	0.73%
	女	1205	999	82.90%	1	0.08%	190	15.77%	0		14	1.16%	1	0.08%
	計	2702	2318	85.79%	1	0.04%	313	11.58%	0		58	2.15%	12	0.44%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3336	2891	86.66%	1	0.03%	364	10.91%	0		67	2.01%	13	0.39%

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	23	8	34.78%	0		14	60.87%	0		1	4.35%	0	
	女	33	16	48.48%	0		14	42.42%	0		3	9.09%	0	
	計	56	24	42.86%	0		28	50.00%	0		4	7.14%	0	
40 ～ 74	男	178	31	17.42%	1	0.56%	119	66.85%	1	0.56%	22	12.36%	4	2.25%
	女	127	32	25.20%	3	2.36%	66	51.97%	0		26	20.47%	0	
	計	305	63	20.66%	4	1.31%	185	60.66%	1	0.33%	48	15.74%	4	1.31%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		361	87	24.10%	4	1.11%	213	59.00%	1	0.28%	52	14.40%	4	1.11%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	38	7	18.42%	0		30	78.95%	1	2.63%	0		0	
	女	47	24	51.06%	1	2.13%	21	44.68%	0		1	2.13%	0	
	計	85	31	36.47%	1	1.18%	51	60.00%	1	1.18%	1	1.18%	0	
40 ～ 74	男	295	33	11.19%	5	1.69%	240	81.36%	10	3.39%	7	2.37%	0	
	女	336	75	22.32%	5	1.49%	228	67.86%	8	2.38%	20	5.95%	0	
	計	631	108	17.12%	10	1.58%	468	74.17%	18	2.85%	27	4.28%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		716	139	19.41%	11	1.54%	519	72.49%	19	2.65%	28	3.91%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	88	77	87.50%	0		6	6.82%	0		5	5.68%	0	
	計	88	77	87.50%	0		6	6.82%	0		5	5.68%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	552	478	86.59%	0		31	5.62%	0		43	7.79%	0	
	計	552	478	86.59%	0		31	5.62%	0		43	7.79%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		640	555	86.72%	0		37	5.78%	0		48	7.50%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	123	82	66.67%	0		38	30.89%	0		3	2.44%	0	
	計	123	82	66.67%	0		38	30.89%	0		3	2.44%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	311	164	52.73%	0		137	44.05%	0		10	3.22%	0	
	計	311	164	52.73%	0		137	44.05%	0		10	3.22%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		434	246	56.68%	0		175	40.32%	0		13	3.00%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	180	173	96.11%	1	0.56%	1	0.56%	0		4	2.22%	1	0.56%
	計	180	173	96.11%	1	0.56%	1	0.56%	0		4	2.22%	1	0.56%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	679	653	96.17%	4	0.59%	0		0		16	2.36%	6	0.88%
	計	679	653	96.17%	4	0.59%	0		0		16	2.36%	6	0.88%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		859	826	96.16%	5	0.58%	1	0.12%	0		20	2.33%	7	0.81%

③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	27	4	14.81%	8	29.63%	10	37.04%	1	3.70%	4	14.81%	0	
	計	27	4	14.81%	8	29.63%	10	37.04%	1	3.70%	4	14.81%	0	
40 ～ 74	男	758	8	1.06%	348	45.91%	210	27.70%	28	3.69%	129	17.02%	348	45.91%
	女	2002	104	5.19%	567	28.32%	779	38.91%	97	4.85%	260	12.99%	567	28.32%
	計	2760	112	4.06%	915	33.15%	989	35.83%	125	4.53%	389	14.09%	915	33.15%
75 ～	男	187	0		112	59.89%	30	16.04%	4	2.14%	35	18.72%	112	59.89%
	女	222	0		137	61.71%	44	19.82%	3	1.35%	36	16.22%	137	61.71%
	計	409	0		249	60.88%	74	18.09%	7	1.71%	71	17.36%	249	60.88%
合計		3196	116	3.63%	1172	36.67%	1073	33.57%	133	4.16%	464	14.52%	1164	36.42%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0	
	女	27	7	25.93%	19	70.37%	1	3.70%
	計	27	7	25.93%	19	70.37%	1	3.70%
40 ～ 74	男	758	24	3.17%	558	73.61%	176	23.22%
	女	2002	243	12.14%	1376	68.73%	383	19.13%
	計	2760	267	9.67%	1934	70.07%	559	20.25%
75 ～	男	187	10	5.35%	148	79.14%	29	15.51%
	女	222	26	11.71%	151	68.02%	45	20.27%
	計	409	36	8.80%	299	73.11%	74	18.09%
合計		3196	310	9.70%	2252	70.46%	634	19.84%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	27	23	85.19%	1	3.70%	2	7.41%	0		1	3.70%	0	
	計	27	23	85.19%	1	3.70%	2	7.41%	0		1	3.70%	0	
40 ～ 74	男	758	224	29.55%	92	12.14%	142	18.73%	0		51	6.73%	249	32.85%
	女	2002	963	48.10%	274	13.69%	277	13.84%	0		110	5.49%	378	18.88%
	計	2760	1187	43.01%	366	13.26%	419	15.18%	0		161	5.83%	627	22.72%
75 ～	男	187	25	13.37%	16	8.56%	36	19.25%	0		24	12.83%	86	45.99%
	女	222	24	10.81%	29	13.06%	42	18.92%	0		20	9.01%	107	48.20%
	計	409	49	11.98%	45	11.00%	78	19.07%	0		44	10.76%	193	47.19%
合計		3196	1259	39.39%	412	12.89%	499	15.61%	0		206	6.45%	820	25.66%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	4	3	75.00%	0		1	25.00%	0		0		0	
	女	10	7	70.00%	0		3	30.00%	0		0		0	
	計	14	10	71.43%	0		4	28.57%	0		0		0	
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	2	1	50.00%	0		1	50.00%	0		0		0	
合計		17	12	70.59%	0		5	29.41%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	27	26	96.30%	1	3.70%	0		0		0		0	
	計	27	26	96.30%	1	3.70%	0		0		0		0	
40 ～ 74	男	758	492	64.91%	123	16.23%	60	7.92%	0		83	10.95%	0	
	女	2002	1719	85.86%	160	7.99%	63	3.15%	0		54	2.70%	6	0.30%
	計	2760	2211	80.11%	283	10.25%	123	4.46%	0		137	4.96%	6	0.22%
75 ～	男	187	131	70.05%	35	18.72%	11	5.88%	0		9	4.81%	1	0.53%
	女	222	187	84.23%	20	9.01%	12	5.41%	0		3	1.35%	0	
	計	409	318	77.75%	55	13.45%	23	5.62%	0		12	2.93%	1	0.24%
合計		3196	2555	79.94%	339	10.61%	146	4.57%	0		149	4.66%	7	0.22%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	27	18	66.67%	5	18.52%	2	7.41%	0		2	7.41%	0	
	計	27	18	66.67%	5	18.52%	2	7.41%	0		2	7.41%	0	
40 ～ 74	男	758	223	29.42%	165	21.77%	192	25.33%	43	5.67%	5	0.66%	130	17.15%
	女	2002	582	29.07%	408	20.38%	566	28.27%	99	4.95%	25	1.25%	322	16.08%
	計	2760	805	29.17%	573	20.76%	758	27.46%	142	5.14%	30	1.09%	452	16.38%
75 ～	男	187	73	39.04%	37	19.79%	29	15.51%	3	1.60%	1	0.53%	44	23.53%
	女	222	53	23.87%	52	23.42%	49	22.07%	7	3.15%	1	0.45%	60	27.03%
	計	409	126	30.81%	89	21.76%	78	19.07%	10	2.44%	2	0.49%	104	25.43%
合計		3196	949	29.69%	667	20.87%	838	26.22%	152	4.76%	34	1.06%	556	17.40%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	27	18	66.67%	7	25.93%	2	7.41%	0		0		0	
	計	27	18	66.67%	7	25.93%	2	7.41%	0		0		0	
40 ～ 74	男	758	180	23.75%	276	36.41%	173	22.82%	0		51	6.73%	78	10.29%
	女	2002	681	34.02%	773	38.61%	405	20.23%	0		69	3.45%	74	3.70%
	計	2760	861	31.20%	1049	38.01%	578	20.94%	0		120	4.35%	152	5.51%
75 ～	男	187	30	16.04%	59	31.55%	56	29.95%	0		14	7.49%	28	14.97%
	女	222	24	10.81%	96	43.24%	67	30.18%	0		13	5.86%	22	9.91%
	計	409	54	13.20%	155	37.90%	123	30.07%	0		27	6.60%	50	12.22%
合計		3196	933	29.19%	1211	37.89%	703	22.00%	0		147	4.60%	202	6.32%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	27	24	88.89%	3	11.11%	0		0		0		0	
	計	27	24	88.89%	3	11.11%	0		0		0		0	
40 ～ 74	男	758	576	75.99%	91	12.01%	79	10.42%	0		12	1.58%	0	
	女	2002	1475	73.68%	356	17.78%	162	8.09%	0		9	0.45%	0	
	計	2760	2051	74.31%	447	16.20%	241	8.73%	0		21	0.76%	0	
75 ～	男	187	123	65.78%	24	12.83%	30	16.04%	0		10	5.35%	0	
	女	222	104	46.85%	64	28.83%	43	19.37%	0		11	4.95%	0	
	計	409	227	55.50%	88	21.52%	73	17.85%	0		21	5.13%	0	
合計		3196	2302	72.03%	538	16.83%	314	9.82%	0		42	1.31%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	10	10	100.00%	0		0		0		0		0	
	計	10	10	100.00%	0		0		0		0		0	
40 ～ 74	男	738	572	77.51%	76	10.30%	51	6.91%	7	0.95%	0		32	4.34%
	女	1285	1252	97.43%	18	1.40%	12	0.93%	2	0.16%	0		1	0.08%
	計	2023	1824	90.16%	94	4.65%	63	3.11%	9	0.44%	0		33	1.63%
75 ～	男	187	153	81.82%	9	4.81%	13	6.95%	4	2.14%	0		8	4.28%
	女	222	214	96.40%	4	1.80%	3	1.35%	0		0		1	0.45%
	計	409	367	89.73%	13	3.18%	16	3.91%	4	0.98%	0		9	2.20%
合計		2442	2201	90.13%	107	4.38%	79	3.24%	13	0.53%	0		42	1.72%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	12	9	75.00%	0		2	16.67%	1	8.33%	0		0	
	計	12	9	75.00%	0		2	16.67%	1	8.33%	0		0	
40 ～ 74	男	738	629	85.23%	47	6.37%	38	5.15%	13	1.76%	9	1.22%	2	0.27%
	女	1493	1164	77.96%	141	9.44%	128	8.57%	40	2.68%	9	0.60%	11	0.74%
	計	2231	1793	80.37%	188	8.43%	166	7.44%	53	2.38%	18	0.81%	13	0.58%
75 ～	男	187	138	73.80%	4	2.14%	33	17.65%	8	4.28%	0		4	2.14%
	女	222	155	69.82%	18	8.11%	37	16.67%	9	4.05%	2	0.90%	1	0.45%
	計	409	293	71.64%	22	5.38%	70	17.11%	17	4.16%	2	0.49%	5	1.22%
合計		2652	2095	79.00%	210	7.92%	238	8.97%	71	2.68%	20	0.75%	18	0.68%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	6	4	66.67%	1	16.67%	1	16.67%	0		0		0	
	計	6	4	66.67%	1	16.67%	1	16.67%	0		0		0	
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
合計		7	4	57.14%	1	14.29%	2	28.57%	0		0		0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	6	6	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		7	7	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	5	4	80.00%	0		0		0		1	20.00%	0	
	女	0	0		0		0		0		0		0	
	計	5	4	80.00%	0		0		0		1	20.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5	4	80.00%	0		0		0		1	20.00%	0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	10	9	90.00%	0		0		0		1	10.00%	0	
	計	10	9	90.00%	0		0		0		1	10.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		10	9	90.00%	0		0		0		1	10.00%	0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	12	10	83.33%	1	8.33%	1	8.33%	0		0		0	
	計	12	10	83.33%	1	8.33%	1	8.33%	0		0		0	
40 ～ 74	男	743	525	70.66%	85	11.44%	66	8.88%	4	0.54%	20	2.69%	43	5.79%
	女	1391	1088	78.22%	128	9.20%	120	8.63%	3	0.22%	24	1.73%	28	2.01%
	計	2134	1613	75.59%	213	9.98%	186	8.72%	7	0.33%	44	2.06%	71	3.33%
75 ～	男	187	98	52.41%	22	11.76%	35	18.72%	9	4.81%	11	5.88%	12	6.42%
	女	222	131	59.01%	30	13.51%	30	13.51%	1	0.45%	16	7.21%	14	6.31%
	計	409	229	55.99%	52	12.71%	65	15.89%	10	2.44%	27	6.60%	26	6.36%
合計		2555	1852	72.49%	266	10.41%	252	9.86%	17	0.67%	71	2.78%	97	3.80%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	258	164	63.57%	28	10.85%	29	11.24%	0		26	10.08%	11	4.26%
	女	367	234	63.76%	34	9.26%	43	11.72%	0		22	5.99%	34	9.26%
	計	625	398	63.68%	62	9.92%	72	11.52%	0		48	7.68%	45	7.20%
75 ～	男	83	39	46.99%	8	9.64%	18	21.69%	0		8	9.64%	10	12.05%
	女	88	30	34.09%	12	13.64%	18	20.45%	0		12	13.64%	16	18.18%
	計	171	69	40.35%	20	11.70%	36	21.05%	0		20	11.70%	26	15.20%
合計		797	468	58.72%	82	10.29%	108	13.55%	0		68	8.53%	71	8.91%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	7	7	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7	7	100.00%	0		0		0		0		0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		2	2	100.00%	0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	12	12	100.00%	0		0		0		0		0	
	計	12	12	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		13	13	100.00%	0		0		0		0		0	

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3	3	100.00%	0		0		0		0		0	

20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	0		0		1	100.00%	0		0		0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
40 ～ 74	男	22	1	4.55%	0		17	77.27%	0		4	18.18%	0	
	女	47	6	12.77%	0		35	74.47%	0		5	10.64%	1	2.13%
	計	69	7	10.14%	0		52	75.36%	0		9	13.04%	1	1.45%
75 ～	男	2	0		0		2	100.00%	0		0		0	
	女	4	0		0		4	100.00%	0		0		0	
	計	6	0		0		6	100.00%	0		0		0	
合計		76	7	9.21%	0		59	77.63%	0		9	11.84%	1	1.32%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	58	51	87.93%	0		4	6.90%	0		3	5.17%	0	
	計	58	51	87.93%	0		4	6.90%	0		3	5.17%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		60	53	88.33%	0		4	6.67%	0		3	5.00%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	2	1	50.00%	0		1	50.00%	0		0		0	
	計	2	1	50.00%	0		1	50.00%	0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	72	47	65.28%	2	2.78%	18	25.00%	0		5	6.94%	0	
	計	72	47	65.28%	2	2.78%	18	25.00%	0		5	6.94%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		78	52	66.67%	2	2.56%	19	24.36%	0		5	6.41%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査		治療中
			人数	割合	人数	割合			人数	割合	
～ 39	男	0	0		0		0	0	0	0	0
	女	1	1	100.00%	0		0	0	0	0	0
	計	1	1	100.00%	0		0	0	0	0	0
40 ～ 74	男	0	0		0		0	0	0	0	0
	女	60	57	95.00%	2	3.33%	0	0	1	1.67%	0
	計	60	57	95.00%	2	3.33%	0	0	1	1.67%	0
75 ～	男	0	0		0		0	0	0	0	0
	女	0	0		0		0	0	0	0	0
	計	0	0		0		0	0	0	0	0
合計		61	58	95.08%	2	3.28%	0	0	1	1.64%	0

④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	734	147	20.03%	135	18.39%	312	42.51%	9	1.23%	120	16.35%	11	1.50%
	女	772	244	31.61%	96	12.44%	338	43.78%	32	4.15%	55	7.12%	7	0.91%
	計	1506	391	25.96%	231	15.34%	650	43.16%	41	2.72%	175	11.62%	18	1.20%
40 ～ 74	男	502	26	5.18%	167	33.27%	172	34.26%	8	1.59%	100	19.92%	167	33.27%
	女	554	26	4.69%	89	16.06%	258	46.57%	49	8.84%	82	14.80%	89	16.06%
	計	1056	52	4.92%	256	24.24%	430	40.72%	57	5.40%	182	17.23%	256	24.24%
75 ～	男	5	0		2	40.00%	2	40.00%	0		1	20.00%	2	40.00%
	女	1	0		1	100.00%	0		0		0		1	100.00%
	計	6	0		3	50.00%	2	33.33%	0		1	16.67%	3	50.00%
合計		2568	443	17.25%	490	19.08%	1082	42.13%	98	3.82%	358	13.94%	277	10.79%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	732	65	8.88%	445	60.79%	222	30.33%
	女	771	132	17.12%	531	68.87%	108	14.01%
	計	1503	197	13.11%	976	64.94%	330	21.96%
40 ～ 74	男	488	13	2.66%	289	59.22%	186	38.11%
	女	553	61	11.03%	373	67.45%	119	21.52%
	計	1041	74	7.11%	662	63.59%	305	29.30%
75 ～	男	4	0		2	50.00%	2	50.00%
	女	1	0		1	100.00%	0	
	計	5	0		3	60.00%	2	40.00%
合計		2549	271	10.63%	1641	64.38%	637	24.99%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	734	479	65.26%	150	20.44%	87	11.85%	0		12	1.63%	6	0.82%
	女	772	697	90.28%	40	5.18%	25	3.24%	0		6	0.78%	4	0.52%
	計	1506	1176	78.09%	190	12.62%	112	7.44%	0		18	1.20%	10	0.66%
40 ～ 74	男	502	174	34.66%	70	13.94%	79	15.74%	0		50	9.96%	129	25.70%
	女	553	341	61.66%	54	9.76%	73	13.20%	0		24	4.34%	61	11.03%
	計	1055	515	48.82%	124	11.75%	152	14.41%	0		74	7.01%	190	18.01%
75 ～	男	4	0		0		1	25.00%	0		1	25.00%	2	50.00%
	女	1	0		0		0		0		0		1	100.00%
	計	5	0		0		1	20.00%	0		1	20.00%	3	60.00%
合計		2566	1691	65.90%	314	12.24%	265	10.33%	0		93	3.62%	203	7.91%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	758	98.96%	0		8	1.04%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	766	758	98.96%	0		8	1.04%	0		0		0	
40 ～ 74	男	553	510	92.22%	0		43	7.78%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	553	510	92.22%	0		43	7.78%	0		0		0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		1320	1269	96.14%	0		51	3.86%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	521	499	95.78%	13	2.50%	2	0.38%	0		7	1.34%	0	
	女	0	0		0		0		0		0		0	
	計	521	499	95.78%	13	2.50%	2	0.38%	0		7	1.34%	0	
40 ～ 74	男	513	439	85.58%	40	7.80%	17	3.31%	0		17	3.31%	0	
	女	0	0		0		0		0		0		0	
	計	513	439	85.58%	40	7.80%	17	3.31%	0		17	3.31%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		1035	939	90.72%	53	5.12%	19	1.84%	0		24	2.32%	0	

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	522	361	69.16%	80	15.33%	49	9.39%	4	0.77%	27	5.17%	1	0.19%
	女	0	0		0		0		0		0		0	
	計	522	361	69.16%	80	15.33%	49	9.39%	4	0.77%	27	5.17%	1	0.19%
40 ～ 74	男	532	204	38.35%	112	21.05%	135	25.38%	30	5.64%	8	1.50%	43	8.08%
	女	0	0		0		0		0		0		0	
	計	532	204	38.35%	112	21.05%	135	25.38%	30	5.64%	8	1.50%	43	8.08%
75 ～	男	1	0		1	100.00%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		1	100.00%	0		0		0		0	
合計		1055	565	53.55%	193	18.29%	184	17.44%	34	3.22%	35	3.32%	44	4.17%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	769	620	80.62%	139	18.08%	10	1.30%	0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	769	620	80.62%	139	18.08%	10	1.30%	0	0	0	0	0	0
40 ～ 74	男	554	232	41.88%	222	40.07%	76	13.72%	0	0	11	1.99%	13	2.35%
	女	0	0		0		0		0	0	0	0	0	0
	計	554	232	41.88%	222	40.07%	76	13.72%	0	0	11	1.99%	13	2.35%
75 ～	男	1	0		1	100.00%	0		0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	1	0		1	100.00%	0		0	0	0	0	0	0
合計		1324	852	64.35%	362	27.34%	86	6.50%	0	0	11	0.83%	13	0.98%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	757	728	96.17%	12	1.59%	17	2.25%	0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	757	728	96.17%	12	1.59%	17	2.25%	0	0	0	0	0	0
40 ～ 74	男	544	477	87.68%	32	5.88%	29	5.33%	0	0	6	1.10%	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	544	477	87.68%	32	5.88%	29	5.33%	0	0	6	1.10%	0	0
75 ～	男	1	1	100.00%	0		0		0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	1	1	100.00%	0		0		0	0	0	0	0	0
合計		1302	1206	92.63%	44	3.38%	46	3.53%	0	0	6	0.46%	0	0

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	61	61	100.00%	0		0		0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	61	61	100.00%	0		0		0	0	0	0	0	0
40 ～ 74	男	144	144	100.00%	0		0		0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	144	144	100.00%	0		0		0	0	0	0	0	0
75 ～	男	0	0		0		0		0	0	0	0	0	0
	女	0	0		0		0		0	0	0	0	0	0
	計	0	0		0		0		0	0	0	0	0	0
合計		205	205	100.00%	0		0		0	0	0	0	0	0

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	523	375	71.70%	51	9.75%	62	11.85%	32	6.12%	1	0.19%	2	0.38%
	女	0	0		0		0		0		0		0	
	計	523	375	71.70%	51	9.75%	62	11.85%	32	6.12%	1	0.19%	2	0.38%
40 ～ 74	男	512	369	72.07%	51	9.96%	47	9.18%	38	7.42%	0		7	1.37%
	女	0	0		0		0		0		0		0	
	計	512	369	72.07%	51	9.96%	47	9.18%	38	7.42%	0		7	1.37%
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
合計		1036	744	71.81%	102	9.85%	110	10.62%	70	6.76%	1	0.10%	9	0.87%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	49	45	91.84%	0		1	2.04%	0		3	6.12%	0	
	女	0	0		0		0		0		0		0	
	計	49	45	91.84%	0		1	2.04%	0		3	6.12%	0	
40 ～ 74	男	135	120	88.89%	4	2.96%	6	4.44%	0		5	3.70%	0	
	女	0	0		0		0		0		0		0	
	計	135	120	88.89%	4	2.96%	6	4.44%	0		5	3.70%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		184	165	89.67%	4	2.17%	7	3.80%	0		8	4.35%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	37	37	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	37	37	100.00%	0		0		0		0		0	
40 ～ 74	男	31	31	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	31	31	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		68	68	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	26	23	88.46%	0		0		0		3	11.54%	0	
	女	0	0		0		0		0		0		0	
	計	26	23	88.46%	0		0		0		3	11.54%	0	
40 ～ 74	男	111	107	96.40%	0		0		0		4	3.60%	0	
	女	0	0		0		0		0		0		0	
	計	111	107	96.40%	0		0		0		4	3.60%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		137	130	94.89%	0		0		0		7	5.11%	0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	473	401	84.78%	39	8.25%	30	6.34%	0		3	0.63%	0	
	女	0	0		0		0		0		0		0	
	計	473	401	84.78%	39	8.25%	30	6.34%	0		3	0.63%	0	
40 ～ 74	男	509	425	83.50%	39	7.66%	33	6.48%	1	0.20%	7	1.38%	4	0.79%
	女	0	0		0		0		0		0		0	
	計	509	425	83.50%	39	7.66%	33	6.48%	1	0.20%	7	1.38%	4	0.79%
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		983	827	84.13%	78	7.93%	63	6.41%	1	0.10%	10	1.02%	4	0.41%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	0	0	0	0	0	1	50.00%	0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	2	1	50.00%	0	0	0	0	0	1	50.00%	0	0	
40 ～ 74	男	7	6	85.71%	0	0	0	0	0	1	14.29%	0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	7	6	85.71%	0	0	0	0	0	1	14.29%	0	0	
75 ～	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
合計		9	7	77.78%	0	0	0	0	0	2	22.22%	0	0	

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
40 ～ 74	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
75 ～	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
合計		0	0		0	0	0	0	0	0		0	0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
40 ～ 74	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
75 ～	男	0	0		0	0	0	0	0	0		0	0	
	女	0	0		0	0	0	0	0	0		0	0	
	計	0	0		0	0	0	0	0	0		0	0	
合計		0	0		0	0	0	0	0	0		0	0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	727	675	92.85%	0		51	7.02%	0		1	0.14%	0	
	女	0	0		0		0		0		0		0	
	計	727	675	92.85%	0		51	7.02%	0		1	0.14%	0	
40 ～ 74	男	531	449	84.56%	0		75	14.12%	0		5	0.94%	2	0.38%
	女	0	0		0		0		0		0		0	
	計	531	449	84.56%	0		75	14.12%	0		5	0.94%	2	0.38%
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		1259	1125	89.36%	0		126	10.01%	0		6	0.48%	2	0.16%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	9	8	88.89%	0		1	11.11%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	9	8	88.89%	0		1	11.11%	0		0		0	
40 ～ 74	男	70	61	87.14%	0		9	12.86%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	70	61	87.14%	0		9	12.86%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		79	69	87.34%	0		10	12.66%	0		0		0	

20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	12	3	25.00%	1	8.33%	8	66.67%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	12	3	25.00%	1	8.33%	8	66.67%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		13	4	30.77%	1	7.69%	8	61.54%	0		0		0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	5	5	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
40 ～ 74	男	23	6	26.09%	0		13	56.52%	0		4	17.39%	0	
	女	0	0		0		0		0		0		0	
	計	23	6	26.09%	0		13	56.52%	0		4	17.39%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		28	11	39.29%	0		13	46.43%	0		4	14.29%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	36	32	88.89%	0		2	5.56%	0		2	5.56%	0	
	女	0	0		0		0		0		0		0	
	計	36	32	88.89%	0		2	5.56%	0		2	5.56%	0	
40 ～ 74	男	77	62	80.52%	0		8	10.39%	0		7	9.09%	0	
	女	0	0		0		0		0		0		0	
	計	77	62	80.52%	0		8	10.39%	0		7	9.09%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		113	94	83.19%	0		10	8.85%	0		9	7.96%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	68	46	67.65%	0		20	29.41%	0		2	2.94%	0	
	女	0	0		0		0		0		0		0	
	計	68	46	67.65%	0		20	29.41%	0		2	2.94%	0	
40 ～ 74	男	61	29	47.54%	1	1.64%	29	47.54%	0		2	3.28%	0	
	女	0	0		0		0		0		0		0	
	計	61	29	47.54%	1	1.64%	29	47.54%	0		2	3.28%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		129	75	58.14%	1	0.78%	49	37.98%	0		4	3.10%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査	要治療	要精密検査		治療中	
			人数	割合	人数	割合			人数	割合	人数	割合
～ 39	男	70	68	97.14%	0		0	0	1	1.43%	1	1.43%
	女	0	0		0		0	0	0		0	
	計	70	68	97.14%	0		0	0	1	1.43%	1	1.43%
40 ～ 74	男	117	109	93.16%	6	5.13%	0	0	1	0.85%	1	0.85%
	女	0	0		0		0	0	0		0	
	計	117	109	93.16%	6	5.13%	0	0	1	0.85%	1	0.85%
75 ～	男	0	0		0		0	0	0		0	
	女	0	0		0		0	0	0		0	
	計	0	0		0		0	0	0		0	
合計		187	177	94.65%	6	3.21%	0	0	2	1.07%	2	1.07%

⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	106	45	42.45%	17	16.04%	27	25.47%	4	3.77%	12	11.32%	1	0.94%
	女	688	455	66.13%	12	1.74%	155	22.53%	8	1.16%	55	7.99%	3	0.44%
	計	794	500	62.97%	29	3.65%	182	22.92%	12	1.51%	67	8.44%	4	0.50%
40 ～ 74	男	203	102	50.25%	13	6.40%	34	16.75%	3	1.48%	49	24.14%	13	6.40%
	女	1162	844	72.63%	18	1.55%	186	16.01%	7	0.60%	94	8.09%	18	1.55%
	計	1365	946	69.30%	31	2.27%	220	16.12%	10	0.73%	143	10.48%	31	2.27%
75 ～	男	6	3	50.00%	3	50.00%	0		0		0		3	50.00%
	女	36	28	77.78%	0		4	11.11%	0		4	11.11%	0	
	計	42	31	73.81%	3	7.14%	4	9.52%	0		4	9.52%	3	7.14%
合計		2201	1477	67.11%	63	2.86%	406	18.45%	22	1.00%	214	9.72%	38	1.73%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	52	2	3.85%	41	78.85%	9	17.31%
	女	98	18	18.37%	67	68.37%	13	13.27%
	計	150	20	13.33%	108	72.00%	22	14.67%
40 ～ 74	男	47	2	4.26%	36	76.60%	9	19.15%
	女	56	4	7.14%	38	67.86%	14	25.00%
	計	103	6	5.83%	74	71.84%	23	22.33%
75 ～	男	3	0		3	100.00%	0	
	女	1	0		1	100.00%	0	
	計	4	0		4	100.00%	0	
合計		257	26	10.12%	186	72.37%	45	17.51%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	52	37	71.15%	8	15.38%	6	11.54%	0		0		1	1.92%
	女	98	95	96.94%	2	2.04%	0		0		1	1.02%	0	
	計	150	132	88.00%	10	6.67%	6	4.00%	0		1	0.67%	1	0.67%
40 ～ 74	男	47	24	51.06%	5	10.64%	7	14.89%	0		3	6.38%	8	17.02%
	女	59	31	52.54%	6	10.17%	10	16.95%	0		4	6.78%	8	13.56%
	計	106	55	51.89%	11	10.38%	17	16.04%	0		7	6.60%	16	15.09%
75 ～	男	3	0		1	33.33%	0		0		0		2	66.67%
	女	1	1	100.00%	0		0		0		0		0	
	計	4	1	25.00%	1	25.00%	0		0		0		2	50.00%
合計		260	188	72.31%	22	8.46%	23	8.85%	0		8	3.08%	19	7.31%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	53	52	98.11%	0		1	1.89%	0		0		0	
	女	93	92	98.92%	0		1	1.08%	0		0		0	
	計	146	144	98.63%	0		2	1.37%	0		0		0	
40 ～ 74	男	40	35	87.50%	0		5	12.50%	0		0		0	
	女	32	32	100.00%	0		0		0		0		0	
	計	72	67	93.06%	0		5	6.94%	0		0		0	
75 ～	男	3	0		0		3	100.00%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	1	25.00%	0		3	75.00%	0		0		0	
合計		222	212	95.50%	0		10	4.50%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	63	38	60.32%	11	17.46%	5	7.94%	3	4.76%	6	9.52%	0	
	女	97	90	92.78%	2	2.06%	0		2	2.06%	3	3.09%	0	
	計	160	128	80.00%	13	8.13%	5	3.13%	5	3.13%	9	5.63%	0	
40 ～ 74	男	56	29	51.79%	16	28.57%	3	5.36%	1	1.79%	7	12.50%	0	
	女	72	58	80.56%	6	8.33%	4	5.56%	0		4	5.56%	0	
	計	128	87	67.97%	22	17.19%	7	5.47%	1	0.78%	11	8.59%	0	
75 ～	男	3	1	33.33%	1	33.33%	1	33.33%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	2	50.00%	1	25.00%	1	25.00%	0		0		0	
合計		292	217	74.32%	36	12.33%	13	4.45%	6	2.05%	20	6.85%	0	

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	59	22	37.29%	16	27.12%	18	30.51%	2	3.39%	1	1.69%	0	
	女	96	65	67.71%	14	14.58%	9	9.38%	1	1.04%	7	7.29%	0	
	計	155	87	56.13%	30	19.35%	27	17.42%	3	1.94%	8	5.16%	0	
40 ～ 74	男	53	15	28.30%	8	15.09%	21	39.62%	3	5.66%	0		6	11.32%
	女	72	24	33.33%	13	18.06%	18	25.00%	9	12.50%	0		8	11.11%
	計	125	39	31.20%	21	16.80%	39	31.20%	12	9.60%	0		14	11.20%
75 ～	男	3	1	33.33%	0		0		1	33.33%	0		1	33.33%
	女	1	0		0		1	100.00%	0		0		0	
	計	4	1	25.00%	0		1	25.00%	1	25.00%	0		1	25.00%
合計		284	127	44.72%	51	17.96%	67	23.59%	16	5.63%	8	2.82%	15	5.28%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	61	53	86.89%	6	9.84%	1	1.64%	0		0		1	1.64%
	女	107	92	85.98%	10	9.35%	1	0.93%	2	1.87%	1	0.93%	1	0.93%
	計	168	145	86.31%	16	9.52%	2	1.19%	2	1.19%	1	0.60%	2	1.19%
40 ～ 74	男	56	22	39.29%	19	33.93%	10	17.86%	0		2	3.57%	3	5.36%
	女	76	38	50.00%	27	35.53%	8	10.53%	0		2	2.63%	1	1.32%
	計	132	60	45.45%	46	34.85%	18	13.64%	0		4	3.03%	4	3.03%
75 ～	男	3	1	33.33%	0		1	33.33%	0		0		1	33.33%
	女	1	0		1	100.00%	0		0		0		0	
	計	4	1	25.00%	1	25.00%	1	25.00%	0		0		1	25.00%
合計		304	206	67.76%	63	20.72%	21	6.91%	2	0.66%	5	1.64%	7	2.30%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	53	47	88.68%	3	5.66%	3	5.66%	0		0		0	
	女	104	89	85.58%	8	7.69%	7	6.73%	0		0		0	
	計	157	136	86.62%	11	7.01%	10	6.37%	0		0		0	
40 ～ 74	男	54	46	85.19%	3	5.56%	3	5.56%	0		2	3.70%	0	
	女	67	53	79.10%	6	8.96%	7	10.45%	0		1	1.49%	0	
	計	121	99	81.82%	9	7.44%	10	8.26%	0		3	2.48%	0	
75 ～	男	3	2	66.67%	0		1	33.33%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	3	75.00%	0		1	25.00%	0		0		0	
合計		282	238	84.40%	20	7.09%	21	7.45%	0		3	1.06%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	49	42	85.71%	3	6.12%	3	6.12%	1	2.04%	0		0	
	女	28	28	100.00%	0		0		0		0		0	
	計	77	70	90.91%	3	3.90%	3	3.90%	1	1.30%	0		0	
40 ～ 74	男	44	34	77.27%	2	4.55%	6	13.64%	1	2.27%	0		1	2.27%
	女	30	27	90.00%	3	10.00%	0		0		0		0	
	計	74	61	82.43%	5	6.76%	6	8.11%	1	1.35%	0		1	1.35%
75 ～	男	3	2	66.67%	0		1	33.33%	0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	3	75.00%	0		1	25.00%	0		0		0	
合計		155	134	86.45%	8	5.16%	10	6.45%	2	1.29%	0		1	0.65%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	42	75.00%	12	21.43%	0		0		2	3.57%	0	
	女	96	73	76.04%	11	11.46%	4	4.17%	7	7.29%	1	1.04%	0	
	計	152	115	75.66%	23	15.13%	4	2.63%	7	4.61%	3	1.97%	0	
40 ～ 74	男	53	45	84.91%	4	7.55%	1	1.89%	1	1.89%	2	3.77%	0	
	女	73	52	71.23%	10	13.70%	6	8.22%	4	5.48%	0		1	1.37%
	計	126	97	76.98%	14	11.11%	7	5.56%	5	3.97%	2	1.59%	1	0.79%
75 ～	男	3	1	33.33%	0		1	33.33%	0		0		1	33.33%
	女	1	1	100.00%	0		0		0		0		0	
	計	4	2	50.00%	0		1	25.00%	0		0		1	25.00%
合計		282	214	75.89%	37	13.12%	12	4.26%	12	4.26%	5	1.77%	2	0.71%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	45	43	95.56%	0		0		0		2	4.44%	0	
	女	27	24	88.89%	2	7.41%	0		0		1	3.70%	0	
	計	72	67	93.06%	2	2.78%	0		0		3	4.17%	0	
40 ～ 74	男	36	30	83.33%	1	2.78%	1	2.78%	0		4	11.11%	0	
	女	22	19	86.36%	0		2	9.09%	0		1	4.55%	0	
	計	58	49	84.48%	1	1.72%	3	5.17%	0		5	8.62%	0	
75 ～	男	3	3	100.00%	0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		134	120	89.55%	3	2.24%	3	2.24%	0		8	5.97%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	18	18	100.00%	0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	22	22	100.00%	0		0		0		0		0	
40 ～ 74	男	17	17	100.00%	0		0		0		0		0	
	女	8	8	100.00%	0		0		0		0		0	
	計	25	25	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		47	47	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	5	5	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	5	5	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	47	46	97.87%	0	0	0	0	0	0	1	2.13%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	47	46	97.87%	0	0	0	0	0	0	1	2.13%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		52	51	98.08%	0	0	0	0	0	0	1	1.92%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	47	46	97.87%	0	0	0	0	0	0	1	2.13%	0	0
	女	40	38	95.00%	0	0	0	0	0	0	2	5.00%	0	0
	計	87	84	96.55%	0	0	0	0	0	0	3	3.45%	0	0
40 ～ 74	男	44	43	97.73%	0	0	0	0	0	0	1	2.27%	0	0
	女	58	56	96.55%	0	0	0	0	0	0	2	3.45%	0	0
	計	102	99	97.06%	0	0	0	0	0	0	3	2.94%	0	0
75 ～	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
合計		193	187	96.89%	0	0	0	0	0	0	6	3.11%	0	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	50	42	84.00%	7	14.00%	0	0	0	0	1	2.00%	0	0
	女	83	75	90.36%	5	6.02%	3	3.61%	0	0	0	0	0	0
	計	133	117	87.97%	12	9.02%	3	2.26%	0	0	1	0.75%	0	0
40 ～ 74	男	46	37	80.43%	6	13.04%	3	6.52%	0	0	0	0	0	0
	女	59	44	74.58%	11	18.64%	2	3.39%	0	0	1	1.69%	1	1.69%
	計	105	81	77.14%	17	16.19%	5	4.76%	0	0	1	0.95%	1	0.95%
75 ～	男	3	2	66.67%	1	33.33%	0	0	0	0	0	0	0	0
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	0
	計	4	3	75.00%	1	25.00%	0	0	0	0	0	0	0	0
合計		242	201	83.06%	30	12.40%	8	3.31%	0	0	2	0.83%	1	0.41%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	4	3	75.00%	0		1	25.00%	0		0		0	
	女	3	2	66.67%	0		0		0		1	33.33%	0	
	計	7	5	71.43%	0		1	14.29%	0		1	14.29%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7	5	71.43%	0		1	14.29%	0		1	14.29%	0	

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	3	3	100.00%	0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	7	7	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7	7	100.00%	0		0		0		0		0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	3	3	100.00%	0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5	5	100.00%	0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	50	46	92.00%	0		4	8.00%	0		0		0	
	女	100	94	94.00%	0		6	6.00%	0		0		0	
	計	150	140	93.33%	0		10	6.67%	0		0		0	
40 ～ 74	男	47	43	91.49%	0		3	6.38%	0		1	2.13%	0	
	女	63	58	92.06%	0		5	7.94%	0		0		0	
	計	110	101	91.82%	0		8	7.27%	0		1	0.91%	0	
75 ～	男	3	2	66.67%	0		1	33.33%	0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	4	2	50.00%	0		2	50.00%	0		0		0	
合計		264	243	92.05%	0		20	7.58%	0		1	0.38%	0	

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	39	35	89.74%	0		2	5.13%	0		2	5.13%	0	
	女	18	17	94.44%	0		1	5.56%	0		0		0	
	計	57	52	91.23%	0		3	5.26%	0		2	3.51%	0	
40 ～ 74	男	31	23	74.19%	0		4	12.90%	0		3	9.68%	1	3.23%
	女	28	23	82.14%	0		3	10.71%	0		2	7.14%	0	
	計	59	46	77.97%	0		7	11.86%	0		5	8.47%	1	1.69%
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	2	0		0		2	100.00%	0		0		0	
合計		118	98	83.05%	0		12	10.17%	0		7	5.93%	1	0.85%

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	1	33.33%	0		2	66.67%	0		0		0	
	女	4	3	75.00%	0		1	25.00%	0		0		0	
	計	7	4	57.14%	0		3	42.86%	0		0		0	
40 ～ 74	男	10	1	10.00%	0		5	50.00%	1	10.00%	3	30.00%	0	
	女	3	1	33.33%	1	33.33%	1	33.33%	0		0		0	
	計	13	2	15.38%	1	7.69%	6	46.15%	1	7.69%	3	23.08%	0	
75 ～	男	2	0		0		2	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	0		0		2	100.00%	0		0		0	
合計		22	6	27.27%	1	4.55%	11	50.00%	1	4.55%	3	13.64%	0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	8	4	50.00%	2	25.00%	1	12.50%	0		1	12.50%	0	
	計	8	4	50.00%	2	25.00%	1	12.50%	0		1	12.50%	0	
40 ～ 74	男	14	2	14.29%	0		12	85.71%	0		0		0	
	女	28	6	21.43%	0		19	67.86%	1	3.57%	2	7.14%	0	
	計	42	8	19.05%	0		31	73.81%	1	2.38%	2	4.76%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
合計		51	12	23.53%	2	3.92%	33	64.71%	1	1.96%	3	5.88%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	195	170	87.18%	0		13	6.67%	0		12	6.15%	0	
	計	195	170	87.18%	0		13	6.67%	0		12	6.15%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	233	195	83.69%	0		23	9.87%	0		15	6.44%	0	
	計	233	195	83.69%	0		23	9.87%	0		15	6.44%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		430	367	85.35%	0		36	8.37%	0		27	6.28%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	329	222	67.48%	0		92	27.96%	0		15	4.56%	0	
	計	329	222	67.48%	0		92	27.96%	0		15	4.56%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	230	137	59.57%	0		80	34.78%	0		13	5.65%	0	
	計	230	137	59.57%	0		80	34.78%	0		13	5.65%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	2	1	50.00%	0		0		0		1	50.00%	0	
	計	2	1	50.00%	0		0		0		1	50.00%	0	
合計		561	360	64.17%	0		172	30.66%	0		29	5.17%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	309	291	94.17%	0		9	2.91%	0		8	2.59%	1	0.32%
	計	309	291	94.17%	0		9	2.91%	0		8	2.59%	1	0.32%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	719	692	96.24%	5	0.70%	19	2.64%	0		3	0.42%	0	
	計	719	692	96.24%	5	0.70%	19	2.64%	0		3	0.42%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	26	24	92.31%	0		1	3.85%	0		1	3.85%	0	
	計	26	24	92.31%	0		1	3.85%	0		1	3.85%	0	
合計		1054	1007	95.54%	5	0.47%	29	2.75%	0		12	1.14%	1	0.09%